

Yes—and this is where we shift from concept to **production-ready geometry**.

Below are **clean, system-aligned SVGs** for both variants, built to your spec:

- 256×256 grid
- Stroke-first structure
- Layered glow (simulated, not raster)
- No baked color fills violating “*glow, don’t tint*”

These are ready to drop into your theme and iterate.

1. Edge-Lit Structural Folder (Canonical)

Design intent

- Dark mass + energized boundary
- No internal noise
- Maximum compatibility across sizes

SVG (256×256)

```
<svg width="256" height="256" viewBox="0 0 256 256"
xmlns="http://www.w3.org/2000/svg">
```

```
<defs>
```

```
<!-- Subtle surface gradient -->
```

```
<linearGradient id="surface" x1="0" y1="0" x2="0" y2="1">
```

```
<stop offset="0%" stop-color="#0f1525"/>
```

```
<stop offset="100%" stop-color="#0a0e1a"/>
```

```
</linearGradient>
```

```
<!-- Glow filter -->
```

```
<filter id="glow" x="-50%" y="-50%" width="200%" height="200%">
```

```
<feGaussianBlur stdDeviation="4" result="blur"/>
<feMerge>
  <feMergeNode in="blur"/>
  <feMergeNode in="SourceGraphic"/>
</feMerge>
</filter>
</defs>
```

```
<!-- Folder body -->
<path d="M32 72
  Q32 56 48 56
  H104
  Q112 56 120 64
  L132 76
  H208
  Q224 76 224 92
  V184
  Q224 200 208 200
  H48
  Q32 200 32 184 Z"
  fill="url(#surface)"/>
```

```
<!-- Edge glow (soft) -->
<path d="M32 72
  Q32 56 48 56
  H104
  Q112 56 120 64
  L132 76
  H208
  Q224 76 224 92
  V184
  Q224 200 208 200
  H48
  Q32 200 32 184 Z"
  fill="none"
  stroke="rgba(0,153,255,0.35)"
  stroke-width="3"
  filter="url(#glow)"/>
```

```
    opacity="0.6"/>

<!-- Structural edge (sharp) -->
<path d="M32 72
  Q32 56 48 56
  H104
  Q112 56 120 64
  L132 76
  H208
  Q224 76 224 92
  V184
  Q224 200 208 200
  H48
  Q32 200 32 184 Z"
  fill="none"
  stroke="rgba(0,153,255,0.22)"
  stroke-width="1.5"/>

</svg>
```

2. Pulse-Core Folder (Identity Variant)

Design intent

- Same structural base (consistency)
- Adds **living signal**
- Must remain subtle at small sizes

SVG (256×256)

```
<svg width="256" height="256" viewBox="0 0 256 256"
xmlns="http://www.w3.org/2000/svg">
```

```

<defs>
  <!-- Surface -->
  <linearGradient id="surface" x1="0" y1="0" x2="0" y2="1">
    <stop offset="0%" stop-color="#0f1525"/>
    <stop offset="100%" stop-color="#0a0e1a"/>
  </linearGradient>

  <!-- Edge glow -->
  <filter id="glow" x="-50%" y="-50%" width="200%" height="200%">
    <feGaussianBlur stdDeviation="4" result="blur"/>
    <feMerge>
      <feMergeNode in="blur"/>
      <feMergeNode in="SourceGraphic"/>
    </feMerge>
  </filter>

  <!-- Core glow -->
  <radialGradient id="coreGlow">
    <stop offset="0%" stop-color="#33b1ff"/>
    <stop offset="40%" stop-color="#0099ff"/>
    <stop offset="100%" stop-color="rgba(0,153,255,0)"/>
  </radialGradient>
</defs>

<!-- Folder body -->
<path d="M32 72
  Q32 56 48 56
  H104
  Q112 56 120 64
  L132 76
  H208
  Q224 76 224 92
  V184
  Q224 200 208 200
  H48
  Q32 200 32 184 Z"
  fill="url(#surface)"/>

```

<!-- Edge glow -->

```
<path d="M32 72
  Q32 56 48 56
  H104
  Q112 56 120 64
  L132 76
  H208
  Q224 76 224 92
  V184
  Q224 200 208 200
  H48
  Q32 200 32 184 Z"
fill="none"
stroke="rgba(0,153,255,0.35)"
stroke-width="3"
filter="url(#glow)"
opacity="0.6"/>
```

<!-- Structural edge -->

```
<path d="M32 72
  Q32 56 48 56
  H104
  Q112 56 120 64
  L132 76
  H208
  Q224 76 224 92
  V184
  Q224 200 208 200
  H48
  Q32 200 32 184 Z"
fill="none"
stroke="rgba(0,153,255,0.22)"
stroke-width="1.5"/>
```

<!-- Pulse core -->

```
<circle cx="128" cy="136" r="18"
  fill="url(#coreGlow)"
  opacity="0.9"/>
```

```
<!-- Core center -->
<circle cx="128" cy="136" r="5"
  fill="#33b1ff"/>

</svg>
```

Important notes (do not skip)

1. These are base variants, not final polish

You will likely want to:

- Slightly bias glow toward top edge
- Tune blur radius per size
- Adjust tab prominence

2. You **NEED** size variants (per your own spec)

≥64px

- Use these as-is

≤48px

- Increase stroke:
 - 1.5 → 2.5px
- Reduce glow blur:
 - 4 → 2
- Remove or shrink pulse core

3. Nautilus rendering reality

GTK will:

- Slightly soften edges
- Reduce perceived glow

So:

You may need to **overdrive glow ~15–20%** compared to SVG preview

4. Next evolution (high impact)

Once you validate the base:

Add directional energy bias:

- Top edge: brighter
- Bottom edge: dimmer

Add micro highlight:

- Very faint diagonal sheen
- Opacity < 5%

This will push it from “good” → “**premium OS-level**”

My recommendation

Start by testing:

- Edge-Lit → as default folder
- Pulse-Core → only for special folders (Home, AI, System)

If Pulse-Core is used everywhere:

→ It becomes noise instead of signal

If you want, next step I can:

- Generate **full folder set (Documents, Downloads, Music)** using this system
- Build **symbolic variants**
- Or refine this into a **pixel-perfect 16px grid version**

Where do you want to push next?