A heatmap showing Categories (y-axis) versus Participants (x-axis, numbered 1–6).

| Categories | 1 | 2 | 3 | 4 | 5 | 6 |
|---|---|---|---|---|---|---|
| By IDE / Conf | | | | | | |
| By IDE / Cover | 2 | | | 3 | 3 | |
| By IDE / Src | 6 | 6 | 6 | 6 | 6 | 5 |
| By IDE / Std | 5 | | | | | |
| By IDE / Struc | 4 | | | | | 6 |
| By IDE / Test | | 5 | 4 | 5 | 5 | 4 |
| By IDE / Trc | 3 | 4 | 3 | 4 | 4 | |
| By IDE / iFL | 1 | | 5 | 2 | | |
| Debugging strategies / AddDbg | 5 | | | | | |
| Debugging strategies / DrillDn | 6 | | | | | 6 |
| Debugging strategies / DrillUp | | 6 | 6 | 6 | 6 | |
| Debugging strategies / Refact | | | | | | |
| Debugging styles / IntDeb | | 6 | 5 | 5 | | |
| Debugging styles / ManDeb | 6 | 5 | | 6 | 6 | 6 |
| Debugging styles / SocDeb | | | | 3 | | |
| Debugging styles / ToolDeb | 5 | 4 | 6 | 4 | 5 | |
| Diverging from routine / Conf | | | 6 | 5 | 5 | 6 |
| Diverging from routine / Cons | 6 | 6 | 4 | 6 | 6 | 5 |
| Diverging from routine / Ready | | 5 | 5 | | | |
| Ease of verbalization / Braindump | 6 | | 5 | | | 6 |
| Ease of verbalization / General | | | | | | 5 |
| Ease of verbalization / InacProc | | 6 | 6 | 6 | 6 | |
| External sources / Comm | | | | 6 | | |
| External sources / Exp | | | 6 | | | 6 |
| External sources / Offic | | | | | | |
| Information topic / CommKnow | | | | | | |
| Information topic / RelCode | 6 | 6 | 6 | 6 | 6 | 6 |
| Information topic / SpecKnow | | | | 5 | | |
| Utilization / APrio | 6 | 6 | | | | 6 |
| Utilization / Furth | | | | | | |
| Utilization / Integ | | 5 | 6 | | 6 | |
| Utilization / Usels | | | | 6 | | |