White Paper: Results of the *Heart of the Galaxy* Expedition

Launch Date: September 16, 2024
Subject: Search for Void Hearts
Affiliation: IGAU (Intergalactic Astronomical Union)
Expedition Leader: CMDR SigmaExplorer

---

1. Executive Summary

The **"Heart of the Galaxy"** expedition was initiated by the IGAU to survey nebulae in and around the Galactic Core, especially within the **Empyrean Straits** region, for undiscovered variants of **Void Hearts**. However, a pivotal analysis on January 17, 2025, shifted the expedition's focus. This analysis revealed that **Void Heart/Octrahedral Pod** distribution in the **Shrogaae/Eorl Auwsy** sectors is anchored to a specific nexus: **Shrogaae KK-A d983**, which hosts the historical *Galactic Mapping Project* community created POI "The Brain Forest". From this centre point there progresses five concentric, mutually exclusive bands, or layers of space, each with their own **Octahedral Pod** type/colour and correspondingly different appearance requirements. Each type of **Octahedral Pod** can only appear in its designated band, and **Void Hearts** can only appear with **Octahedral Pods** (of any type)**.** Thus, the appearance requirements for **Void Hearts** shifts as you move through the different layers of **Octahedral Pods**. This has been validated with the discovery of two new systems with **Void Hearts**, relatively distant from previous discoveries, as the IGAU continues its survey of the 5th and largest **Octahedral Pod** layer.

2. Introduction

Chryseum Void Hearts are one of the largest and most impressive **Notable Stellar Phenomena** in *Elite: Dangerous*. They appear in a very dense region of space, but tantalizing few have ever been discovered. Their singular subtype "Chryseum" implies the possibility that additional undiscovered subtypes exist in the galaxy. The small number of examples that had ever been found, despite the tens of thousands of systems that had been explored around them, presented the possibility that a similarly dense, but much less explored portion of the galaxy might still host a missing subtype of these spaceborne plants. This was the original inspiration for the IGAU squadron-only Heart of the Galaxy Expedition, which sought to survey under-explored nebulae in stellar dense areas around the galactic core.

However, the IGAU did not give up trying to better understand the existing known **Void Hearts**. The successful results of this effort are detailed in this paper, and led to the expedition being refocused back to the original area where **Void Hearts** were found.

3. Expedition Personnel

- **Expedition Leader:** CMDR SigmaExplorer
- **Technical & Survey Team:** CMDR MattG, CMDR Coddiwompler, CMDR Neutron Tide, CMDR XOR, CMDR Fred Noonan, CMDR Straha Yeagar, CMDR Vicar Tineamica, CMDR Precambrian Mollusc, CMDR Taen, CMDR Nozimo, CMDR Entreri514, CMDR Asentinn, CMDR Deckard Jansen, and CMDR Old Deuteronomy.

4. Early Information Review and Incorrect Presumptions

At the outset of the expedition a review of information known about Void Hearts was conducted.

Codex information:
See Appendix for detailed images of Void Hearts and each Pod type

Void Hearts - A single subtype of **Void Hearts** is known to exist - **Chryseum Void Hearts**. Unlike most other codex entries, the entry for **Chryseum Void Hearts** does not include an "Observations" section, and no details on where they might be found is provided. Following *Elite*'s convention for applying pseudo-greek-or-latin colour descriptors to different subtypes of codex discoveries, "Chryseum" translates as "gold-coloured".

Octahedral Pods - These pods are observable within the brambles of Void Hearts, and are presumably meant to be their seeds. Five subtypes of **Octahedral Pods** exist:

- **Niveum** (white) - These pods are found only in Shrogaae KK-A d983. The Observations section of their codex entry says that they are found in systems with F class stars, on or around High-Metal content worlds, in rings. This is incorrect, they are found in the rings of a Class 3 Gas Giant, and no High-Metal Content worlds are present in the system.
- **Caeruleum** (blue) - The Observations section of their codex entry says that they are found in systems with F, G, K or M class stars, in rings, on or around Class 3 Gas Giants. However, they are only found in systems with F class stars.
- **Viride** (green) - The Observations section for the codex entry of these pods says that they are found in systems with F, G, K or M class stars, in rings, however the space for which body they can be found on or around is blank. Once again, despite four star classes being indicated, they are only found in systems with F class stars.
- **Blatteum** (purple) - The codex claims these pods can be found in systems with F, G, K or M class stars, in rings, on or around Class 5 Gas Giants. Only actually found in systems with F class stars.
- **Ruebeum** (red) - The codex claims these pods can be found in systems with F, G, K or M class stars, in rings, on or around Class 4 Gas Giants. Only actually found in systems with F class stars.

Galactic Location

Void Hearts and **Octahedral Pods** are found exclusively on the border on the **Shrogaae** and **Eorl Auwsy** sectors, near the galactic north-eastern corner of the **Empyrean Straits** region, near the **Eorl Auwsy AA-A H72** nebula.



The location of the Eorl Auwsy AA-A H72 nebula marked in red, with the bubble and colonized space as of January 18, 2026 visible at the bottom of the image (CMDR Precambrian Mollusc)



The location of the Eorl Auwsy AA-A H72 nebula, with an overlay of the most heavily trafficked areas of the galaxy (CMDR Precambrian Mollusc)

Distribution of Previously Discovered Void Hearts and Pods:

The distribution of previously discovered systems with **Void Hearts** or **Octahedral Pods** made judging a potential centre or origin point for the area where they could potentially be found difficult. Most of the examples were clustered in one area with a seemingly rigid end point where they stop appearing on one side, and a few distant outliers in the opposite direction. Given other codex discoveries, such as **Reel Molluscs**, are centred on nebulae, the nearby **Eorl Auwsy AA-A H72** nebula was a natural candidate for a centre point (the nebula does serve as the centre of an area hosting **Brain Trees** and **Guardian Ruins**). However, the unusual distribution of previously discovered **Void Hearts** made the nebula seem unlikely for a centre.



An early attempt to judge the potential range for Void Hearts based on the known examples at the time (bookmarked on the Galmap). The Eorl Auwsy AA-A H72 is visible on the right.

A dense cluster of bookmarked systems with Void Hearts, on the edge of the larger zone where they had previously been discovered.

The information provided through the codex was obviously unreliable. While some of the provided requirements were true, most were not, and across the area there were many, many systems that seemed to meet the given requirements without **Void Hearts** or **Octahedral Pods** appearing. The dense cluster of **Void Heart** discoveries at one edge compared to their relatively sparse appearance throughout the rest of the area raised questions.

On a first look it seemed that **Void Hearts** had their own extremely restrictive set of requirements for appearance, including an F-class star, but also potentially some kind of quasi-random component based on the system's coordinates which favored systems clustered in a particular zone. The dearth of **Octahedral Pods** in the area, despite the ubiquity of the correct combinations of ringed gas giants and stars that the codex identifies as requirements implied that the Pods had the presence of **Void Hearts** as an additional requirement, which in turn had their own separate appearance criteria. The existence of a small number of systems which contained **Pods**, but no **Void Hearts** challenged this presumption, and in fact the opposite would turn out to be the case.

5. The January 17th, 2025 Breakthrough: Redefining Distribution

On January 17th, 2025, **CMDR XOR** submitted a comprehensive analysis of all known **Void Hearts** and **Octahedral Pods** to date. This data provided the foundation to isolate the exact procedural triggers for these **Notable Stellar Phenomena**. The following potential criteria were examined:

- **F-Star Dependency:** The presence of an F-class star in the system is necessary, though it does not have to be the primary star.
- **Distance from Primary Star:** Distance from the primary or parent star does not affect whether **Void Hearts** or **Pods** appear.
- **System Age:** The specific age of the system does not impact appearance.
- **Mass Code:** System mass code is irrelevant; **Void Hearts** appear in both D-mass and the E-mass systems.
- **Sector:** The range transitions seamlessly from **Shrogaae** into **Eorl Auwsy**.
- **Host Body Requirement:** There is an absolute correlation between pod colour and the specific ringed class of gas giant it orbits. The host body is not required to orbit the F-class star directly; the presence of an F-star anywhere in the system satisfies the procedural trigger.
- **The Necessity of Rings:** The composition of the ring does not matter, it can be rocky, icy, metal rich or metallic. However, the host body must be a ringed gas giant.
- **Potential Centre: Shrogaae KK-A d983** was identified as the central point. Despite not being close to the physical center of known discoveries or the nearby nebula, the existing data displays a rigid adherence to a colour progression for **Octahedral Pods** based on their distance from **Shrogaae KK-A d983**. There are five concentric, mutually exclusive bands (or shells), emanating from the centre, each with their own **Octahedral Pod** type/colour and correspondingly different appearance requirements.



Simplified illustration of the biological-stratigraphy distribution model for Octahedral Pods

System	Distance from Shrogaae KK-A d983	Pod Type	Host Ringed Gas Giant Class
Shrogaae KK-A d983	0.00 ly	Niveum	Class III GG
Shrogaae KK-A d90	10.58 ly	Viride	Class I GG
Shrogaae KK-A d38	14.01 ly	Viride	Class II GG
Shrogaae KK-A d1049	16.72 ly	Viride	Class II GG
Shrogaae KK-A d1321	17.41 ly	Viride	Class I GG
Shrogaae KK-A d2099	17.67 ly	Viride	Class I GG
Shrogaae MF-A d1228	18.15 ly	Viride	Class I GG
Shrogaae KK-A d477	18.36 ly	Viride	Class I GG
Shrogaae KK-A d1373	18.56 ly	Viride	Class I GG
Shrogaae KK-A d2239	21.79 ly	Caeruleum	Class III GG
Shrogaae KK-A d2286	22.53 ly	Caeruleum	Class III GG
Shrogaae MF-A d1009	24.28 ly	Caeruleum	Class III GG
Shrogaae KK-A d1791	25.89 ly	Caeruleum	Class III GG
Shrogaae MF-A d700	26.63 ly	Caeruleum	Class III GG
Shrogaae MF-A d136	27.21 ly	Caeruleum	Class III GG
Shrogaae MF-A d1000	27.82 ly	Caeruleum	Class III GG
Shrogaae MF-A d999	28.59 ly	Caeruleum	Class III GG
Shrogaae MF-A d1075	28.97 ly	Caeruleum	Class III GG
Shrogaae KK-A d206	29.04 ly	Caeruleum	Class III GG
Shrogaae NF-A d1802	29.07 ly	Caeruleum	Class III GG
Shrogaae KK-A d711	29.17 ly	Caeruleum	Class III GG
Shrogaae MF-A d1471	29.86 ly	Caeruleum	Class III GG
Shrogaae KK-A d2549	30.22 ly	Rubeum	Class IV GG
Shrogaae MF-A d70	37.60 ly	Rubeum	Class IV GG
Shrogaae MF-A d928	38.27 ly	Rubeum	Class IV GG
Shrogaae KK-A d2672	38.44 ly	Rubeum	Class IV GG
Eorl Auwsy SY-Z d13-3233	39.11 ly	Rubeum	Class IV GG
Shrogaae MF-A d1313	39.48 ly	Rubeum	Class IV GG
Eorl Auwsy UT-Z d13-1529	68.96 ly	Blatteum	Class V GG
Eorl Auwsy SY-Z d13-2640	74.62 ly	Blatteum	Class V GG
Eorl Auwsy UT-Z d13-338	76.24	Blatteum	Class V GG
Shrogaae HA-A e6608	93.89 ly	Blatteum	Class V GG
Shrogaae JK-A d3781	98.91ly	Blatteum	Class V GG

Shrogaae KK-A d983 - Historical Relevance

The selection of **Shrogaae KK-A d983** for the centre point for the **Void Hearts** and **Octahedral Pods** follows a familiar pattern from *Elite*'s game developers of placing notable codex discoveries in previously discovered systems that were already noted by the exploration community. **Shrogaae KK-A d983** was the first system in the **Empyrean Straits** to be discovered with **Brain Trees** and was given the moniker "The Brain Forest" by community *Galactic Mapping Project*. It was also a waypoint for the 'Perseus Expedition'.

Other examples of *Galactic Mapping Project* POIs selected to host or be the origin point for a region with **Notable Stellar Phenomena** include **Cliewoae NT-F d12-0** (named 'Abyssinal Hidden Paradise') which was noted as part of a sparse region with eight systems with Earth-like Worlds. The region now hosts **Aster Trees** and **Pods**, which only appear in systems with Earth-like Worlds. Some systems selected by Fdev to host NSPs are not at all notable, except for the fact that they were a *Galactic Mapping Project* POI. **Dryu Chraea FH-D d12-49** was dubbed 'Maledctus Luna' because two early explorers had the misfortune of losing their ships there. Today it is the only system in the **Perseus Arm** region to host **Calcite Plates**.

The in-game codex entry for **Niveum Pods** says that they appear in rings around High-Metal Content Worlds. In reality, there are no such bodies in **Shrogaae KK-A d983** and they instead appear in the rings of a Class 3 Gas Giant. It is likely that the codex entry for these pods was written before "The Brain Forest" was selected as the system where they would appear, and was not updated by FDev. Other errors in the codex may have similar origins.

6. Validating the New Hypothesis: New Void Heart Locations Discovered

The most distant system from **Shrogaae KK-A d983** known to have **Octahedral Pods** at the beginning of the expedition was **Eorl Auwsy UT-Z d13-338**, at 76.24 light years away, while the next closest system with both an F-class star and a Class 5 Gas Giant with rings which did not host an NSP was ~126 light years away. This presented a large potential search area which had not been heavily explored - much of relatively far from the **Eorl Auwsy AA-A H72** nebula and the other systems with **Void Hearts**.

Despite the distance from the previously presumed centre of the V**oid Hearts**/**Octahedral Pods** zone, **CMDR XOR**'s identification of **Shrogaae KK-A d983** as the correct centre was soon validated. Eight days later **CMDR SigmaExplorer** and **CMDR XOR** discovered **Blatteum Octahedral Pods** and **Void Hearts** in the ring of a Class 5 Gas Giant in **Shrogaae HA-A e6608**, 93.89 light years from **Shrogaae KK-A d983**. Later, **CMDR XOR** discovered a further set of **Void Hearts** and **Pods** on July 24, 2025 in the **Shrogaae JK-A d3781** system, 99.53 light years from the centre. A further ringed Class 5 Gas Giant without Pods was discovered ~110 light years from the centre, indicating the zone likely has a 100 light year maximum radius.



Shrogaae HA-A E6608 pictured on the Galmap with other Void Heart locations bookmarked. Note the distance from the rest of the discoveries and the Eorl Auwsy AA-A H72 Nebula.

Shrogaae JK-A d3781 pictured in the GalMap in the top left, 99.53 light years from the centre of the rest of the Void Hearts and Octahedral Pods.

7. Potential for Undiscovered Pod Varieties - The 40–60ly Gap and Beyond 100ly

While **Rubeum Pods** stop appearing further than 40 light years from the centre, the nearest system with which meets the appearance requirements for **Blatteum Pods** sits almost 69 light years away. This presents enough space for the potential placement of two additional ten light year thick shells hosting other unknown varieties of **Octahedral Pods**. However, systems in this range have been exhaustively surveyed and examples of all other ringed terrestrial bodies are present (with the exception of Helium-Rich Gas Giants) without any NSPs. There is a remote possibility that there was intended to be an additional, Helium-Rich Gas Giant dependant **Pod**, but the centre point selected has the misfortune of not having any of the correct type of body within the correct range. This seems unlikely, based on sequential progression of Class I/II, III, IV, V gas giants for the other **Pods**, but, aside from 100 light years being an attractive round number, there would also be the possibility of a sixth pod type appearing beyond the presumed 100 light year limit. Unfortunately, the closest ringed Helium-rich gas giant is in Eorl Auwsy MI-A d14-1762, 255 light years from **Shrogaae KK-A d983**, and unsurprisingly, does not contain any NSP locations.

3D visualisation of Pod locations, courtesy of CMDR Precambrian Mollusc:





The sequential Octahedral Pod layers, Viride, Caeruleum, Rubeum and Blatteum, with the relative locations of each known example around Shrogaae KK-A d983 and the Niveum Pods (CMDR Precambrian Mollusc)

8. Stellar Forge Distribution Analysis

Despite the much larger size of its potential appearance zone, **Blatteum Pods** are exceptionally rare. This is due to the corresponding rarity of the required Class V ringed gas giants in systems with F-class stars. To illustrate, we analyzed the **Shrogaae JK-A d-** (D-mass) boxel[1]. With **2,575 systems fully scanned**, the distribution shows why **Caeruleum Pods** (requiring class III gas giants) are common while **Blatteum** are rare.

On January 24, 2026, data available through EDAstro was also reviewed by **CMDR MattG**. At that date there were only 4157 systems known galaxy wide which contained both a F-class star and a ringed Class V gas giant, out of 10,185,884 total known F-class stars. It's somewhat uncommon to find multiple F-class stars in a single system, presenting about 0.04% chance a given system with an F-class star will also contain a ringed Class V gas giant.

[1] See the IGAU's technical explanation of "boxels" here, or CMDR Marx's guide on the Frontier Forums.

Survey Sample: Boxel Shrogaae JK-A d

Metadata	Value
Total Systems in Boxel	6,661
Systems Visited	2,600
Systems Full Scanned	2,575

Body Type	Count (with or without rings)	Body Probability
Earth-Like World	28	1.09%
Water World	461	17.90%
Ammonia World	98	3.81%
Gas Giant Class I	1051	40.82%
Gas Giant Class II	526	20.43%
Gas Giant Class III	1803	70.02%
Gas Giant Class IV	208	8.08%
Gas Giant Class V	10	0.39%

---

9. Target Survey Grid: The 3x3x3 Boxel Cube

Using **CMDR MattG**'s stand-alone software "EDJP" (Elite Dangerous Journal Processor) with its "*boxel explore*r" function, the following D-mass boxels surrounding **Shrogaae KK-A d** were seen as candidates to explore:

Layer	Row A (Shrogaae)	Row B (Shrogaae)	Row C (Eorl Auwsy)
Top Layer	LV-Y, MV-Y, NV-Y	HP-A, IP-A, JP-A	PD-A d14, QD-A d14, RD-A d14
Mid Layer	NQ-Y, OQ-Y, PQ-Y	**JK-A**, **KK-A (Center)**, LK-A	RY-Z, **SY-Z**, TY-Z
Bottom Layer	PL-Y, QL-Y, RL-Y	LF-A, **MF-A**, **NF-A**	TT-Z, **UT-Z**, VT-Z

** Bold boxels indicate sectors where Void Hearts have been successfully located.*

9. Summary of "Just Pods" Systems (4 Entries)

A curious procedural anomaly exists where four specific systems generate **Octahedral Pods** but lack **Void Hearts**. The mechanism behind this "Pod-Only" spawn is currently unknown. It is unclear whether this is a result of a separate procedural check failing, an unknown characteristic of these NSP locations that prevent **Void Hearts** from appearing, or if it is simply the result of a bug. Three of the four NSP locations contain only **Octahedral Pods**, but **Shrogaae KK-A d1373** also contains Rubeum and Purpureum Metallic Crystals.

- **Viride (Green):** Shrogaae KK-A d90 (10.58 ly) and Shrogaae KK-A d1373 (18.56 ly).
- **Caeruleum (Blue):** Shrogaae KK-A d206 (29.04 ly).
- **Blatteum (Purple):** Eorl Auwsy UT-Z d13-338 (76.24 ly).

10. Implications for Exploration and Further Research

- Other **Notable Stellar Phenomena** may have layered or sequential appearance requirements. Others that are out there with unknown or poorly understood appearance requirements should be examined for having a similar pattern to **Octahedral Pods**.
- Old POIs from the *Galactic Mapping Project* era should be reviewed for any previously unknown or missed NSP locations. Similarly, if a known NSP has an unusual, or seemingly unremarkable location, it should be checked against lists of older POIs.
- While errors in the in-game codex are not unusual, they may indicate a late decision from Fdev to place them in a system known to the community. NSP located codex discoveries with obvious errors may be good candidates for those that have been hand placed around POI systems.

11. Survey Progress Metrics

Surveyed systems were those that contained an F-class star, and were within 100 light years of the centre, or out to 124 or 110 light years as we discovered systems with ringed class V gas giants and no NSPs, and correspondingly narrowed our search area. Systems we are able to confirm from the Galmap are either *without* an F-class star or too far away were considered surveyed, and skipped. It should be noted that most the remaining systems to be “surveyed” will also be too distant from the centre or will not have F-class stars and that while the number of systems remaining that could plausibly still contain undiscovered **Void Hearts** is very far from zero (indeed in may be in the hundreds or thousands), it is considerably less than the 39,900 left to check at date of this paper’s publication.

Metric	**Status**
Systems Surveyed	66,100
Systems Left to Survey	39,900
Current Progress	**~62.4%**

13. Conclusion

The Heart of the Galaxy expedition has fundamentally changed our understanding of **Void Heart** distribution. Our data now confirms that for **this specific Notable Stellar Phenomena class**, distribution is governed by rigid, mutually exclusive bands.

While the IGAU has slowed down its survey of our identified search, we hope the *Elite* exploration community can take what we have learned and are successful in finding any remaining undiscovered **Void Hearts**. As the final **38%** of the search area is cleared, our objective remains the complete validation of this model, while remaining vigilant for any data that suggests how—or if—this biological-stratigraphy applies to anything else in the wider **Notable Stellar Phenomena** landscape.

Unfortunately, despite the value of this discovery, hope for finding other types of **Void Hearts**, the original goal of the expedition, has diminished. When the exact nexus of the Void Hearts' potential area and their appearance requirements were unknown, there was no way to be sure that other examples had simply been missed in the densest areas of the galaxy. With the revelation that Void Hearts are centred on a previously discovered POI, and most types of Ocahederal Pods appear with very common classes of ringed gas giants, the potential for there still to be missed **Void Hearts** seems exceptionally low. However, there remains a remote chance that some mostly forgotten POI, or perhaps a star class that is less likely to host ringed gas giants, such as carbon stars or white dwarfs, is still out there hiding an unknown **Void Heart** type beyond Chryseum.

Interested pilots can visit *Xor's Void Grove*, a Tier 3 ground port commissioned by **CMDR SigmaExplorer** in the **Wredguia CF-P c19-22** system to celebrate the success of the Heart of Galaxy expedition, and acknowledge **CMDR Xor**'s contributions to this project.

About the Intergalactic Astronomical Union

The IGAU is the true explorer's exploration squadron. We are a small group, but our members and alumni include some of the most impactful members of the *Elite* exploration community, including organizers and contributors to Distant Worlds III, the developers of *Elite* exploration software, plugins, and online databases of exploration data, and are well represented on EDSM's list of Top 100 pilots by systems discovered first. Prior to the merger of exploration and exobiology data in the *Elite* leaderboards (and the resulting devaluation of cartographic data) the IGAU was a mainstay of the seasonal exploration podium, despite our relatively small size. We are always working on unlocking the mysteries of Stellarforge and the *Elite* universe, and can often be found conducting comprehensive surveys that leave no asteroid unturned.

We welcome explorers of all skill and experience levels and happily share thoughts and advice. Drop by our Discord!

Appendix

Images and physical description:



An image captured in **Shrogaae HA-A e6608** *shortly after its discovery*

<u>Void Hearts</u>

Void Hearts are massive, tangled brambles of woody-looking vines and thorns. Some examples glow brightly, while other appear dark and dormant. When approached, pilots can hear eerie, echoing creaking and clicking sounds.

Tangled within them are Octahedral pods, presumably meant to be their seeds.

Unfortunately, these spaceborne wonders were a sad victim of the re-work of emissive lighting that came with the release of *Elite Dangerous: Odyssey*. Emissive lighting effects were significantly reduced, and the glow that accompanied **Void Hearts** is not what it used to be. When back-lit, they now have also tend to have a kind of pale-grey outline that is visible in some of the images above that did not exist before. Octahedral Pods suffered even more, and despite originally being different colours, they are now very dark and almost indistinguishable from each other. The below comparisons are made with images of the Octahederal Pods' original look, taken from CrimShadow's YouTube video *Empyrean Void Hearts and Octahedral Pods - Elite Dangerous Codex Tour*. Check it out.

Niveum Octahedral Pods

Horizons Era:



Odyssey:

Viride Octahedral Pods

Horizons Era:



Odyssey:

Caeruleum Octahedral Pods

Horizons Era:



Odyssey:

Rubeum Octahedral Pods

Horizons Era:



Odyssey:



Blatteum Octahedral Pods

No images of Blatteum Pods from the Horizons era were available at time of publication.
Current appearance of Blatteum Octahedral Pods:



Tools used

ED Astrometrics (IGAU Orvidius) : https://edastro.com/
ED Discovery (EDDiscovery team) : https://github.com/EDDiscovery/
ED Observatory (IGAU Vithigar) : https://observatory.xjph.net/
ED Observatory plugins, AstroAnalytica, Bioinsights, Evaluator, Boxelstats (IGAU Mattg): https://edjp.colacube.net/observatory
EDJP, Elite Dangerous Journal Processor (IGAU Mattg): https://edjp.colacube.net/
Spansh (Gareth Harper): https://www.spansh.co.uk/plotter

Raw data submitted by CMDR XOR

1								Stars				Target body								NSPs						
2	System	Distance to Shrogaae KK-A d983	age (myr)	Nearest brain tree	Nearest guardian codex	Nearest Nebula Eorl Auwsy YF-Y b56-41	total bodies	A	B	C	D	NSP(s) target body	Target body comp H	Target body comp He	Target body ring 1 type	Target body ring 2 type	Target body ring 3 type	NSPs Target body (dis l/s)	NSPs Target body type	NSP1 (dis l/s)	NSP1 ring	NSP2 (dis l/s)	NSP2 ring	NSP3 (dis l/s)	NSP3 ring	Pods
3	Shrogaae KK-A d983	0.00 ly	3868	0	73.71	85.65	16	F1 VB	M9 VI	T1 V		A1	74.5	25.5	R	MR		2034	Class III GG	2034	1	2035	2			Niveus
4	Shrogaae KK-A d38	14.01 ly	1336	10.29	87.72	99.61	14	F1 VB				A2	74.7	25.3	MR			1659	Class II GG	1670	1					Viride
5	Shrogaae KK-A d1049	16.72 ly	1570	0	68.5	79.95	31	A5 VI	F4 VI			AB 3	74.5	25.5	R			2834	Class II GG	2831	1					Viride
6	Shrogaae KK-A d1321	17.41 ly	1970	14.45	81.43	93.84	20	F9 VB				A3	74.5	25.5	I			2506	Class I GG	2506	1	2506	1			Viride
7	Shrogaae KK-A d2099	17.67 ly	2998	14.46	88.86	100.76	28	F6 VB	K6 VA			AB 2	74.7	25.3	MR	I		4300	Class I GG	4300	1					Viride
8	Shrogaae MF-A d1228	18.15 ly	2044	13.29	83.06	93.95	23	F2 VB				A4	74	26	M	R		2835	Class I GG	2835	2	2835	1	2835	2	Viride
9	Shrogaae KK-A d477	18.36 ly	3638	6.51	85.09	96.36	19	F8 VAB				A6	74.5	25.5	I			3303	Class I GG	3302	1	3302	1			Viride
10	Shrogaae KK-A d2239	21.79 ly	2556	6.51	94.22	106.12	33	F2 VB	K5 VAB	M4 VA	K2 VA	ABC 1	74.5	25.5	R	MR		1657	Class III GG	1659	2	1657	2	1657	1	Caeruleum
11	Shrogaae KK-A d2286	22.53 ly	2012	1.9	62.83	74.58	32	F3 VB	G6 VAB			AB 1	74.7	25.3	R	MR		3021	Class III GG	3021	1					Caeruleum
12	Shrogaae MF-A d1009	24.28 ly	2306	10.75	61.92	72.2	10	F3 VB				A3	73.7	26.3	R			4095	Class III GG	4094						Caeruleum
13	Shrogaae KK-A d1791	25.89 ly	1472	9.81	58.93	69.12	19	F9 VB				A3	74.6	25.4	R	MR		2386	Class III GG	2386	2	2387	2			Caeruleum
14	Shrogaae MF-A d700	26.63 ly	2178	11.57	78.83	89.1	20	F7 VI	M1 VA			B1	73.8	26.2	R	R		15988	Class III GG	15988	2	15988	1	15988	1	Caeruleum
15	Shrogaae MF-A d136	27.21 ly	1788	21.1	93.31	104.2	28	F2 VB	K7 VA			AB4	73.9	26.1	MR	R		1336	Class III GG	1336	2					Caeruleum
16	Shrogaae MF-A d1000	27.82 ly	1440	11.8	72.6	82.2	26	F9 VB				A1	73.5	26.5	MR	R		1281	Class III GG	1281	1	1281	2	1281	1	Caeruleum
17	Shrogaae MF-A d999	28.59 ly	418	6	84.55	94.5	29	F4 VB				A7	74	26	R			3532	Class III GG	3534	1	3534	1			Caeruleum
18	Shrogaae MF-A d1075	28.97 ly	2260	11.26	63.73	73.4	17	F6 VAB				A1	73.5	26.5	M	R		3335	Class III GG	3335	2	3335	1	3335	1	Caeruleum
19	Shrogaae NF-A d1802	29.07 ly	3440	8.64	79.97	89.7	19	F0 VI				A4	73	27	R	MR		3306	Class III GG	3306	1	3307	1			Caeruleum
20	Shrogaae KK-A d711	29.17 ly	448	10.89	59.05	69.5	14	F5 VB				A7	74.6	25.4	MR	R		1346	Class III GG	2911	1	2911	1	2912	2	Caeruleum
21	Shrogaae MF-A d1471	29.86 ly	2442	23.32	97.89	108.8	32	F2 VB	M8 VA	M7 VA	M8 VA	A1	74	26	R			2966	Class III GG	2966	1	2966	1			Caeruleum
22	Shrogaae KK-A d2549	30.22 ly	1718	15.96	82.86	95.3	20	F0 VB				A1	74.5	25.5	R			1507	Class IV GG	1506	1	1506	1	1507	1	Rubeum
23	Shrogaae MF-A d70	37.60 ly	8214	5.63	86.29	95.3	23	F9 VAB				A5	73.8	26.2	MR			5918	Class IV GG	5916	1	5918	1	5919	1	Rubeum
24	Shrogaae MF-A d928	38.27 ly	2768	1.68	86.61	95.6	40	F9 VAB				A3	73.4	26.6	MR			1529	Class IV GG	1530	1					Rubeum
25	Shrogaae KK-A d2672	38.44 ly	1218	0	84.54	97.2	13	F5 VB				A1	74.5	25.5	MR	R		1634	Class IV GG	1634	2	1635	2			Rubeum
26	Eorl Auwsy SY-Z d13-3233	39.11 ly	1579	0	39.11	51.6	29	F0 VB				A4	73.9	26.1	R	MR		1538	Class IV GG	1537	2	1538	1			Rubeum
27	Shrogaae MF-A d1313	39.48 ly	382	9.62	81.2	91	38	F1 VAB				A1	73.8	26.2	MR	MR		175	Class IV GG	174	1					Rubeum
28	Eorl Auwsy UT-Z d13-1529	68.96 ly	2812	9.27	62.25	66.7	10	F5 VB				A1	71.5	28.5	R			17.9	Class V GG	17.4	1	17.4	1			Blatteum
29	Eorl Auwsy SY-Z d13-2640	74.62 ly	1516	8.29	31.61	37.7	25	F4 VI				A1	74.1	25.9	MR			16.7	Class V GG	16.3	1	16.9	1	17.1	1	Blatteum
30	Shrogaae HA-A e6608	93.89 ly	212	59.69	131.76	143.37	27	B0 VZ	B0 VZ	F0 VZ		AB1	74.5	25.5	M			3278	Class V GG	3278	1	3278	1	3279	1	Blatteum
31	Shrogaae JK-A D3781	98.91ly	1018				10	F6 VB	M2 VA			A1	73.4	26.6	MR	R		42	Class V GG	41.7		41.8		42.9		Blatteum
32																										
33	Only Pods																									
34																										
35	Shrogaae KK-A d206	29.04	4922	13.68	63.33	74.5	18	F5 VAB	M3 VA			AB3	74.7	25.3	R			3333	Class III GG	3333	1	3334	1	3334	1	Caeruleum	Matt g
36	Shrogaae KK-A d90	10.58	1864	5.47	71.47	82.77	23	F9 VB	M2 VA			A2	74.5	25.5	R	I		3272	Class I GG	3272	1					Viride	
37	Shrogaae KK-A d1373	18.56	2378	14.87	91.2	103.27	17	F6 VB				A6	74.7	25.3	MR	I		2894	Class I GG	2893	2	2894	1			Viride	
38	Eorl Auwsy UT-Z d13-338	76.24	3570	4.93	44.38	58.82	19	F8 VI				A2	72.4	27.6	R	MR		13.6	Class V GG	13.5	1					Blatteum	