SOMAIYA VIDYAVIHAR

K J Somaiya Institute of Technology

Project Title

Smart Moisture Advisor (SMA)

An AI-driven irrigation advisory system for sugarcane

Members

Kartik Verma

Kushal Soni

Guide: Dr. Nilesh Yadav

Department of Computer Engineering 2026-27

SOMAIYA VIDYAVIHAR

K J Somaiya Institute of Technology

Outline of Presentation

- Introduction
- Summary / Finding of Literature Survey
- System Design & Architecture
- Proposed Methodology and Implementation
- Application Outputs
- Results
- Conclusion and Future Scope
- References

SOMAIYA VIDYAVIHAR

K J Somaiya Institute of Technology

Introduction

- SMA supports sugarcane irrigation decisions for 1,000 plots in Mandya, Karnataka.
- Plot vegetation, soil and climate inputs produce irrigation timing, water volume and pump duration.
- The interface links rain-aware advice with fertigation, risk estimates, a map and pump scheduling.
- Seven predictive models learn agronomy-generated labels. Field outcomes remain unverified.
- Advisories support English, Kannada, Hindi and Marathi, with accept or override feedback.

SOMAIYA VIDYAVIHAR
K J Somaiya Institute of Technology


Summary / Finding of Literature Survey

Source	Approach or finding	Gap relative to SMA scope
Allen et al. [1]	FAO crop water balance and ET	Requires suitable local inputs and calibration
Doorenbos and Kassam [2]	Yield response to water deficit	Does not provide an integrated plot interface
Kamienski et al. [3]	SWAMP IoT platform and pilots	Deployment and scaling require infrastructure
Breiman [4] and Friedman [5]	Random Forest and Gradient Boosting	Require representative targets and evaluation
Current project [10]	Integrates advice, maps and scheduling	Independent field validation is still needed

The comparison identifies project requirements, without claiming superiority over the cited systems.

SOMAIYA VIDYAVIHAR
K J Somaiya Institute of Technology


System Design & Architecture



SOMAIYA VIDYAVIHAR
K J Somaiya Institute of Technology

Proposed Methodology and Implementation


- Clean plot data and create twelve scenarios per plot.
- Generate noisy FAO-based labels for irrigation, crop demand and risk.
- Split by plot: 800 training plots and 200 held-out plots.
- Train ensembles, compare linear or logistic baselines, then export JSON.
- Serve predictions through Express and apply hydraulics, fertigation and scheduling rules.




SOMAIYA VIDYAVIHAR

K J Somaiya Institute of Technology

Application Outputs



Plot advice, yield, fertigation and risk



Geofenced plots coloured by stress

- What-if Simulator recomputes outputs when field conditions change.
- Krishi Mitra uses keyword intent detection in four supported languages.
- Farmers and supervisors can accept or override the recommendation.

SOMAIYA VIDYAVIHAR
K J Somaiya Institute of Technology

Results

Target	Ensemble score	Baseline score
Irrigation timing	0.9646	0.7444
Crop water requirement	0.9768	0.8843
Irrigation depth	0.9745	0.6206
Cane yield	0.8918	0.5709
Delay loss	0.9755	0.4990
Water stress	87.83%	83.46%
Disease risk	87.29%	81.96%

Hosur schedule

5.37 t

less estimated cane loss
8 plots completed vs 5
20 pumps over 3 days

R-squared for regression, accuracy for classifiers. Timing MAE: 0.6942 days.
Evaluation uses generated labels on held-out plots. Savings and cane loss are scenario estimates.

SOMAIYA VIDYAVIHAR
K J Somaiya Institute of Technology

Conclusion and Future Scope

- SMA integrates plot-level prediction, irrigation advice and power-window scheduling in a working web prototype.
- JSON model export supports local JavaScript inference. All 23 existing software tests pass.
- The saved metrics show agreement with generated agronomic labels. Independent field validation is the main next step.
- Future work: measured irrigation and yield records, verified weather feeds, actual planting dates and calibrated uncertainty.
- Operational development: agronomist review, field pilots, role-based access and a reviewed retraining workflow.

SOMAIYA VIDYAVIHAR

K J Somaiya Institute of Technology

References

[1] Allen et al., Crop Evapotranspiration, FAO Paper 56, 1998. fao.org/4/x0490e/x0490e00.htm

[2] Doorenbos and Kassam, Yield Response to Water, FAO Paper 33, 1979.

[3] Kamienski et al., Smart Water Management Platform, Sensors 19(2), 276, 2019. doi:10.3390/s19020276

[4] Breiman, Random forests, Machine Learning 45, 5-32, 2001. doi:10.1023/A:1010933404324

[5] Friedman, A gradient boosting machine, Annals of Statistics 29(5), 1189-1232, 2001. doi:10.1214/aos/1013203451

[6] Pedregosa et al., Scikit-learn, JMLR 12, 2825-2830, 2011. jmlr.org/papers/v12/pedregosa11a.html

[7] Scikit-learn developers, GroupShuffleSplit API. scikit-learn.org/stable/modules/generated/sklearn.model_selection.GroupShuffleSplit.html

[8] Express contributors, Express 5.x API. expressjs.com/en/5x/api/

[9] Leaflet contributors, Leaflet API reference. leafletjs.com/reference.html

[10] Verma and Soni, Smart Moisture Advisor source and saved outputs. github.com/Interior-Gardener/SMA

SOMAIYA VIDYAVIHAR

K J Somaiya Institute of Technology

Thank You

Smart Moisture Advisor

Kartik Verma and Kushal Soni
Project Guide: Dr. Nilesh Yadav