

## A

After (PARAGRAPH LOOKS COMMAND) 6-5  
 AFTERQUITFN (TEDIT PROPERTY) 8-16  
 AFTERQUITFN (TEDIT-PROPS-LIST-OPTION) 8-2  
 Alignment: (PAGE LAYOUT MENU COMMAND) 7-5

ALL command  
     and changing character looks 5-3

## B

Before (PARAGRAPH LOOKS COMMAND) 6-5  
 BOUNDTABLE (TEDIT-PROPS-LIST-OPTION) 8-2  
 Bury (WINDOW MENU COMMAND) 2-4

## C

CACHE (TEDIT-PROPS-LIST-OPTION) 8-2  
 CARETLOOKSFN (TEDIT PROPERTY) 8-17  
 CARETLOOKSFN (TEDIT-PROPS-LIST-OPTION) 8-2  
 Centered (PARAGRAPH LOOKS COMMAND) 6-3, 6-8  
 Character Looks for Page Numbers: (PAGE LAYOUT MENU COMMAND) 7-6  
 CHARFN (TEDIT PROPERTY) 8-16  
 CHARFN (TEDIT-PROPS-LIST-OPTION) 8-1  
 Clear (WINDOW MENU COMMAND) 2-3  
 CLEARGET (TEDIT-PROPS-LIST-OPTION) 8-3  
 CLEARPUT (TEDIT-PROPS-LIST-OPTION) 8-3  
 Close (WINDOW MENU COMMAND) 2-3  
 COERCETEXTOBJ (FUNCTION) 8-6  
 Col. Width: (PAGE LAYOUT MENU FIELD) 7-3, 7-7  
 Columns: (PAGE LAYOUT MENU FIELD) 7-7  
 COPYBYBKSYSEBUF (TEDIT-PROPS-LIST-OPTION) 8-2  
 Copying character looks  
     using the SAME key 5-7  
 Copying paragraph looks  
     using the SAME key 6-11  
 COPYTEXTSTREAM (FUNCTION) 8-14

## D

Decimal (PARAGRAPH LOOKS COMMAND) 6-8  
 Default column width 7-7  
 Default tab stops 6-8, 6-10  
 Default typeface 5-3  
 Deleting text  
     with CONTROL key 3-3  
     with the DELETE key 3-3  
 Displaymode: (PARAGRAPH LOOKS COMMAND) 6-6  
 Dotted Leader (PARAGRAPH LOOKS COMMAND) 6-8

## E

European letter size 7-3

## F

Filename  
     escaping colon in, 2-2  
     package-qualifying of 2-2  
 First(&Default) (PAGE LAYOUT MENU COMMAND) 2  
 Floating" right margin 6-7  
 For Page: (PAGE LAYOUT MENU FIELD) 7-2  
 Format: (PAGE LAYOUT MENU COMMAND) 7-5

## G

GETFN (TEDIT PROPERTY) 8-17  
 GETFN (TEDIT-PROPS-LIST-OPTION) 8-3

## H

Hardcopy (WINDOW MENU COMMAND) 2-4  
 heading labels 7-9  
 Heading Type: (PAGE LAYOUT MENU FIELD) 7-6, 7-10  
 highlighting 3-1

## I

Interlisp Exec 2-2  
 INTERRUPTS (TEDIT-PROPS-LIST-OPTION) 8-3

## J

Justified (PARAGRAPH LOOKS COMMAND) 6-3

## K

Keep: (PARAGRAPH LOOKS COMMAND) 6-6

## L

Landscape printing 7-3  
 LEAVETTY (TEDIT-PROPS-LIST-OPTION) 8-2  
 Left (PARAGRAPH LOOKS COMMAND) 6-3, 6-8  
 line Leading: (PARAGRAPH LOOKS COMMAND) 6-4  
 Looks (BASIC MENU COMMAND) 5-6  
 LOOPFN (TEDIT PROPERTY) 8-16  
 LOOPFN (TEDIT-PROPS-LIST-OPTION) 8-1

## M

Margins: (PAGE LAYOUT MENU FIELD) 7-4  
 MENU (TEDIT-PROPS-LIST-OPTION) 8-2  
 Meta-return 3-1  
 Move (WINDOW MENU COMMAND) 2-4

## N

New Page: (PARAGRAPH LOOKS COMMAND) 6-5  
 NOEXTENT (TEDIT-PROPS-LIST-OPTION) 8-3  
 Non-default paper size 7-3  
 Normal (CHARACTER LOOKS COMMAND) 5-5  
 NOTITLE (TEDIT-PROPS-LIST-OPTION) 8-3

**O**

Old Interlisp" Exec 2-2  
 OPENTEXTSTREAM (FUNCTION) 8-5  
 Other (CHARACTER LOOKS COMMAND) 5-4  
 Other Left (PAGE LAYOUT MENU COMMAND) 7-2  
 Other Right (PAGE LAYOUT MENU COMMAND) 7-2  
 OVERFLOWFN (TEDIT PROPERTY) 8-16  
 OVERFLOWFN (TEDIT-PROPS-LIST-OPTION) 8-3  
 overriding paragraph margins  
   with Page Layout menu 7-7  
 override right page margin  
   with paragraph margins 6-8

**P**

Page Heading (PARAGRAPH LOOKS COMMAND) 7-9-7-10  
 page heading type 7-9  
 Page Heading type: (PARAGRAPH LOOKS COMMAND) 6-3  
 Page numbers: (PAGE LAYOUT MENU COMMAND) 7-5  
 Paint (WINDOW MENU COMMAND) 2-3  
 Para Leading: (PARAGRAPH LOOKS COMMAND) 6-4  
 PARALOOKS (TEDIT-PROPS-LIST-OPTION) 8-2  
 POSTSCROLLFN (TEDIT PROPERTY) 8-16  
 PRESCROLLFN (TEDIT PROPERTY) 8-16  
 PROMPTWINDOW (TEDIT-PROPS-LIST-OPTION) 8-2  
 PROMPTWINDOWHEIGHT  
   (TEDIT-PROPS-LIST-OPTION) 8-3  
 PUTFN (TEDIT PROPERTY) 8-16  
 PUTFN (TEDIT-PROPS-LIST-OPTION) 8-3

**Q**

QUITFN (TEDIT PROPERTY) 8-15  
 QUITFN (TEDIT-PROPS-LIST) 8-1

**R**

READONLY (TEDIT-PROPS-LIST-OPTION) 8-2  
 READTABLE (TEDIT-PROPS-LIST-OPTION) 8-2

**S**

SAME key 5-7  
 scroll bar 2-4-2-5  
 scrolling 2-5  
   thumbing 2-5  
     TEDIT.NORMALIZECARET (FUNCTION) 8-14  
 SEL (TEDIT-PROPS-LIST-OPTION) 8-2  
 SELFN (TEDIT PROPERTY) 8-16  
 SELFN (TEDIT-PROPS-LIST-OPTION) 8-1  
 SEND.FILE.TO.PRINTER (FUNCTION) 7-3  
 Shape (WINDOW MENU COMMAND) 2-4  
 Shrink (WINDOW MENU COMMAND) 2-4  
 Size: (CHARACTER LOOKS COMMAND) 5-4  
 SMALLER/LARGER key 5-6

Space between cols: (PAGE LAYOUT MENU FIELD) 7-7

Special Locn: (PARAGRAPH LOOKS COMMAND) 6-4

Starting Page#: (PAGE LAYOUT MENU FIELD) 7-5  
 Subscript (CHARACTER LOOKS COMMAND) 5-5  
 Superscript (CHARACTER LOOKS COMMAND) 5-5

**T**

Tab Type: 6-9  
 TEDIT (FUNCTION) 8-1  
 TEDIT.ABBREVS (VARIABLE) 8-21  
 TEDIT.ADD.MENUITEM (FUNCTION) 8-13  
 TEDIT.CARETLOOKS (FUNCTION) 8-14  
 TEDIT.COMPOUND.PAGEFORMAT (FUNCTION) 8-13  
 TEDIT.COPY.LOOKS (FUNCTION) 8-10  
 TEDIT.COPY.PARALOOKS (FUNCTION) 8-11  
 TEDIT.DEFAULT.FMTSPEC (VARIABLE) 8-18  
 TEDIT.DEFAULT.PROPS (VARIABLE) 8-19  
 TEDIT.DELETE (FUNCTION) 8-7  
 TEDIT.EXTEND.PENDING.DELETE (VARIABLE) 8-18  
 TEDIT.FIND (FUNCTION) 8-8  
 TEDIT.FORMATTEDFILEP (FUNCTION) 8-14  
 TEDIT.GET (FUNCTION) 8-7  
 TEDIT.GET.LOOKS (FUNCTION) 8-10  
 TEDIT.GET.PARALOOKS (FUNCTION) 8-11  
 TEDIT.GETPOINT (FUNCTION) 8-6  
 TEDIT.GETSEL (FUNCTION) 8-6  
 TEDIT.GETSYNTAX (FUNCTION) 8-20  
 TEDIT.HARDCOPY (FUNCTION) 8-8  
 TEDIT.INCLUDE (FUNCTION) 8-7  
 TEDIT.INPUT.FORMATS (VARIABLE) 8-22  
 TEDIT.INSERT (FUNCTION) 8-7  
 TEDIT.INSERT.OBJECT (FUNCTION) 8-20  
 TEDIT.KILL (FUNCTION) 8-13  
 TEDIT.LOOKS (FUNCTION) 8-8  
 TEDIT.MENU.COMMANDS (TEDIT PROPERTY) 8-17-18  
 TEDIT.MOVESELECTION (VARIABLE) 8-18  
 TEDIT.NORMALIZECARET (FUNCTION) 8-14  
 TEDIT.OBJECT.CHANGED (FUNCTION) 8-21  
 TEDIT.PAGEFORMAT (FUNCTION) 8-11  
 TEDIT.PARALOOKS (FUNCTION) 8-10  
 TEDIT.PROMPTPRINT (FUNCTION) 8-15  
 TEDIT.PUT (FUNCTION) 8-7  
 TEDIT.QUIT (FUNCTION) 8-13  
 TEDIT.RAW (FUNCTION) 8-7  
 TEDIT.READTABLE (VARIABLE) 8-19  
 TEDIT.REMOVE.MENUITEM (FUNCTION) 8-13  
 TEDIT.SEL.AS.STRING (FUNCTION) 8-6  
 TEDIT.SELECTED.PIECES (FUNCTION) 8-14  
 TEDIT.SELECTION (VARIABLE) 8-18  
 TEDIT.SET.SEL.LOOKS (FUNCTION) 8-6

TEDIT.SETFUNCTION (FUNCTION) 8-20  
TEDIT.SETSEL (FUNCTION) 8-5  
TEDIT.SETSYNTAX (FUNCTION) 8-20  
TEDIT.SHIFTEDSELECTION (VARIABLE) 8-18  
TEDIT.SHOWSEL (FUNCTION) 6  
TEDIT.SINGLE.PAGEFORMAT (FUNCTION) 8-12  
TEDIT.STREAMCHANGEDP (FUNCTION) 8-14  
TEDIT.SUBLOOKS (FUNCTION) 8-15  
TEDIT.TENTATIVE (TEDIT-PROPS-LIST-OPTION) 8-3  
TEDIT.TITLMENUFN (TEDIT PROPERTY) 8-17  
TEDIT.WORDBOUND.READTABLE (VARIABLE) 8-19  
TEDIT.WORDGET (FUNCTION) 8-20  
TEDIT.WORDSET (FUNCTION) 8-20  
TERMTABLE (TEDIT-PROPS-LIST-OPTION) 8-2  
Text after number: (PAGE LAYOUT MENU FIELD)  
7-6  
Text before number: (PAGE LAYOUT MENU FIELD)  
7-6  
TEXTOBJ 8-4  
TEXTOBJ (FUNCTION) 8-13  
TEXTPROP (FUNCTION) 8-14  
TEXTSTREAM (FUNCTION) 8-14  
TITLEMENUFN (TEDIT-PROPS-LIST-OPTION) 8-2  
TTYWINDOW (TEDIT-PROPS-LIST-Option) 8-3  
Type size 5-4  
Snap (WINDOW MENU COMMAND) 2-3

**V**

version number  
    escaping 2-2