

A

Abort a Print Job 104-105
Aborting Commands 75
Access Functions 262
Add New Keyboards to the List 322
add-form (Function) 316
ADD.BORDER.TO.BITMAP (Function) 63
ADD.PROCESS (Function) 278
Adding FileBrowser Commands 93
address space of the internetwork 272
administrator commands for NSMaintain 216
ADVISE (Function) 296
aliases 214
ALLOCATE.ETHERPACKET (Function) 282
analyzing user functions 165
application layer 271
ARPANET 263
array functions 203
array operations 35
Assignments 198

B

BACKWARD FIND (Command) 302
BEGIN.DST (Variable) 210
BIN (Function) 232
BIT.IN.COLUMN (Function) 63
BIT.IN.ROW (Function) 64
BITBLT (Function) 123
BOUT (Function) 232
BREAK (Function) 296
broadcast address 273
Browser 117
BROWSER (Function) 14
Browser describe window 14
Browser printout window 14
BROWSER window 72
BROWSERBOXING (Variable) 14
BROWSERFORMAT (Variable) 14

C

C4 printed circuit board 1
CACHE/NODE/LABEL/BITMAPS (Variable) 123
call graph 243
call stack 243
Calling the Keyboard Editor 158
CALLS (Function) 185
CALLSCCODE (Function) 185
Cash-File 17
Centronics 19
Centronics cable 19
Centronics port 1
CENTRONICS.RESET (Function) 19
CH.DEFAULT.DOMAIN (Variable) 216
CH.DEFAULT.ORGANIZATION (Variable) 216
Changing an Existing Keyboard 158
character framing errors 234
CharCodeTables 21
Chat 25
CHAT (Function) 26
Chat connections 26
Chat Menu 27

Chat window 154
CHAT.ALLHOSTS (Variable) 29
CHAT.DISPLAYTYPES (Variable) 28
CHAT.EMACSCOMMANDS (Variable) 30
CHAT.FONT (Variable) 29
CHAT.IN.EMACS? (Variable) 30
CHAT.INTERRUPTS (Variable) 29
CHAT.KEYACTIONS (Variable) 29
CHAT.PROTOCOLTYPES (Variable) 30
CHAT.TTY.PROCESS (Variable) 30
CHAT.WINDOW.REGION (Variable) 29
CHAT.WINDOW.SIZE (Variable) 29
chatting to a host 269
CHECKSAMEDIR (Function) 241
Clean-Up After Copying Files 41
Clearinghouse service 213
close-hash-file (*Function*) 140
CLOSECHATWINDOWFLG (Variable) 29
CLOSEF (Function) 10,232
CLOSEHASHFILE (Function) 135
CmlFloatArray 35
COLLECTINUSE (Function) 113
COLLISIONS (Function) 112
COMMAND menu 72
Common Lisp 303
COMPILE (Command) 85
Conjunctions of Sets 177
connecting to a host 269
control-E (Command) 74
control-F (Command) 50
control-O (Command) 147
control-P (Command) 292
control-Q (Command) 74,87
control-S (Command) 50
control-Z (Command) 50
Conversation Mode 39
convert-loaded-files (Variable) 308
COPY (Command) 78
Copy-Selecting Files 76
COPYFILES (Function) 39
CPE-FP upgrade 1
Create a Key Pad for Repeated Use 226
CREATE.NUMBERPAD.READER (Function) 226
CREATEHASHFILE (Function) 134
Creating 4045XLP Master Files 4
creating a graph 118
Creating a Hash File 134
Creating a New Bitmap 62
Creating a New Keyboard 157
Creating a TableBrowser 257
Creating Horizontal Rules 147
creating HOST.TXT file 265
Creating New Keyboard Configurations 161
creating objects 216
creating the local IP.INIT file 266
creation dates 40
cumulative mode 249
Customizing Chat 28
Customizing FileBrowser 90
cyclic graphs 117

D
 DataBaseFns 43
 Datamedia 2500 25
 daughter 120
 debugger 291
 debugger 291
DECREASING.FONT.LIST (Variable) 132
DEdit command menu 51
DEdit Functions 51
DEdit Idioms 56
DEdit Parameters 54
DEdit Window 48
DEDITLINGER (Variable) 54
DEDITTYPEINCOMS (Variable) 55
DEFAULT-CLEANUP-COMPILER (Variable) 85
DEFAULT.GRAPH.WINDOWSIZE (Variable) 124
DEFAULTCHATHOST (Variable) 26,29
DEFAULTPRINTERTYPE (Variable) 2
DEFAULTPRINTINGHOST (Variable) 2,223
defdefiner-macros (Variable) 309
DEFINEKEYBOARD (Function) 323
 Defining a Virtual Keyboard 323
DEGREES-TO-RADIANS (Function) 207
DELETE (Command) 76
 deleting objects 216
Device Errors 20
 Differences between TExec and TEdit 302
 Digital VT100 25
 directed acyclic graph 119
DIRECTORIES (Variable) 2,268
 directory-only lines 74
DIRECTORYNAME (Function) 241
 Display-Only a Keyboard 321
 displayer 243
DISPLAYFONTDIRECTORIES (Variable) 102
DISPLAYGRAPH (Function) 123
 Displaying a Stack 292
 Displaystream graphics 302
 DM2500 Chat 32
DODIP.HOSTP (Function) 284
 domain 213
DT.EDITMACROS (Variable) 55
DUMPDATABASE (Function) 187
DUMPDB (Function) 44
DUMPGRAPH (Function) 127
 Dvorak keyboard 324
 dynamic structure 243

E
 E30 option 229
EDIT (Command) 83
 edit buffer window 48
 EditBitMap 59
 EditBitMap sub-menu 61
 EditBitMap window 60
EDITBM (Function) 59
EDITCONFIGURATION (Function) 163
EDITEMBEDTOKEN (Variable) 54
EDITGRAPH (Function) 128
EDITGRAPHMENUCOMMANDS (Variable) 126
 Editing a Bitmap in a Document 63
 editing a graph 124
 Editing a Keyboard Configuration 163
 Editing an Existing Bitmap 62
EDITKEYBOARD (Function) 158
EDITMODE (Function) 48
EDITMODE (Variable) 84

Effecting MasterScope Analysis 181
 Element Patterns 195
 Embedding and extracting 57
 EMYCIN 134
ENDDST (Variable) 210
 Entering DEdit Commands 51
 environmental and Lisp mappings 97
EOLCONVENTION (Variable) 283
 Error Condition Reporting 234
ERRORPUP (Record) 68
ERRORXIP (Record) 67
 Establishing a Connection 151
ETHERHOSTNUMBER (Variable) 5,292
 Ethernet 270
 Ethernet packet 276
 EtherRecords 67
EVALUATE-POLYNOMIAL (Function) 37
EXPUNGE (Command) 86
 extend the selection 74
 Extended Processor board 19
 extended processor option 35
 External Communication Service 31

F
FASSOC (Function) 127
 fast mode FX-80 104
FASTFX80-DEFAULT-DESTINATION (Variable) 102
FB (Command) 90
FB.ALLOW.ABORT (Function) 95
FB.BROWSERFONT (Variable) 92
FB.DEFAULT.EDITOR (Variable) 84,92
FB.DEFAULT.INFO (Variable) 87,91
FB.DEFAULT.NAME.WIDTH (Variable) 92
FB.FETCHFILENAME (Function) 94
FB.HARDCOPY.DIRECTORY.FONT (Variable) 92
FB.HARDCOPY.FONT (Variable) 92
FB.ICONFONT (Variable) 92
FB.INFO.FIELDS (Variable) 91
FB.INFO.MENU.ITEMS (Variable) 91
FB.MENU.ITEMS (Variable) 93
FB.PROMPTFONT (Variable) 92
FB.PROMPTLINES (Variable) 92
FB.PROMPTW FORMAT (Function) 94
FB.PROMPTWPRINT (Function) 94
FB.PROMPTFORINPUT (Function) 94
FB.SELECTEDFILES (Function) 94
FB.TABLEBROWSE (Function) 94
 file name translation function 280
 File Transfer Using RS232 236
FILEBROWSE (Command) 83
 FileBrowser 69
FILEBROWSER (Function) 90
 FileBrowser Functions 90
 FileBrowser Variables 91
filecom-specifier (Function) 316
 filing operations 278
FILING.ENUMERATION.DEPTH (Variable) 93
FIND-ARRAY-ELEMENT-INDEX (Function) 37
FINDPOINTER (Function) 113
FINDPOINTERS.OF.TYPE (Function) 114
FLIPNODE (Function) 127
 floating-point vector 35
FNT.DISPLLOOK (Function) 98
FNT.DISPTBLE (Function) 98
FNT.MAKEBOOK (Function) 98
 font mappings 97
 FontSample 97
FORCEOUTPUT (Function) 232-233

forest 119
 form-specifier (*Function*) 316
FORWARD FIND (*Command*) 302
FREEVARS (*Function*) 185
FROM.SCREEN.BITMAP (*Function*) 64
 FTP service 279
FTPDEBUG (*Function*) 279
FTPSERVER (*Function*) 5,99
FTPSERVER.DEFAULT.HOST (*Variable*) 99
 function-calling structures 117
 Functions for Manipulating Hash Files 136
 Functions for Saving Work 295
 Functions for Writing Routines 186
 FX Printer Compatibility 105
 FX-80 DIP Switch Settings 102
 FX-80 family 101
 FX-80 Serial Interface 102
 FX-80Driver 101
FX80-PRINT (*Function*) 105

G

GapTelnet 31
 garbage collector 297
 Gateway Access Protocol 31
 GCHax 109
 General Purpose Records 67
 Get, Set Parameters via Inspector Window 8
get-cash-file (*Function*) 17
GETFILEINFO (*Function*) 278
GETHASHFILE (*Function*) 135
GETHASHTEXT (*Function*) 136
GETRELATION (*Function*) 186
GETTEMPLATE (*Function*) 184
GETTERMTABLE (*Function*) 302
 Getting Hardcopy Directory Listings 76
 ghost boxes 248
 Global Variables of Hash 137
 graph 13
GRAPH (*Record*) 128
 graph data structure 126
 graph nodes 117
GRAPH/HARDCOPY/FORMAT (*Variable*) 123
 Grapher 117,243
 Grapher image objects 126
GRAPHEROBJ (*Function*) 126
GRAPHERPROP (*Function*) 128
 graphics interface 101
GRAPHNODE (*Record*) 129
GRAPHREGION (*Function*) 127
 GraphZoom 131
 groups 217

H

HANZON Universal Card 102
HARDCOPY (*Command*) 80
HARDCOPYGRAPH (*Function*) 123
 Hash 133
 Hash tables 189
 Hash-File 139
HASHFILEDEFAULTSIZE (*Variable*) 137
HASHFILENAME (*Function*) 136
HASHFILEP (*Function*) 136
HASHFILEPROP (*Function*) 136
HASHFILERDTBL (*Variable*) 137
HASHFILESPLST (*Function*) 137
HASHLOADFACTOR (*Variable*) 137
HASHTEXTCHAR (*Variable*) 137

HFGROWTHFACTOR (*Variable*) 137
HOST&DIRECTORYFIELD (*Function*) 241
HOSTS.TEXT.DIRECTORIES (*Variable*) 287
 HOSTS.TXT files, parsing 287
HPRINT (*Function*) 127
HQFX80-DEFAULT-DESTINATION (*Variable*) 102
HQFX80-FONT-DIRECTORIES (*Variable*) 102
HRule 147
HRULE.CREATE (*Function*) 147
HTE.READ.FILE (*Function*) 287

I

I/O processor 237
IDENTITY-3-BY-3 (*Function*) 204
IDENTITY-4-BY-4 (*Function*) 204
 imagestream 6
 include all files, both deleted and undeleted 74
 Individual mode 249
 INFO menu 72
 Info Options window 87
 Input Conventions for FileBrowser Commands 74
 Inserting a segment 57
install-form (*Function*) 316
INTERACT&ADD.BORDER.TO.BITMAP (*Function*) 65
INTERACT&SHIFT.BITMAP.DOWN (*Function*) 65
INTERACT&SHIFT.BITMAP.LEFT (*Function*) 65
INTERACT&SHIFT.BITMAP.RIGHT (*Function*) 65
 Interactive File Transfers With Kermit or Modem 154
 Interactive Terminal Service 31
 internal fields 251
 internet layer 271
INTERPRESSFONTDIRECTORIES (*Variable*) 22
 interpreter 250
 interrupt character 244
INVERT.BITMAP.B/W (*Function*) 64
INVERT.BITMAP.DIAGONALLY (*Function*) 64
INVERT.BITMAP.HORIZONTAL (*Function*) 64
INVERT.BITMAP.VERTICAL (*Function*) 64
 invisible characters 302
 IP addresses 273
 IP networks primer 272
 IP packet building 286
 IP packet sending 287
 IP socket access 284
IP.ADD.PROTOCOL (*Function*) 285
IP.APPEND.BYTE (*Function*) 286
IP.APPEND.CELL (*Function*) 287
IP.APPEND.STRING (*Function*) 287
IP.APPEND.WORD (*Function*) 287
IP CLOSE SOCKET (*Function*) 286
IP.DELETE.PROTOCOL (*Function*) 286
IP OPEN SOCKET (*Function*) 286
IP SETUP IP (*Function*) 287
IP TRANSMIT (*Function*) 287
IP HOSTNAME (*Function*) 284
IP INIT (*Function*) 284
IP TRACE (*Function*) 284
 iterative statement operator 187

J

join-comments (*Variable*) 308

K

Kermit 152,236
 Kermit menu 154

- K**
KERMIT.RECEIVE (Function) 153
KERMIT.SEND (Function) 153
KEYACTION (Function) 161
 keyboard editor menus 159
 KeyboardEditor 157
- L**
 landscape mode 1
 Landscape printing 106
 lattices 117
 laying out a graph for display 118
AYOUTFOREST (Function) 14
AYOUTGRAPH (Function) 118
AYOUTSEXP (Function) 121
 Library Module Dependencies 17
 linguistic tree 126
 link layer 270
 Lisp interrupts 27
LISPUSERSDIRECTORIES (Variable) 268
LISPXREAD (Function) 50
 list of nodes 118
 list structure editor 47
LISTFILES (Function) 3,223
LOAD (Command) 84
LOAD (Function) 43
 Load New Keyboards 322
load-textmodule (Function) 306
LOADDB (Function) 44
LOADDBFLG (Variable) 44
LOADFROM (Function) 43,85
 loading TCP 268
LOOKUPHASHFILE (Function) 135
 lost characters 234
 low-level TCP functions 284
- M**
 macro 187
 Macro Expansion 180
 maintenance panel halt 291
make-cash-file (Function) 17
make-hash-file (Function) 139
MAKE-HOMOGENEOUS-3-BY-3 (Function) 203
MAKE-HOMOGENEOUS-3-VECTOR (Function) 203
MAKE-HOMOGENEOUS-4-VECTOR (Function) 204
MAKE-HOMOGENEOUS-N-BY-3 (Function) 204
MAKE-HOMOGENEOUS-N-BY-4 (Function) 204
make-specifier (Function) 314
make-textmodule (Function) 307
MAKEFILE (Function) 43,77,241
MAKEFILEFORMS (Function) 241
 making a sysout that contains TCP-IP 270
 manipulating domains 218
 manipulating groups 217
 Manipulating the Remote Vmem 297
MAP-ARRAY (Function) 35
MAPGC (Function) 115
MAPHASHFILE (Function) 136
MAPRELATION (Function) 186
 MasterScope 13,43,165
MASTERSCOPE (Function) 185
 MasterScope Commands 166
 MasterScope database 165
 MasterScope Entries 185
 MasterScope Relations 170
 MasterScope Set Specifications 173
 MasterScope Templates 173
 Match 193
- MatMult 203
MATMULT-133 (Function) 205
MATMULT-144 (Function) 206
MATMULT-331 (Function) 205
MATMULT-333 (Function) 206
MATMULT-441 (Function) 206
MATMULT-444 (Function) 206
MATMULT-N33 (Function) 206
MATMULT-N44 (Function) 206
 Matrix Creation Functions 203
 Matrix Multiplication Functions 205
 Merged Nodes 248
MIGRATIONS (Variable) 241
 MiniServe 209
 mlFloatArray 207
 Modem 153,236
MODEM.RECEIVE (Function) 154
MODEM.SEND (Function) 154
 Moving an expression 57
MSMACROPROPS (Variable) 180
MSMARKCHANGED (Function) 187
MSNEEDUNSAVE (Function) 187
 Multiple DEdit Commands 56
 Multiple Streams 10
MY.NSHOSTNUMBER (Variable) 210
- N**
 network addresses 272
 network protocols 25,30
NETWORKOSTYPES (Variable) 268
 NEW INFO FileBrowser command 87
NODECREATE (Function) 118
 Notecards 10
 Noticing Changes that Require Recompiling 187
 NS characters 224
 NS Chat 31
 NS Records 67
NS.TO.PUP.ALIST (Variable) 210
NS.TO.PUP.FILE (Variable) 210
NSHOSTNUMBER (Record) 68
 NSMaintain 213
NSMAINTAIN (Function) 214
NSTIMESERVER (Function) 209
NTERACT&SHIFT.BITMAP.UP (Function) 65
NUMBERPAD.READ (Function) 226
- O**
 objects 213
 creating 216
 deleting 216
 obtaining information in NSMaintain 215
 obtaining network addresses 264
open-hash-file (Function) 140
OPENHASHFILE (Function) 134
OPENIMAGESTREAM (Function) 10,103
 Opening a 4045 Stream 8
 Opening a Centronics Stream 19
 Opening a Chat Connection 26
 Opening and Closing Hash Files 134
OPENP (Function) 232
OPENSTREAM (Function) 232
 Operations on Multiple Items 260
 organization 213
OVERFLOWS (Function) 113
- P**
 package 299

packages 130,138
 parents 120
 parity errors 234
PARSERELATION (Function) 186
PATLISPCHECK (Variable) 194
 Pattern Elements 195
 pattern match compiler 194
 Pattern match expressions 195
PATVARDEFAULT (Variable) 194
PERSPECTIVE-4-BY-4 (Function) 205
 Place Markers 199
 pnames 138
 portrait mode 1
PORTSTRING (Function) 5,292
PPTCB (Function) 278
 Press 223
PRESSFONTWIDTHFILES (Variable) 223
 primitive relationship 188
PRIMTERMTABLE (Variable) 302
PRIN3 (Function) 130
 Print TEdit file in high-quality mode 107
 Print a File 104-105
 Print source code in high-quality mode 106
 Print source code on fast FX-80 106
 Print TEdit file in fast FX-80 mode 106
 Print text and graphics in high-quality mode 106
print-filecom (Function) 316
 printer drivers 101
 printer's point 147
 Printing in Fast Mode 103
 Printing in High-Quality Mode 104
 Printing Source or TEdit Files 3
 Printing Speed 10
 Printing via FTPserver 5
 Printing Windows 4
 Programmer's Assistant 303
PROJECT-AND-FIX-3-VECTOR (Function) 206
PROJECT-AND-FIX-4-VECTOR (Function) 206
PROJECT-AND-FIX-N-BY-3 (Function) 206
PROJECT-AND-FIX-N-BY-4 (Function) 207
 PROMPT window 71
 properties 213
 protocol number 285
PUP (Record) 68
 PUP Chat 30
 PUP FTP 99,242
 PUP ID Service 210
 PUP Records 68
 PUP Time Service 210
PUP.ID.SERVER (Function) 209
PUPADDRESS (Record) 68
PUPNUMBER (Variable) 210
PUPTIMESERVER (Function) 209
PUTHASHFILE (Function) 135
PUTHASHTEXT (Function) 135

Q

QABLEITEM (Record) 67
 Query Mode 39
 queue multiple arguments 57
 quick-scrolling 73
 Quitting the FileBrowser 75

R

RANDACCESSP (Function) 284
READ-BYTE (Function) 229
READ-CHAR (Function) 229

READGRAPH (Function) 127
 Reading the Remote Vmem 296
ReadNumber 225
 ReadNumber window 65
READP (Function) 232
READSYS (Function) 296
REALFRAMEP (Function) 250
RECOMPILEDEFAULT (Variable) 188
RECOMPUTE (Command) 86
 Reconstruction 200
 record declaration 187
 recursive loads 100
 Redefine Existing Keyboards 322
REDUCE-ARRAY (Function) 36
REFCNT (Function) 112
 reference counting 297
REHASHFILE (Function) 136
REHASHGAG (Variable) 137
 relations between sets 166
 Remote Kermit in Server Mode 152
 Remote Kermit not in Server Mode 152
 Remote System Administration 31
 Remote System Executive 31
 Removing Keyboards From the Menu 322
RENAME (Command) 80
REPACKFILENAME.NEW.TRANSLATION (Function) 280
REPACKFILENAME.OSTYPE.TABLE (Variable) 280
REPACKFILENAME.STRING (Function) 280
 Replace All Known Keyboards 322
 Replacements 199
RESET/NODE/BORDER (Function) 127
RESET/NODE/LABELSHADE (Function) 127
RESETDEDIT (Function) 51
 Resetting 4045XLPstream 9
 Restarting MiniServe 211
RNUMBER (Function) 225
ROTATE-3-BY-3 (Function) 204
ROTATE-4-BY-4-ABOUT-X (Function) 204
ROTATE-4-BY-4-ABOUT-Y (Function) 204
ROTATE-4-BY-4-ABOUT-Z (Function) 205
ROTATE.BITMAP.LEFT (Function) 64
ROTATE.BITMAP.RIGHT (Function) 64
 RS232 151,229
 RS232 Chat 32
 RS232 port 229
RS232C CLOSE-STREAM (Function) 232
RS232C.DEFAULT.INIT.INFO (Variable) 230
RS232C.ERROR.STREAM (Variable) 234
RS232C.GET.PARAMETERS (Function) 232
RS232C.INIT (Function) 230
RS232C.OTHER.STREAM (Function) 232
RS232C.OUTPUT.PACKET.LENGTH (Function) 233
RS232C.READP.EVENT (Function) 233
RS232C.REPORT.STATUS (Function) 234
RS232C.SET.PARAMETERS (Function) 231
RS232C.SHUTDOWN (Function) 232
 RS232CHAT 235
 RS232CMENU 236,239
RS232MODEMCONTROL (Function) 234
RS232MODEMHANGUP (Function) 234
RS232MODEMSTATUSP (Function) 234
RS232MODIFYMODEMCONTROL (Function) 234
RS232SENDBREAK (Function) 234
 RS232TRACE 235

S

s-expression 121

SameDir 241
 sampler 243
SAVEDBFLG (Variable) 44
 Scale factors 10
SCALE-3-BY-3 (Function) 205
SCALE-4-BY-4 (Function) 205
SCALEDDBITBLT (Function) 10
SCROLL bar 73
 secret pages 133
SEE (Command) 81
 Segment Patterns 196
 Segment selection and manipulation 56
 Selecting Files 73
 Selecting Objects and Lists 49
 selection stack 49
 Send text output to fast FX-80 106
SEND.FILE.TO.PRINTER (Function) 3,223
 Serial interface card 101
 server mode 152
SET DEPTH (Command) 88
 Set Destination 105
 Set Determiners 176
 Set FX-80 Destination 104
 Set FX-80 Page Size 104
 Set HQ Mode 104
 Set Page Size 105
 Set Specifications by Blocktypes 175
 Set Specifications by Relation 175
 Set Types 176
SETSYNONYM (Function) 185
SETTEMPLATE (Function) 184
SETTIME (Function) 209
SHIFT.BITMAP.DOWN (Function) 64
SHIFT.BITMAP.LEFT (Function) 64
SHIFT.BITMAP.RIGHT (Function) 64
SHIFT.BITMAP.UP (Function) 64
SHOW PATHS (Command) 178
SHOW.CLOSED.WINDOWS (Function) 114
SHOWCIRCULARITY (Function) 115
SHOWCOMMONSETS (Function) 22
SHOWCSET (Function) 22
SHOWCSETLIST (Function) 22
SHOWCSETRANGE (Function) 22
SHOWGC (Function) 112
SHOWGRAPH (Function) 14,122,131
SHOWZOOMGRAPH (Function) 131
 Simple Item Operations 259
SINGLEFILEINDEX (Function) 11
 Sketch 11
SORT (Command) 89
 special characters 319
specifiers (Variable) 314
 Specifying What Files to Browse 70
 Spy 243
SPY.BORDERS (Variable) 250
SPY.BUTTON (Function) 244
SPY.END (Function) 244
SPY.FONT (Variable) 250
SPY.FREQUENCY (Variable) 249
SPY.LEGEND (Function) 249
SPY.MAXLINES (Variable) 250
SPY.NOMERGEFNS (Variable) 250
SPY.START (Function) 244
SPY.TOGGLE (Function) 244
SPY.TREE (Function) 245
SPY.TREE (Variable) 250
 stack 293
 stack architecture 56
 Stacking Several Rules in a Single Object 148
 Starting FileBrowser 69
 Starting TExec 302
STARTMINISERVE (Function) 209
 static structure 243
STOPIP (Function) 284
STORAGE (Function) 109
 Store Keyboards 321
 Storing and Retrieving Data 135
SUBNETMASK (Variable) 273
 subnetworks 273
 Sun
 TCP to a 265
 Switch & Display a Keyboard 321
 Switch A-2 2
 Switch Keyboards 320
 switch settings 2
SWITCHKEYBOARDS (Function) 323
 SysEdit 251
SYSHASHFILE (Variable) 137
SYSHASHFILELST (Variable) 137
 system sources 251

T

TableBrowser 253
TABLEBROWSER (Record) 254
TABLEITEM (Record) 254
 TALLY window 71
 target-source-command 56
TB.BROWSER.BUSY (Function) 259
TB.CLEAR.LINE (Function) 260
TB.COLLECT.ITEMS (Function) 261
TB.DELETE.ITEM (Function) 259
TB.FIND.ITEM (Function) 261
TB.FINISH.CLOSE (Function) 259
TB.INSERT.ITEM (Function) 259
TB.ITEM.DELETED? (Function) 262
TB.ITEM.SELECTED? (Function) 262
TB.MAKE.BROWSER (Function) 257
TB.MAP.DELETED.ITEMS (Function) 261
TB.MAP.ITEMS (Function) 261
TB.MAP.SELECTED.ITEMS (Function) 261
TB.NORMALIZE.ITEM (Function) 260
TB.NTH.ITEM (Function) 260
TB.NUMBER.OF.ITEMS (Function) 260
TB.REDISPLAY.ITEMS (Function) 260
TB.REMOVE.ITEM (Function) 259
TB.REPLACE.ITEMS (Function) 258
TB.SELECT.ITEM (Function) 259
TB.SET.FONT (Function) 258
TB.UNDELETE.ITEM (Function) 259
TB.USERDATA (Function) 262
TB.WINDOW (Function) 262
 TCP
 and directory enumeration 265
 TCP Chat 32
 TCP debugging aids 288
 TCP segment 276
 TCP-IP 263
 TCP-IP protocol 41
 TCP-IP protocol layers 270
TCP.BYE (Function) 279
TCP.CLOSE.SENDER (Function) 277
TCP.DEFAULT.RECEIVE.WINDOW (Variable) 277
TCP.DEFAULT.USER.TIMEOUT (Variable) 277
TCP.DEFAULTFILETYPE (Variable) 279
TCP.ECHO.SERVER (Function) 278
TCP.ECHOTEST (Function) 278

TCP.FAUCET (Function) 278
TCP.INIT (Function) 277
TCP.OPEN (Function) 276
TCP.OTHER.STREAM (Function) 276
TCP.SINK.SERVER (Function) 278
TCP.STOP (Function) 277
TCP.URGENT.EVENT (Function) 276
TCP.URGENT.MARK (Function) 276
TCP.URGENTP (Function) 276
TCPCHAT.TELNET.TTY.TYPES (Variable) 281
TCPCHAT.TRACEFILE (Variable) 281
TCPCHAT TRACEFLG (Variable) 281
TCPFTP.DEFAULT.FILETYPES (Variable) 278
TCPFTP.INIT (Function) 279
TCPFTP.SERVER (Function) 279
TCPFTP.SERVER.USE.TOPS20.SYNTAX (Variable)
 279
TCPRTRACE (Function) 277
TEdit 10,25,147,301,319
TEdit Chat 32
TeleRaid 291
TELERAID (Function) 292
TeleRaid Commands 292
teletype editor 47
TELNET protocol 272,280
ten-key calculator pad 225
terminal emulators 25
**Testing the Connection Between Two Xerox Lisp
Machines** 239
TESTRELATION (Function) 186
TExec 301
TEXEC (Function) 302
TEXTMODULES 305
TFTP.CLOSEFILE (Function) 284
TFTP.GET (Function) 283
TFTP.OPENFILE (Function) 283
TFTP.PUT (Function) 283
TFTP.SERVER (Function) 283
thumbing 73
TIMEZONECOMP (Variable) 210
tracing and test functions 277
trailer encapsulation 288
transferring files 151,269
TRANSLATE-3-BY-3 (Function) 205
TRANSLATE-4-BY-4 (Function) 205
translating between the file-naming conventions
 280
transport layer 271
transport control protocol 275
trees 117
TRIM.BITMAP (Function) 64
trivial file transfer protocol 283
Troubleshooting Problems With FileBrowser 95
TTY port 229
TTY.DEFAULT.INIT.INFO (Variable) 237
TTY.GET.PARAMETERS (Function) 238
TTY.INIT (Function) 237
TTY.SET.PARAMETERS (Function) 237
TTY.SHUTDOWN (Function) 238
TTYCHAT 239
Two-key hash files 138
Typing Characters to DEdit 50

U

UDP.APPEND.BYTE (Function) 282
UDP.APPEND.CELL (Function) 283
UDP.APPEND.STRING (Function) 283
UDP.APPEND.WORD (Function) 282

UDP CLOSE SOCKET (Function) 281
UDP.EXCHANGE (Function) 282
UDP.GET (Function) 282
UDP.INIT (Function) 281
UDP.OPEN.SOCKET (Function) 281
UDP.SEND (Function) 282
UDP.SETUP (Function) 282
UDP.SOCKET.EVENT (Function) 282
UDP.SOCKET.NUMBER (Function) 282
UDP.STOP (Function) 281
UNDELETE (Command) 76
Unechoed input mode 302
Unix 242,283
unread 50
UNSAVEFNS (Function) 188
UPDATECHANGED (Function) 187
UPDATEFN (Function) 187
Updating the MasterScope Data Base 184
upgrade-semicolon-comments (Variable) 308
user commands for NSMaintain 215
user datagram protocol 281
USERWORDS (Function) 302
Using a 4045XLP Stream 9
Using Modems 234
Using RS232 Streams 232
Using TExec 302
Using the 4045 as a Default Printing Host 3
Using the FileBrowser Window 71
Using the Keyboard Editor 159
Using the TTY Port 237
Using TTY Streams 238

V
verifying TCP connections 268
Version Control 40
VFIND.PACKAGE (Function) 298
VFIND.SYMBOL (Function) 298
VGETBASE0 (Function) 298
VGETDEFN (Function) 298
VGETPROLIST (Function) 298
VGETTOPVAL (Function) 298
VGETVAL (Function) 298
Viewing an Existing Bitmap 62
Viewing Frames from a Stack 293
Viewing the System Stack 294
violation of the IP standard 273
virtual graph nodes 119
virtual memory 291
virtual terminal I/O 280
VirtualKeyboards 157,319
VKBD.CONFIGURATIONS (Variable) 163
VKBD.KNOWN-KEYBOARDS (Variable) 324
VLOADFNS (Function) 295
VLOADVAR (Function) 295
VPUTBASE0 (Function) 298
VRAID (Function) 296
VSAWORK (Function) 295
VSETTOPVAL (Function) 298
VT100 Chat 32
VTYPENAME (Function) 298
VUNSAVEDDEF (Function) 295
VVAG2 (Function) 297
VYANKDEF (Function) 295
\COPY (Function) 297
\UNCOPY (Function) 297

W

Weitek floating-point chip set 35
When To Copy 40
Where-Is 325
wild cards 70
wrapper functions 203

X

XCVR interface cable 263
Xerox 2700-II laser printer 1
Xerox 4045 Laser CP 1
Xerox Character Codes 21
Xerox/Diablo 630 1
XIP (Record) 67
XNS host number 210
XNS Time Service 209

4

4045 configuration cartridge 2
4045 Emulation Mode Selection 2
4045 Fonts 9
4045 Parameter Names and Values 6
4045 Port Initialization 3
4045 Port Selection 2
4045 PROM and Software Compatibility 1
4045XLP.CHANGE.MODE (Function) 5
4045XLP.DEFAULTS (Variable) 6
4045XLP.GET.PARAMETERS (Function) 7
4045XLP.PARAMETERS (Record) 6
4045XLP.SET.PARAMETERS (Function) 7
4045XLPstream Options 6
4045XLPSTREAM.VERSION (Variable) 2