

# MASTER TABLE OF CONTENTS

---

<b>1. Introduction</b>	1.1
1.1. Interlisp as a Programming Language	1.1
1.2. Interlisp as an Interactive Environment	1.3
1.3. Interlisp Philosophy	1.5
1.4. How to Use this Manual	1.7
1.5. References	1.8
<b>2. Litatoms</b>	2.1
2.1. Using Litatoms as Variables	2.2
2.2. Function Definition Cells	2.5
2.3. Property Lists	2.5
2.4. Print Names	2.7
2.5. Characters and Character Codes	2.12
<b>3. Lists</b>	3.1
3.1. Creating Lists	3.4
3.2. Building Lists From Left to Right	3.6
3.3. Copying Lists	3.8
3.4. Extracting Tails of Lists	3.9
3.5. Counting List Cells	3.10
3.6. Logical Operations	3.11
3.7. Searching Lists	3.12
3.8. Substitution Functions	3.13
3.9. Association Lists and Property Lists	3.15
3.10. Sorting Lists	3.17
3.11. Other List Functions	3.19
<b>4. Strings</b>	4.1
<b>5. Arrays</b>	5.1
<b>6. Hash Arrays</b>	6.1
6.1. Hash Overflow	6.3

<b>6.2. User-Specified Hashing Functions</b>	6.4
<b>7. Numbers and Arithmetic Functions</b>	7.1
<b>7.1. Generic Arithmetic</b>	7.3
<b>7.2. Integer Arithmetic</b>	7.4
<b>7.3. Logical Arithmetic Functions</b>	7.8
<b>7.4. Floating Point Arithmetic</b>	7.11
<b>7.5. Other Arithmetic Functions</b>	7.13
<b>8. Record Package</b>	8.1
<b>8.1. FETCH and REPLACE</b>	8.2
<b>8.2. CREATE</b>	8.3
<b>8.3. TYPE?</b>	8.5
<b>8.4. WITH</b>	8.5
<b>8.5. Record Declarations</b>	8.6
<b>8.5.1. Record Types</b>	8.7
<b>8.5.2. Optional Record Specifications</b>	8.14
<b>8.6. Defining New Record Types</b>	8.15
<b>8.7. Record Manipulation Functions</b>	8.16
<b>8.8. Changetran</b>	8.17
<b>8.9. Built-In and User Data Types</b>	8.20
<b>9. Conditionals and Iterative Statements</b>	9.1
<b>9.1. Data Type Predicates</b>	9.1
<b>9.2. Equality Predicates</b>	9.2
<b>9.3. Logical Predicates</b>	9.3
<b>9.4. The COND Conditional Function</b>	9.4
<b>9.5. The IF Statement</b>	9.5
<b>9.6. Selection Functions</b>	9.6
<b>9.7. PROG and Associated Control Functions</b>	9.7
<b>9.8. The Iterative Statement</b>	9.9
<b>9.8.1. I.s.types</b>	9.10
<b>9.8.2. Iteration Variable I.s.ops</b>	9.12
<b>9.8.3. Condition I.s.ops</b>	9.15
<b>9.8.4. Other I.s.ops</b>	9.16
<b>9.8.5. Miscellaneous Hints on I.S.Oprs</b>	9.17
<b>9.8.6. Errors in Iterative Statements</b>	9.19

	<b>9.8.7. Defining New Iterative Statement Operators</b>	9.20
<b>10. Function Definition, Manipulation, and Evaluation</b>		10.1
<b>10.1. Function Types</b>		10.2
<b>10.1.1. Lambda-Spread Functions</b>		10.3
<b>10.1.2. Nlambda-Spread Functions</b>		10.4
<b>10.1.3. Lambda-Nospread Functions</b>		10.5
<b>10.1.4. Nlambda-Nospread Functions</b>		10.6
<b>10.1.5. Compiled Functions</b>		10.6
<b>10.1.6. Function Type Functions</b>		10.6
<b>10.2. Defining Functions</b>		10.9
<b>10.3. Function Evaluation</b>		10.11
<b>10.4. Iterating and Mapping Functions</b>		10.14
<b>10.5. Functional Arguments</b>		10.18
<b>10.6. Macros</b>		10.21
<b>10.6.1. DEFMACRO</b>		10.24
<b>10.6.2. Interpreting Macros</b>		10.28
<b>11. Variable Bindings and the Interlisp Stack</b>		11.1
<b>11.1. The Spaghetti Stack</b>		11.2
<b>11.2. Stack Functions</b>		11.4
<b>11.2.1. Searching the Stack</b>		11.5
<b>11.2.2. Variable Bindings in Stack Frames</b>		11.6
<b>11.2.3. Evaluating Expressions in Stack Frames</b>		11.7
<b>11.2.4. Altering Flow of Control</b>		11.8
<b>11.2.5. Releasing and Reusing Stack Pointers</b>		11.9
<b>11.2.6. Backtrace Functions</b>		11.11
<b>11.2.7. Other Stack Functions</b>		11.13
<b>11.3. The Stack and the Interpreter</b>		11.14
<b>11.4. Generators</b>		11.16
<b>11.5. Coroutines</b>		11.18
<b>11.6. Possibilities Lists</b>		11.20
<b>12. Miscellaneous</b>		12.1
<b>12.1. Greeting and Initialization Files</b>		12.1
<b>12.2. Idle Mode</b>		12.4
<b>12.3. Saving Virtual Memory State</b>		12.6

<b>12.4. System Version Information</b>	12.11
<b>12.5. Date And Time Functions</b>	12.13
<b>12.6. Timers and Duration Functions</b>	12.16
<b>12.7. Resources</b>	12.19
<b>12.7.1. A Simple Example</b>	12.20
<b>12.7.2. Trade-offs in More Complicated Cases</b>	12.22
<b>12.7.3. Macros for Accessing Resources</b>	12.23
<b>12.7.4. Saving Resources in a File</b>	12.23
<b>12.8. Pattern Matching</b>	12.24
<b>12.8.1. Pattern Elements</b>	12.25
<b>12.8.2. Element Patterns</b>	12.25
<b>12.8.3. Segment Patterns</b>	12.27
<b>12.8.4. Assignments</b>	12.28
<b>12.8.5. Place-Markers</b>	12.29
<b>12.8.6. Replacements</b>	12.29
<b>12.8.7. Reconstruction</b>	12.30
<b>12.8.8. Examples</b>	12.31
<b>13. Interlisp Executive</b>	13.1
<b>13.1. Input Formats</b>	13.3
<b>13.2. Programmer's Assistant Commands</b>	13.5
<b>13.2.1. Event Specification</b>	13.6
<b>13.2.2. Commands</b>	13.8
<b>13.2.3. P.A. Commands Applied to P.A. Commands</b>	13.20
<b>13.3. Changing The Programmer's Assistant</b>	13.21
<b>13.4. Undoing</b>	13.26
<b>13.4.1. Undoing Out of Order</b>	13.27
<b>13.4.2. SAVESET</b>	13.28
<b>13.4.3. UNDONLSETQ and RESETUNDO</b>	13.29
<b>13.5. Format and Use of the History List</b>	13.31
<b>13.6. Programmer's Assistant Functions</b>	13.35
<b>13.7. The Editor and the Programmer's Assistant</b>	13.43
<b>14. Errors and Breaks</b>	14.1
<b>14.1. Breaks</b>	14.1
<b>14.2. Break Windows</b>	14.3

<b>14.3. Break Commands</b>	14.5
<b>14.4. Controlling When to Break</b>	14.13
<b>14.5. Break Window Variables</b>	14.14
<b>14.6. Creating Breaks with BREAK1</b>	14.16
<b>14.7. Signalling Errors</b>	14.19
<b>14.8. Catching Errors</b>	14.21
<b>14.9. Changing and Restoring System State</b>	14.24
<b>14.10. Error List</b>	14.27
<b>15. Breaking, Tracing, and Advising</b>	15.1
<b>15.1. Breaking Functions and Debugging</b>	15.1
<b>15.2. Advising</b>	15.9
<b>15.2.1. Implementation of Advising</b>	15.10
<b>15.2.2. Advise Functions</b>	15.10
<b>16. List Structure Editor</b>	16.1
<b>16.1. DEdit</b>	16.1
<b>16.1.1. Calling DEdit</b>	16.2
<b>16.1.2. Selecting Objects and Lists</b>	16.4
<b>16.1.3. Typing Characters to DEdit</b>	16.5
<b>16.1.4. Copy-Selection</b>	16.5
<b>16.1.5. DEdit Commands</b>	16.6
<b>16.1.6. Multiple Commands</b>	16.10
<b>16.1.7. DEdit Idioms</b>	16.10
<b>16.1.8. DEdit Parameters</b>	16.12
<b>16.2. Local Attention-Changing Commands</b>	16.13
<b>16.3. Commands That Search</b>	16.18
<b>16.3.1. Search Algorithm</b>	16.20
<b>16.3.2. Search Commands</b>	16.21
<b>16.3.3. Location Specification</b>	16.23
<b>16.4. Commands That Save and Restore the Edit Chain</b>	16.27
<b>16.5. Commands That Modify Structure</b>	16.29
<b>16.5.1. Implementation</b>	16.30
<b>16.5.2. The A, B, and : Commands</b>	16.31
<b>16.5.3. Form Oriented Editing and the Role of UP</b>	16.34
<b>16.5.4. Extract and Embed</b>	16.35

<b>16.5.5. The MOVE Command</b>	16.37
<b>16.5.6. Commands That Move Parentheses</b>	16.40
<b>16.5.7. TO and THRU</b>	16.42
<b>16.5.8. The R Command</b>	16.45
<b>16.6. Commands That Print</b>	16.47
<b>16.7. Commands for Leaving the Editor</b>	16.49
<b>16.8. Nested Calls to Editor</b>	16.51
<b>16.9. Manipulating the Characters of an Atom or String</b>	16.52
<b>16.10. Manipulating Predicates and Conditional Expressions</b>	16.53
<b>16.11. History commands in the editor</b>	16.54
<b>16.12. Miscellaneous Commands</b>	16.55
<b>16.13. Commands That Evaluate</b>	16.57
<b>16.14. Commands That Test</b>	16.60
<b>16.15. Edit Macros</b>	16.62
<b>16.16. Undo</b>	16.64
<b>16.17. EDITDEFAULT</b>	16.66
<b>16.18. Editor Functions</b>	16.68
<b>16.19. Time Stamps</b>	16.76
<b>17. File Package</b>	17.1
<b>17.1. Loading Files</b>	17.5
<b>17.2. Storing Files</b>	17.10
<b>17.3. Remaking a Symbolic File</b>	17.15
<b>17.4. Loading Files in a Distributed Environment</b>	17.16
<b>17.5. Marking Changes</b>	17.17
<b>17.6. Noticing Files</b>	17.19
<b>17.7. Distributing Change Information</b>	17.21
<b>17.8. File Package Types</b>	17.21
<b>17.8.1. Functions for Manipulating Typed Definitions</b>	17.24
<b>17.8.2. Defining New File Package Types</b>	17.29
<b>17.9. File Package Commands</b>	17.32
<b>17.9.1. Functions and Macros</b>	17.34
<b>17.9.2. Variables</b>	17.35
<b>17.9.3. Litatom Properties</b>	17.37
<b>17.9.4. Miscellaneous File Package Commands</b>	17.38

17.9.5. DECLARE:	17.40
17.9.6. Exporting Definitions	17.42
17.9.7. FileVars	17.44
17.9.8. Defining New File Package Commands	17.45
<b>17.10. Functions for Manipulating File Command Lists</b>	<b>17.48</b>
17.11. Symbolic File Format	17.50
17.11.1. Copyright Notices	17.52
17.11.2. Functions Used Within Source Files	17.54
17.11.3. File Maps	17.55
<b>18. Compiler</b>	<b>18.1</b>
18.1. Compiler Printout	18.3
18.2. Global Variables	18.4
18.3. Local Variables and Special Variables	18.5
18.4. Constants	18.7
18.5. Compiling Function Calls	18.8
18.6. FUNCTION and Functional Arguments	18.10
18.7. Open Functions	18.11
18.8. COMPILETYPELIST	18.11
18.9. Compiling CLISP	18.11
18.10. Compiler Functions	18.13
18.11. Block Compiling	18.17
18.11.1. Block Declarations	18.17
18.11.2. Block Compiling Functions	18.20
18.12. Compiler Error Messages	18.22
<b>19. Masterscope</b>	<b>19.1</b>
19.1. Command Language	19.3
19.1.1. Commands	19.4
19.1.2. Relations	19.7
19.1.3. Set Specifications	19.10
19.1.4. Set Determiners	19.13
19.1.5. Set Types	19.13
19.1.6. Conjunctions of Sets	19.14
19.2. SHOW PATHS	19.15
19.3. Error Messages	19.17

19.4. Macro Expansion	19.17
19.5. Affecting Masterscope Analysis	19.18
19.6. Data Base Updating	19.22
19.7. Masterscope Entries	19.22
19.8. Noticing Changes that Require Recompiling	19.25
19.9. Implementation Notes	19.25
<b>20. DWIM</b>	20.1
20.1. Spelling Correction Protocol	20.4
20.2. Parentheses Errors Protocol	20.5
20.3. Undefined Function T Errors	20.6
20.4. DWIM Operation	20.7
20.4.1. DWIM Correction: Unbound Atoms	20.8
20.4.2. Undefined CAR of Form	20.9
20.4.3. Undefined Function in APPLY	20.10
20.5. DWIMUSERFORMS	20.11
20.6. DWIM Functions and Variables	20.13
20.7. Spelling Correction	20.15
20.7.1. Synonyms	20.16
20.7.2. Spelling Lists	20.16
20.7.3. Generators for Spelling Correction	20.19
20.7.4. Spelling Corrector Algorithm	20.19
20.7.5. Spelling Corrector Functions and Variables	20.21
<b>21. CLISP</b>	21.1
21.1. CLISP Interaction with User	21.6
21.2. CLISP Character Operators	21.7
21.3. Declarations	21.12
21.4. CLISP Operation	21.14
21.5. CLISP Translations	21.17
21.6. DWIMIFY	21.18
21.7. CLISPIFY	21.22
21.8. Miscellaneous Functions and Variables	21.25
21.9. CLISP Internal Conventions	21.27
<b>22. Performance Issues</b>	22.1
22.1. Storage Allocation and Garbage Collection	22.1

---

<b>22.2. Variable Bindings</b>	22.5
<b>22.3. Performance Measuring</b>	22.7
<b>22.3.1. BREAKDOWN</b>	22.9
<b>22.4. GAINSPACE</b>	22.11
<b>22.5. Using Data Types Instead of Records</b>	22.13
<b>22.6. Using Incomplete File Names</b>	22.13
<b>22.7. Using "Fast" and "Destructive" Functions</b>	22.14
<b>23. Processes</b>	23.1
<b>23.1. Creating and Destroying Processes</b>	23.2
<b>23.2. Process Control Constructs</b>	23.5
<b>23.3. Events</b>	23.7
<b>23.4. Monitors</b>	23.8
<b>23.5. Global Resources</b>	23.10
<b>23.6. Typein and the TTY Process</b>	23.11
<b>23.6.1. Switching the TTY Process</b>	23.12
<b>23.6.2. Handling of Interrupts</b>	23.14
<b>23.7. Keeping the Mouse Alive</b>	23.15
<b>23.8. Process Status Window</b>	23.16
<b>23.9. Non-Process Compatibility</b>	23.17
<b>24. Streams and Files</b>	24.1
<b>24.1. Opening and Closing File Streams</b>	24.2
<b>24.2. File Names</b>	24.5
<b>24.3. Incomplete File Names</b>	24.9
<b>24.4. Version Recognition</b>	24.11
<b>24.5. Using File Names Instead of Streams</b>	24.13
<b>24.5.1. File Name Efficiency Considerations</b>	24.14
<b>24.5.2. Obsolete File Opening Functions</b>	24.14
<b>24.5.3. Converting Old Programs</b>	24.15
<b>24.6. Using Files with Processes</b>	24.16
<b>24.7. File Attributes</b>	24.17
<b>24.8. Closing and Reopening Files</b>	24.20
<b>24.9. Local Hard Disk Device</b>	24.21
<b>24.10. Floppy Disk Device</b>	24.24
<b>24.11. I/O Operations to and from Strings</b>	24.28

24.12. Temporary Files and the CORE Device	24.29
24.13. NULL Device	24.30
24.15. Deleting, Copying, and Renaming Files	24.31
24.16. Searching File Directories	24.31
24.17. Listing File Directories	24.33
24.18. File Servers	24.36
24.18.1. Pup File Server Protocols	24.36
24.18.2. Xerox NS File Server Protocols	24.37
24.18.3. Operating System Designations	24.38
24.18.4. Logging In	24.39
24.18.5. Abnormal Conditions	24.41
<b>25. Input/Output Functions</b>	<b>25.1</b>
25.1. Specifying Streams for Input/Output Functions	25.1
25.2. Input Functions	25.2
25.3. Output Functions	25.7
25.3.1. PRINTLEVEL	25.11
25.3.2. Printing numbers	25.13
25.3.3. User Defined Printing	25.16
25.3.4. Printing Unusual Data Structures	25.17
25.4. Random Access File Operations	25.18
25.5. Input/Output Operations with Characters and Bytes	25.22
25.6. PRINTOUT	25.23
25.6.1. Horizontal Spacing Commands	25.25
25.6.2. Vertical Spacing Commands	25.26
25.6.3. Special Formatting Controls	25.27
25.6.4. Printing Specifications	25.27
25.6.4.1. Paragraph Format	25.28
25.6.4.2. Right-Flushing	25.29
25.6.4.3. Centering	25.29
25.6.4.4. Numbering	25.29
25.6.5. Escaping to Lisp	25.30
25.6.6. User-Defined Commands	25.31
25.6.7. Special Printing Functions	25.32
25.7. READFILE and WRITEFILE	25.33

<b>25.8. Read Tables</b>	<b>25.33</b>
<b>25.8.1. Read Table Functions</b>	<b>25.34</b>
<b>25.8.2. Syntax Classes</b>	<b>25.35</b>
<b>25.8.3. Read Macros</b>	<b>25.39</b>
<b>26. User Input/Output Packages</b>	<b>26.1</b>
<b>26.1. Inspector</b>	<b>26.1</b>
<b>26.1.1. Calling the Inspector</b>	<b>26.2</b>
<b>26.1.2. Multiple Ways of Inspecting</b>	<b>26.2</b>
<b>26.1.3. Inspect Windows</b>	<b>26.3</b>
<b>26.1.4. Inspect Window Commands</b>	<b>26.4</b>
<b>26.1.5. Interaction With Break Windows</b>	<b>26.5</b>
<b>26.1.6. Controlling the Amount Displayed During Inspection</b>	<b>26.5</b>
<b>26.1.7. Inspect Macros</b>	<b>26.6</b>
<b>26.1.8. INSPECTWS</b>	<b>26.6</b>
<b>26.2. PROMPTFORWORD</b>	<b>26.9</b>
<b>26.3. ASKUSER</b>	<b>26.12</b>
<b>26.3.1. Format of KEYLST</b>	<b>26.13</b>
<b>26.3.2. Options</b>	<b>26.15</b>
<b>26.3.3. Operation</b>	<b>26.17</b>
<b>26.3.4. Completing a Key</b>	<b>26.18</b>
<b>26.3.5. Special Keys</b>	<b>26.19</b>
<b>26.3.6. Startup Protocol and Typeahead</b>	<b>26.20</b>
<b>26.4. TTYIN Display Typein Editor</b>	<b>26.22</b>
<b>26.4.1. Entering Input With TTYIN</b>	<b>26.22</b>
<b>26.4.2. Mouse Commands [Interlisp-D Only]</b>	<b>26.24</b>
<b>26.4.3. Display Editing Commands</b>	<b>26.25</b>
<b>26.4.4. Using TTYIN for Lisp Input</b>	<b>26.28</b>
<b>26.4.5. Useful Macros</b>	<b>26.29</b>
<b>26.4.6. Programming With TTYIN</b>	<b>26.29</b>
<b>26.4.7. Using TTYIN as a General Editor</b>	<b>26.32</b>
<b>26.4.8. ? = Handler</b>	<b>26.33</b>
<b>26.4.9. Read Macros</b>	<b>26.34</b>
<b>26.4.10. Assorted Flags</b>	<b>26.36</b>

26.4.11. Special Responses	26.38
26.4.12. Display Types	26.38
<b>26.5. Prettyprint</b>	<b>26.39</b>
26.5.1. Comment Feature	26.42
26.5.2. Comment Pointers	26.44
26.5.3. Converting Comments to Lower Case	26.46
26.5.4. Special Prettyprint Controls	26.47
<b>27. Graphics Output Operations</b>	<b>27.1</b>
27.1. Primitive Graphics Concepts	27.1
27.1.1. Positions	27.1
27.1.2. Regions	27.1
27.1.3. Bitmaps	27.3
27.1.4. Textures	27.6
27.2. Opening Image Streams	27.8
27.3. Accessing Image Stream Fields	27.10
27.4. Current Position of an Image Stream	27.13
27.5. Moving Bits Between Bitmaps With BITBLT	27.14
27.6. Drawing Lines	27.17
27.7. Drawing Curves	27.18
27.8. Miscellaneous Drawing and Printing Operations	27.20
27.9. Drawing and Shading Grids	27.22
27.10. Display Streams	27.23
27.12. Fonts	27.25
27.13. Font Files and Font Directories	27.31
27.15. Font Profiles	27.32
27.16. Image Objects	27.35
27.16.1. IMAGEFNS Methods	27.36
27.16.2. Registering Image Objects	27.39
27.16.3. Reading and Writing Image Objects on Files	27.40
27.16.4. Copying Image Objects Between Windows	27.41
27.17. Implementation of Image Streams	27.42
<b>28. Windows and Menus</b>	<b>28.1</b>
28.1. Using The Window System	28.2
28.2. Changing Window Command Menus	28.7

28.3. Interactive Display Functions	28.9
28.4. Windows	28.12
28.4.1. Window Properties	28.13
28.4.2. Creating Windows	28.13
28.4.3. Opening and Closing Windows	28.15
28.4.4. Redisplaying Windows	28.16
28.4.5. Reshaping Windows	28.16
28.4.6. Moving Windows	28.19
28.4.7. Exposing and Burying Windows	28.20
28.4.8. Shrinking Windows Into Icons	28.21
28.4.9. Coordinate Systems, Extents, And Scrolling	28.23
28.4.10. Mouse Activity in Windows	28.27
28.4.11. Terminal I/O and Page Holding	28.29
28.4.12. The TTY Process and the Caret	28.30
28.4.13. Miscellaneous Window Functions	28.31
28.4.14. Miscellaneous Window Properties	28.33
28.4.15. Example: A Scrollable Window	28.34
28.5. Menus	28.37
28.5.1. Menu Fields	28.38
28.5.2. Miscellaneous Menu Functions	28.42
28.5.3. Examples of Menu Use	28.43
28.6. Attached Windows	28.45
28.6.1. Attaching Menus To Windows	28.48
28.6.2. Attached Prompt Windows	28.50
28.6.3. Window Operations And Attached Windows	28.50
28.6.4. Window Properties Of Attached Windows	28.53
<b>29. Hardcopy Facilities</b>	<b>29.1</b>
29.1. Low-level Hardcopy Variables	29.5
<b>30. Terminal Input/Output</b>	<b>30.1</b>
30.1. Interrupt Characters	30.1
30.2. Terminal Tables	30.4
30.2.1. Terminal Syntax Classes	30.5
30.2.2. Terminal Control Functions	30.6
30.2.3. Line-Buffering	30.9

<b>30.3. Dribble Files</b>	30.12
<b>30.4. Cursor and Mouse</b>	30.13
<b>30.4.1. Changing the Cursor Image</b>	30.13
<b>30.4.2. Flashing Bars on the Cursor</b>	30.16
<b>30.4.3. Cursor Position</b>	30.17
<b>30.4.4. Mouse Button Testing</b>	30.17
<b>30.4.5. Low Level Mouse Functions</b>	30.18
<b>30.5. Keyboard Interpretation</b>	30.19
<b>30.6. Display Screen</b>	30.22
<b>30.7. Miscellaneous Terminal I/O</b>	30.24
<b>31. Ethernet</b>	31.1
<b>31.1. Ethernet Protocols</b>	31.1
<b>31.1.1. Protocol Layering</b>	31.1
<b>31.1.2. Level Zero Protocols</b>	31.2
<b>31.1.3. Level One Protocols</b>	31.3
<b>31.1.4. Higher Level Protocols</b>	31.4
<b>31.1.5. Connecting Networks: Routers and Gateways</b>	31.4
<b>31.1.6. Addressing Conflicts with Level Zero Mediums</b>	31.5
<b>31.1.7. References</b>	31.5
<b>31.2. Higher-level PUP Protocol Functions</b>	31.6
<b>31.3. Higher-level NS Protocol Functions</b>	31.7
<b>31.3.1. Name and Address Conventions</b>	31.7
<b>31.3.2. Clearinghouse Functions</b>	31.9
<b>31.3.3. NS Printing</b>	31.12
<b>31.3.4. SPP Stream Interface</b>	31.12
<b>31.3.5. Courier Remote Procedure Call Protocol</b>	31.15
<b>31.3.5.1. Defining Courier Programs</b>	31.15
<b>31.3.5.2. Courier Type Definitions</b>	31.17
<b>31.3.5.2.1. Pre-defined Types</b>	31.17
<b>31.3.5.2.2. Constructed Types</b>	31.18
<b>31.3.5.2.3. User Extensions to the Type Language</b>	31.19
<b>31.3.5.3. Performing Courier Transactions</b>	31.20
<b>31.3.5.3.1. Expedited Procedure Call</b>	31.22
<b>31.3.5.3.2. Expanding Ring Broadcast</b>	31.23

---

31.3.5.3.3. Using Bulk Data Transfer	31.24
31.3.5.3.4. Courier Subfunctions for Data Transfer	31.25
31.4. Level One Ether Packet Format	31.26
31.5. PUP Level One Functions	31.28
31.5.1. Creating and Managing Pups	31.28
31.5.2. Sockets	31.28
31.5.3. Sending and Receiving Pups	31.29
31.5.4. Pup Routing Information	31.30
31.5.5. Miscellaneous PUP Utilities	31.31
31.5.6. PUP Debugging Aids	31.32
31.6. NS Level One Functions	31.36
31.6.1. Creating and Managing XIPs	31.36
31.6.2. NS Sockets	31.37
31.6.3. Sending and Receiving XIPs	31.37
31.6.4. NS Debugging Aids	31.38
31.7. Support for Other Level One Protocols	31.38
31.8. The SYSQUEUE mechanism	31.41

---