INDEX

A
access-oriented programming 1-1,9
accessing
  a class, errors 11-6
  an instance, errors 11-6
  class variable 5-16
  data in classes 5-13
  instance variable 5-19
active value 1-9; 5-5; 8-1
  adding 8-17
  breaking and tracing 8-10
  bypassing 8-22
  creating 8-23
  deleting 8-17
  errors 11-9
  in class structures 8-27
  printing 17-11
  replacing 8-17
ActiveValue 8-1
  methods 8-16
  shared 8-22
  specializations 8-2
Add *(Inspector Submenu Option)* 18-4,10
Add *(Method of Class)* 3-12
Add (AddMethod) *(Browser Menu Option)* 10-20,32
Add Category Menu *(Browser Menu Option)* 10-10,25
Add file to browser *(Browser Submenu Option)* 10-26
Add/Delete *(Inspector Menu Option)* 18-4,10
AddActiveValue *(Method of ActiveValue)* 8-17
AddCIV *(Function)* 3-14
AddCV *(Browser Submenu Option)* 10-20
AddCV *(Function)* 3-13
AddCV *(Method of Class)* 3-13
AddIV *(Browser Submenu Option)* 10-20
AddIV *(Function)* 2-10
AddIV *(Method of Class)* 3-14
AddIV *(Method of Object)* 2-11
AddMethod *(Browser Submenu Option)* 10-21
adding an active value 8-17
AddRoot *(Browser Menu Option)* 10-10,25
AddRoot *(Method of LatticeBrowser)* 10-36
AddSubs *(Browser Menu Option)* 10-31
AddSubs! *(Browser Submenu Option)* 10-31
AddSuper *(Browser Submenu Option)* 10-21
AfterMove *(Method of Window)* 19-3
AfterReshape *(Method of Window)* 19-3
all *(Browser Submenu Option)* 10-26
All *(Inspector Menu Option)* 18-8
AllInstances *(Method of Class)* 3-24
AllInstances! *(Method of Class)* 3-25
AllMethodCategories *(Method of Class)* 6-2
AllSubClasses *(Function)* 3-28
AllValues *(Inspector Menu Option)* 18-3,10
AnalyzeFile *(Browser Submenu Option)* 10-28
annotated value 8-24
  errors 11-9
  explicit control over 8-25
  restoring 8-26
  saving 8-26
AnnotatedValue *(Class)* 8-24
AnnotatedValue? *(Macro)* 9-2
Any *(Category)* 6-1
AppendSuperValue *(Class)* 8-11
ApplyMethod *(Function)* 6-7
ArgsOfMethodBeingCompiled *(Macro)* 6-10
associatedFiles *(Browser Submenu Option)* 10-26
AttachLispWindow *(Method of Window)* 19-22
AVPrintSource *(Method of ActiveValue)* 8-26; 17-11
AVPrintSource *(Specialization of ActiveValue)* 8-16

B
background menu 10-3
Blink *(Method of Window)* 19-3
Box/UnBoxNode *(Browser Menu Option)* 10-17
BoxNode *(Browser Menu Option)* 10-32
BoxNode *(Method of LatticeBrowser)* 10-37
Break on Access *(Inspector Submenu Option)* 18-6
Break on Put *(Inspector Submenu Option)* 18-6
BreakFunction *(Browser Submenu Option)* 10-29
breaking 12-1
BreakIt *(Function)* 12-4
BreakIt *(Inspector Menu Option)* 18-6
BreakIt *(Method of Object)* 12-3
BreakMethod *(Browser Menu Option)* 10-20
BreakMethod *(Method of Class)* 12-1
BreakOnPut *(Class)* 8-10
BreakOnPutOrGet *(Class)* 8-10
BrokenVariables *(Global Variable)* 12-6
Browse *(Function)* 10-7
Browse *(Inspector Menu Option)* 18-8
Browse *(Method of LatticeBrowser)* 10-6,37
Browse Class *(Submenu Option)* 10-3,4
Browse File *(Submenu Option)* 10-3,5
Browse Supers *(Submenu Option)* 10-4
BrowseFile *(Method of FileBrowser)* 10-6
browser 10-1
BrowserObjects *(Method of LatticeBrowser)* 10-38
BrowseSupers *(Inspector Submenu Option)* 18-8
Bury *(Method of Window)* 20-4
ButtonEventFn *(Method of Window)* 19-15

C
cache 15-2,3
CalledFns *(Function)* 6-9
CallsFunction *(Browser Submenu Option)* 10-28
categories of a method 6-1
CategorizeMethods *(Browser Submenu Option)* 10-19
CategorizeMethods *(Method of Class)* 6-2
Change display mode *(Browser Menu Option)* 10-25
ChangeClass *(Method of Object)* 2-16
ChangeFontSize *(Browser Submenu Option)* 10-8
ChangeFontSize *(Method of LatticeBrowser)* 10-38
ChangeFormat *(Method of LatticeBrowser)* 10-38
ChangeMaxLabelSize *(Method of LatticeBrowser)* 10-39
ChangeMethodCategory *(Browser Submenu Option)* 10-19
ChangeMethodCategory *(Method of Class)* 6-3
Changetran 5-13
Check *(Browser Submenu Option)* 10-27
CheckFile *(Browser Submenu Option)* 10-28
class 1-3,6; 3-1
  contents 3-1

copying 3-23
creating 3-1
destroying 3-5
editing 3-10; 13-1
enumerating instances 3-24
manipulating 2-16; 3-16
modifying 3-11
printing 17-4
querying the structure 3-17
reading data in 5-13
renaming 3-16
storing data in 5-13
Class *(Category)* 6-1
Class *(Inspector Menu Option)* 18-3
Class *(Macro)* 2-17
Class *(Method of Object)* 2-17
class browser 10-2
automatic update 10-52
menu interface 10-8
class inspector 18-7
class variable 1-4; 5-5
accessing 5-16
for class LatticeBrowser 10-34
Class? *(Macro)* 9-2
ClassDoc *(Browser Submenu Option)* 10-14
CLASSES *(File Package Command)* 14-4
ClassIV inspector 18-9
ClassName *(Function)* 2-18; 3-17
ClassName *(Method of Object)* 2-18
ClassNameOfMethodOwner *(Macro)* 6-10
CLEANUP file *(Browser Menu Option)* 10-30
CleanUp File *(Submenu Option)* 10-5
Clear *(Method of Window)* 19-4
ClearAllCaches *(Function)* 15-3; 20-3
ClearAllCaches *(Variable)* 20-3
ClearLabelCache *(Method of LatticeBrowser)* 10-40
ClearMenuCache *(Method of Window)* 19-15
ClearPromptWindow *(Method of Window)* 19-10
Close *(Method of Window)* 19-4
ClosePromptWindow *(Method of Window)* 19-10
compact accessing forms 5-10
ConformToClass *(Method of Object)* 2-12
Copy *(Method of Class)* 3-23
Copy (CopyMethodTo) *(Browser Menu Option)* 10-23,32
CopyActiveValue *(Method of ActiveValue)* 8-22
CopyActiveValue *(Specialization of ActiveValue)* 8-16
CopyCV *(Method of Class)* 3-23
CopyCVTo *(Browser Submenu Option)* 10-23
CopyDeep *(Method of Object)* 2-19
copying
class 3-23
instance 2-19
CopyIV *(Method of Class)* 3-24
CopyIVTo *(Browser Submenu Option)* 10-23
CopyMethodTo *(Browser Submenu Option)* 10-23
CopyShallow *(Method of Object)* 2-20
create annotatedValue *(Macro)* 8-25
CreateClass *(Method of Metaclass)* 3-3
CreateWindow *(Method of NonRectangular Window)* 19-19
CreateWindow *(Method of Window)* 19-22
creating
active value 8-23
class 3-1
instance 2-4
method 6-4
record 18-17
CursorInside? *(Method of Window)* 19-4
CV, see class variable
CVDoc *(Browser Submenu Option)* 10-14
CVMissing *(Method of Class)* 11-2
CVValueMissing *(Method of Class)* 11-3

D
data type predicate 9-1
DefaultActiveValueClassName *(Variable)* 17-12
DEFCLASS *(NLambda NoSpread Function)* 14-4
DEFCLASSES *(NLambda NoSpread Function)* 14-4
DefineClass *(Function)* 3-2
DefineMethod *(Function)* 6-5
defining a metaclass 4-5
DEFINST *(NLambda NoSpread Function)* 14-6
DEFINSTANCES *(NLambda NoSpread Function)* 14-6
Delete *(Inspector Submenu Option)* 18-4,10
Delete *(Method of Class)* 3-12
Delete (DeleteMethod) *(Browser Menu Option)* 10-21,32
DeleteActiveValue *(Method of ActiveValue)* 8-18
DeleteCIV *(Function)* 3-15
DeleteClass *(Browser Submenu Option)* 10-22
DeleteClassProp *(Function)* 3-13
DeleteCV *(Browser Submenu Option)* 10-21
DeleteCV *(Function)* 3-14
DeleteFromBrowser *(Browser Menu Option)* 10-16,31
DeleteFromBrowser *(Browser Submenu Option)* 10-16
DeleteFromBrowser *(Method of LatticeBrowser)* 10-40
DeleteIV *(Browser Submenu Option)* 10-21
DeleteIV *(Function)* 2-11
DeleteIV *(Method of Object)* 2-12
DeleteMethod *(Browser Submenu Option)* 10-22
DeleteMethod *(Function)* 6-5
DeleteSubtreeFromBrowser *(Browser Submenu Option)* 10-16
DeleteSubtreeFromBrowser *(Method of LatticeBrowser)* 10-40
deleting an active value 8-17
DelFromFile *(Method of Object)* 14-9
Destroy *(Method of Class)* 3-5
Destroy *(Method of Object)* 2-15
Destroy *(Method of Window)* 19-4
Destroy! *(Method of Class)* 3-6
Destroy! *(Method of Object)* 2-15
DestroyClass *(Method of Class)* 3-6
destroying
class 3-5
instance 2-15
method 6-4
DestroyInstance *(Method of Class)* 2-15
DetachLispWindow *(Method of Window)* 19-22
Doc (ClassDoc) *(Browser Menu Option)* 10-13,30
DoFringeMethods *(Function)* 6-7
DoMethod *(Function)* 6-7
DontSave *(Instance Variable Property Name)* 14-10
dynamic mixin 3-4

E
Edit *(Browser Submenu Option)* 10-27

Edit *(Inspector Menu Option)* 18-4,8
Edit *(Method of Class)* 3-10; 13-1
Edit *(Method of Object)* 13-5
Edit (EditClass) *(Browser Menu Option)* 10-24,32
Edit FileComs *(Browser Menu Option)* 10-28
Edit Filecoms *(Submenu Option)* 10-5
Edit Functions *(Browser Submenu Option)* 10-29
Edit! *(Method of Class)* 13-3
EditCategory *(Browser Submenu Option)* 10-19
EditClass *(Browser Submenu Option)* 10-24
EditClass! *(Browser Submenu Option)* 10-24
EditComs *(Browser Submenu Option)* 10-29
EditFns *(Browser Submenu Option)* 10-29
EditIcon *(Method of NonRectangular Window)* 19-19
editing 13-1
    a class 13-1
    class 3-10
    description of window 13-2
    method 6-4
EditInstances *(Browser Submenu Option)* 10-29
EditMacros *(Browser Submenu Option)* 10-29
EditMask *(Method of NonRectangular Window)* 19-20
EditMethod *(Browser Submenu Option)* 10-18
EditMethod *(Method of Class)* 6-5
EditMethod! *(Browser Submenu Option)* 10-18
EditMethodObject *(Browser Submenu Option)* 10-18
EditRecords *(Browser Submenu Option)* 10-29
EditVars *(Browser Submenu Option)* 10-29
enumerating instances of a class 3-24
error handling 11-1
error message 11-5
ErrorOnNameConflict *(Variable)* 2-4; 11-2
escaping from message syntax 6-6
ExplicitFnActiveValue *(Class)* 8-8

F
fetch annotatedValue of *(Macro)* 8-25
FetchMethod *(Method of Class)* 7-5
file
    storing 14-10
file browser 10-2
    menu interface 10-24
file manager 1-11; 14-1
    commands 14-3
FileBrowse *(Function)* 10-7
FileIn *(Method of Class)* 14-6
FileOut *(Method of Class)* 17-4
FileOut *(Method of Object)* 14-11; 17-8
FILES? *(Function)* 14-7
FirstFetchAV *(Class)* 8-12
FlashNode *(Method of LatticeBrowser)* 10-41
FlipNode *(Method of LatticeBrowser)* 10-41
Fringe *(Method of Class)* 3-27
function calling 3-2

G
garbage collection 15-1
Get *(Method of Object)* 5-6
GetClass *(Function)* 5-14
GetClassHere *(Function)* 5-16
GetClassIV *(Function)* 5-20
GetClassIVHere *(Function)* 5-20
GetClassOnly *(Function)* 5-15
GetClassProp *(Method of Class)* 3-18
GetClassValue *(Function)* 5-8,16
GetClassValueOnly *(Function)* 5-9,18; 8-22
GetCVHere *(Function)* 5-18
GetDisplayLabel *(Method of LatticeBrowser)* 10-41
GetIt *(Function)* 5-1
GetItHere *(Function)* 5-3
GetItOnly *(Function)* 5-2
GetIVHere *(Function)* 5-10
GetLabel *(Method of LatticeBrowser)* 10-41
GetLispClass *(Function)* 4-3
GetObjectNames *(Function)* 2-4
GetObjFromUID *(Function)* 17-15
GetPromptWindow *(Method of Window)* 19-10
GetProp *(Method of Window)* 19-5
GetSubs *(Method of InstanceBrowser)* 10-50
GetSubs *(Method of LatticeBrowser)* 10-42
GettingWrappedValue *(Message)* 1-9
GetValue *(Function)* 4-3; 5-6
GetValue *(Macro)* 15-2
GetValueOnly *(Function)* 5-7; 8-22
GetWrappedValue *(Method of ActiveValue)* 8-20
GetWrappedValue *(Method of LispWindowAV)* 19-23
GetWrappedValue *(Specialization of ActiveValue)* 8-16
GetWrappedValueOnly *(Method of ActiveValue)* 8-20
global cache 15-2,3
Grapher 1-11; 10-1,33
GraphFits *(Method of LatticeBrowser)* 10-42

H
Hardcopy *(Method of Window)* 19-5
Hardcopy file *(Browser Submenu Option)* 10-30
HardcopyToFile *(Method of Window)* 19-5
HardcopyToPrinter *(Method of Window)* 19-5
HasAttribute *(Method of Class)* 3-18
HasAttribute! *(Method of Class)* 3-19
HasCV *(Method of Class)* 3-19
HasCV *(Method of Object)* 2-21
HasItem *(Method of Class)* 3-20
HasIV *(Method of Class)* 3-21
HasIV *(Method of Object)* 2-21
HasIV! *(Method of Class)* 3-21
HasLispWindow *(Method of Window)* 19-23
HasObject *(Method of LatticeBrowser)* 10-42
HasUID? *(Function)* 17-14
HELPCHECK *(Function)* 11-1
HighlightNode *(Method of LatticeBrowser)* 10-42

I
IconTitle *(Method of LatticeBrowser)* 10-43
IconWindow *(Class)* 19-20
ImplementsMethod *(Browser Submenu Option)* 10-28
in-supers-of *(Iterative Statement Operator)* 9-3
IndexedObject *(Class)* 3-25
IndirectVariable *(Class)* 8-3
inheritance 1-6; 3-7,27
InheritedValue *(Method of InheritingAV)* 8-14
InheritingAV *(Class)* 8-14
InPlace *(Browser Submenu Option)* 10-8
Inspect *(Inspector Menu Option)* 18-7,10
Inspect *(Method of Object)* 2-22; 18-2
InspectClass *(Browser Submenu Option)* 10-24
InspectFetch *(Method of Object)* 18-12
inspector 1-10; 18-1

customizing 18-15
InspectPropCommand *(Method of Object)* 18-13
InspectProperties *(Method of Object)* 18-13
InspectStore *(Method of Object)* 18-13
InspectTitle *(Method of Object)* 18-14
InspectValueCommand *(Method of Object)* 18-14
InstallEditSource *(Method of Class)* 13-3
InstallEditSource *(Method of Object)* 13-6
instance 1-4
accessing data in 5-4
copying 2-19
creating 2-4
data storage at creation time 2-8
destroying 2-15
editing 13-5
naming 2-1
querying structure 2-21
instance browser 10-3,50
instance inspector 18-2
instance variable 1-4; 5-5
access 15-1
accessing 5-19
changing number of 2-10
delimiters 2-11
for class InstanceBrowser 10-50
for class LatticeBrowser 10-33
Instance? *(Macro)* 9-2
INSTANCES *(File Package Command)* 14-5
InstOf *(Method of Object)* 2-18
InstOf! *(Method of Object)* 2-19
Internal *(Category)* 6-1
Invert *(Method of NonRectangular Window)* 19-20
Invert *(Method of Window)* 19-5
ItemMenu *(Method of Window)* 19-15
iterative operator 9-3
IV, see instance variable
IVDoc *(Browser Submenu Option)* 10-14
IVMissing *(Method of Object)* 2-12; 11-3
IVs *(Inspector Menu Option)* 18-4,10
IVValueMissing *(Method of Object)* 2-8; 11-4

L
lattice 1-1
lattice browser 10-2
Lattice/Tree *(Browser Submenu Option)* 10-9
left column menu
class inspector 18-8
ClassIV inspector 18-10
instance inspector 18-4
left menu
class, meta, and supers browsers 10-11
file browser 10-30
instance browser 10-51
LeftSelection *(Method of LatticeBrowser)* 10-43
LeftSelection *(Method of Window)* 19-16
LeftShiftSelect *(Method of LatticeBrowser)* 10-43
Lisp window 19-22
LispClassTable *(Global Variable)* 4-4
LispUserFilesForLoops *(Variable)* 20-2
LispWindowAV *(Class)* 8-10
ListAttribute *(Method of Class)* 3-21
ListAttribute *(Method of Object)* 2-22
ListAttribute! *(Method of Class)* 3-22
ListAttribute! *(Method of Object)* 2-23
LOAD *(Function)* 14-2
Load PROP file *(Browser Submenu Option)* 10-30
LOADFNS *(Function)* 14-3
loading a file 14-2
LoadLoopsForms *(Variable)* 20-2
Local *(Inspector Menu Option)* 18-8
local cache 15-2,3
LocalStateActiveValue *(Class)* 8-6
LocalValues *(Inspector Menu Option)* 18-4,10
LOOPS icon 10-4
Loops Icon *(Menu Option)* 10-3
LoopsDate *(Variable)* 20-2
LoopsDebugFlg *(Variable)* 11-2
LOOPSDIRECTORY *(Variable)* 20-2
LOOPSFILES *(Variable)* 20-2
LoopsHelp *(NoSpread Function)* 11-2
LoopsIcon *(Class)* 19-21
LOOPSLIBRARYDIRECTORY *(Variable)* 20-2
LoopsPatchFiles *(Variable)* 20-2
LOOPSUSERSDIRECTORY *(Variable)* 20-2
LOOPSUSERSRULESDIRECTORY *(Variable)* 20-2
LoopsVersion *(Variable)* 20-1

M
MakeEditSource *(Method of Class)* 13-4
MakeEditSource *(Method of Object)* 13-5
MAKEFILE *(Function)* 14-11
MakeFileSource *(Method of Object)* 14-11
MakeFullEditSource *(Method of Class)* 13-4
MakeFunctionMenu *(Browser Submenu Option)* 10-29
manipulating
a file 14-1
a class 2-16; 3-16
MapObjectUID *(Function)* 17-15
Masterscope 1-10
Masterscope *(Category)* 6-2
MaxLatticeHeight *(Variable)* 10-48
MaxLatticeWidth *(Variable)* 10-48
menu 19-14
caching 19-18
item structure 19-17
message 1-3
message sending 3-2
message sending form 7-1; 18-16
message syntax, escaping from 6-6
MessageNotUnderstood *(Method of AnnotatedValue)* 8-26
MessageNotUnderstood *(Method of Object)* 11-5
MessageNotUnderstood *(Method of Tofu)* 4-7
metaclass 1-6; 5-13
AbstractClass 4-2
Class 4-1
defining 4-5
DestroyedClass 4-2
MetaClass 4-2
metaclass browser 10-2
menu interface 10-8
METH *(NLambda NoSpread Function)* 14-5
method 1-3; 6-1
creating 6-4
destroying 6-4
editing 6-4
for class InstanceBrowser 10-50
for window 19-2
printing 17-12
method *(Definer)*
structure 6-3
method lookup 15-3
MethodDoc *(Browser Submenu Option)* 10-14
MethodDoc *(Method of Class)* 17-13
MethodMenu *(Browser Submenu Option)* 10-19

MethodNotFound *(Method of Tofu)* 4-7
METHODS *(File Package Command)* 14-5
Methods (EditMethod) *(Browser Menu Option)* 10-18,32
MethodSummary *(Browser Submenu Option)* 10-13
MethodSummary *(Method of Class)* 17-13
middle menu
    class, meta, and supers browsers 10-17
    file browser 10-31
    instance browser 10-52
MiddleSelection *(Method of Window)* 19-16
MiddleShiftSelect *(Method of LatticeBrowser)* 10-44
modifying a class 3-11
MousePackage *(Method)* 19-6
MouseReadtable *(Method)* 19-6
Move *(Method of Window)* 19-5
Move (MoveMethodTo) *(Browser Menu Option)* 10-22,32
MoveClassVariable *(Function)* 2-14
MoveCVTo *(Browser Submenu Option)* 10-22
MoveIVTo *(Browser Submenu Option)* 10-22
MoveMethod *(Function)* 6-8
MoveMethod *(Method of Class)* 6-9
MoveMethodsToFile *(Function)* 6-9
MoveMethodTo *(Browser Submenu Option)* 10-22
MoveSuperTo *(Browser Submenu Option)* 10-22
MoveToFile *(Browser Submenu Option)* 10-22
MoveToFile *(Method of Class)* 14-9
MoveToFile! *(Browser Submenu Option)* 10-22
MoveToFile! *(Method of Class)* 14-9
MoveVariable *(Function)* 2-14
moving a variable 2-13
multiple references of objects 15-1

N
naming an instance 2-1
naming an object, errors 11-8
NestedNotSetValue *(Class)* 8-16
New *(Method of Class)* 2-5
New *(Method of Metaclass)* 3-3; 4-5
NewClass *(Method of Class)* 3-3
NewInstance *(Browser Submenu Option)* 10-21,32
NewInstance *(Method of Object)* 2-6
NewItem *(Method of LatticeBrowser)* 10-44
NewPath *(Method of InstanceBrowser)* 10-51
NewWithValues *(Method of Class)* 2-7
NiceMenu *(Function)* 19-13
NodeRegion *(Method of LatticeBrowser)* 10-45
NonRectangularWindow *(Class)* 19-19
NotSetValue *(Class)* 8-15
NotSetValue *(Macro)* 2-9
NoUpdatePermittedAV *(Class)* 8-9
NoValueFound *(Macro)* 2-24
NoValueFound *(Variable)* 2-24

O
object 1-2
    multiple references 15-1
    printing 17-8
    saving on a file 14-6
    storing data in 1-4
Object *(Category)* 6-1
object-oriented programming 1-1,3
Object? *(Macro)* 9-1
ObjectAlwaysPPFlag *(Variable)* 17-3
ObjectDontPPFlag *(Variable)* 17-3
ObjectFromLabel *(Method of LatticeBrowser)* 10-45
ObjectModified *(Method of Object)* 14-8
OldInstance *(Method of Object)* 14-10
OnFile *(Method of Class)* 14-8
Open *(Method of Window)* 19-6
opening a browser 10-3
OptionalLispuserFiles *(Variable)* 9-2
OverridesMethod *(Browser Submenu Option)* 10-28

P
Paint *(Method of Window)* 19-6
PositionNode *(Method of LatticeBrowser)* 10-45
PP *(Browser Submenu Option)* 10-12
PP *(Method of Class)* 17-5
PP *(Method of Object)* 17-9
PP! *(Browser Submenu Option)* 10-12
PP! *(Method of Class)* 17-6
PP! *(Method of Object)* 17-9
PPDefault *(Variable)* 17-12
PPMethod *(Browser Submenu Option)* 10-13
PPMethod *(Method of Class)* 17-12
PPV! *(Browser Submenu Option)* 10-12
PPV! *(Method of Class)* 17-7
PPV! *(Method of Object)* 17-10
PrettyPrintClass *(Function)* 14-11
PrettyPrintInstance *(Function)* 14-11
PrintCategories *(Browser Submenu Option)* 10-12
printing 17-1
    variables affecting 17-2
PrintOn *(Method of IndexedObject)* 3-25
PrintOn *(Method of Object)* 17-8
PrintSummary *(Browser Menu Option)* 10-12,30
PrintSummary *(Browser Submenu Option)* 10-13
procedure-oriented programming 1-1,2,3
programming paradigms 1-1
prompt window 19-9
PromptEval *(Function)* 19-11
PromptForList *(Method of Window)* 19-11
PromptForString *(Method of Window)* 19-12
PromptForWord *(Method of Window)* 19-12
PromptPrint *(Method of Window)* 19-13
PromptRead *(Function)* 19-13
Properties *(Inspector Menu Option)* 18-5,11
Prototype *(Method of Class)* 3-26
pseudoclass 8-24
pseudoclasses 4-2
pseudoinstances 4-2; 8-24
Public *(Category)* 6-1
Put *(Method of Object)* 5-7
PutClass *(Function)* 5-14
PutClassIV *(Function)* 5-21
PutClassOnly *(Function)* 5-15
PutClassValue *(Function)* 5-8,17
PutClassValueOnly *(Function)* 5-9,18; 8-22
PutCVHere *(Function)* 5-19
PutIt *(Function)* 5-3
PutItOnly *(Function)* 5-4
PutSavedValue *(Function)* 19-21
PuttingWrappedValue *(Message)* 1-9
PutValue *(Function)* 4-3; 5-6
PutValue *(Inspector Menu Option)* 18-5
PutValue *(Macro)* 15-2
PutValueOnly *(Function)* 5-7; 8-22
PutValueOnly *(Inspector Submenu Option)* 18-5
PutWrappedValue *(Method of ActiveValue)* 8-21

PutWrappedValue *(Method of LispWindowAV)* 19-23
PutWrappedValue *(Specialization of ActiveValue)* 8-16
PutWrappedValueOnly *(Method of ActiveValue)* 8-21

Q
querying
structure of a class 3-17
structure of an instance 2-21

R
reading 17-1
Recompute *(Browser Menu Option)* 10-8,25
Recompute *(Browser Submenu Option)* 10-8
Recompute *(Method of LatticeBrowser)* 10-46
RecomputeInPlace *(Method of LatticeBrowser)* 10-46
RecomputeLabels *(Browser Submenu Option)* 10-8
RecomputeLabels *(Method of LatticeBrowser)* 10-46
record
creating 18-17
Refetch *(Inspector Menu Option)* 18-4,8,10
RemoveFromBadList *(Browser Submenu Option)* 10-10
RemoveHighlights *(Method of LatticeBrowser)* 10-46
RemoveShading *(Method of LatticeBrowser)* 10-47
Rename *(Method of Class)* 3-16
Rename *(Method of Object)* 2-3
Rename (RenameMethod) *(Browser Menu Option)* 10-23,32
RenameClass *(Browser Submenu Option)* 10-23
RenameCV *(Browser Submenu Option)* 10-23
RenameIV *(Browser Submenu Option)* 10-23
RenameMethod *(Browser Submenu Option)* 10-23
RenameMethod *(Function)* 6-8
RenameVariable *(Function)* 2-14
replace annotatedValue of *(Macro)* 8-25
ReplaceActiveValue *(Method of ActiveValue)* 8-19
ReplaceMeAV *(Class)* 8-15
ReplaceSupers *(Method of Class)* 3-15
replacing an active value 5-17
RetireMethod *(Browser Submenu Option)* 10-23
right column menu
class inspector 18-8
ClassIV inspector 18-10
instance inspector 18-6
RightSelection *(Method of Window)* 19-16
rule-oriented programming 1-1

S
Save Value *(Inspector Menu Option)* 18-4,7,11
SavedValue *(Function)* 19-21
SaveInIT *(Method of LatticeBrowser)* 10-47
SaveInstance *(Method of Object)* 14-8
SaveInstance? *(Method of Object)* 14-9
SaveValue *(Browser Submenu Option)* 10-8
saving
an object on a file 14-6
ScrollWindow *(Method of Window)* 19-7
SEdit 1-10
Select file *(Browser Submenu Option)* 10-26
selectedFile *(Browser Submenu Option)* 10-25
SelectFile *(Lambda NoSpread Function)* 19-14
selector 1-3
SelectorOfMethodBeingCompiled *(Macro)* 6-10
SelectorsWithBreak *(Method of Class)* 12-3
SEND *(Function)* 7-2
SEND *(Macro)* 7-2
sending
a message, errors 11-7
SendsMessage *(Browser Submenu Option)* 10-28
SetName *(Method of Class)* 3-16
SetName *(Method of Object)* 2-2
SetProp *(Method of Window)* 19-7
ShadeNode *(Method of LatticeBrowser)* 10-47
Shape *(Method of NonRectangular Window)* 19-20
Shape *(Method of Window)* 19-7
Shape? *(Method of Window)* 19-8
ShapeToHold *(Browser Submenu Option)* 10-8
ShapeToHold *(Method of LatticeBrowser)* 10-48
Show *(Method of LatticeBrowser)* 10-48
Shrink *(Method of LatticeBrowser)* 10-48
Shrink *(Method of Window)* 19-8
Snap *(Method of Window)* 19-8
Specialize *(Method of Class)* 3-27
SpecializeClass *(Browser Submenu Option)* 10-21
SpecializedClass *(Browser Submenu Option)* 10-32
SpecializeMethod *(Browser Submenu Option)* 10-21
SpecializesMethod *(Browser Submenu Option)* 10-28
stack method macros 6-10
storing
a file 14-10
data in objects 1-4
SubBrowser *(Browser Menu Option)* 10-16,31
SubBrowser *(Method of LatticeBrowser)* 10-49
subclass 1-6
Subclass *(Method of Class)* 3-28
SubClasses *(Method of Class)* 3-28
SubclassResponsibility *(Macro)* 6-6
Substitute *(Browser Submenu Option)* 10-27
SubsTree *(Function)* 3-29
superclass 1-7,8
SuperMethodNotFound *(Method of Tofu)* 4-7
supers browser 10-2
menu interface 10-8
system function 20-1
system variable 20-1

T
THESE-INSTANCES *(File Package Command)* 14-5
title
class inspector 18-7
ClassIV inspector 18-9
instance inspector 18-2
title bar menu
class inspector 18-8
class, meta, and supers browsers 10-8
ClassIV inspector 18-9
file browser 10-25
instance browser 10-51
instance inspector 18-3
TitleCommand *(Method of Object)* 18-15
TitleSelection *(Method of LatticeBrowser)* 10-49
TitleSelection *(Method of Window)* 19-16
Tofu 4-6
tools 1-10

ToTop *(Method of Window)* 19-8
Trace on Access *(Inspector Submenu Option)* 18-6
Trace on Put *(Inspector Submenu Option)* 18-6
TraceFunction *(Browser Submenu Option)* 10-29
TraceIt *(Function)* 12-6
TraceIt *(Inspector Menu Option)* 18-6
TraceIt *(Method of Object)* 12-5
TraceMethod *(Browser Submenu Option)* 10-20
TraceMethod *(Method of Class)* 12-2
TraceOnPut *(Class)* 8-10
TraceOnPutOrGet *(Class)* 8-10
tracing 12-1
type? annotatedValue *(Macro)* 8-25
TypeInName *(Browser Menu Option)* 10-16,31

U
UID, see Unique Identifier
UID *(Function)* 17-15
UnbreakFunction *(Browser Submenu Option)* 10-29
UnBreakIt *(Function)* 12-6
UnBreakIt *(Inspector Menu Option)* 18-6
UnbreakMethod *(Browser Submenu Option)* 10-20
UnbreakMethod *(Method of Class)* 12-2
Understands *(Method of Object)* 9-3
UNDO *(Program Assistant Command)* 14-3
Unique Identifier 15-1; 17-14
UnmarkNodes *(Method of LatticeBrowser)* 10-49
UnSetName *(Method of Class)* 3-17
UnSetName *(Method of Object)* 2-3
Update *(Method of Window)* 19-9
UpdateClassBrowsers *(Function)* 10-52
UpdateClassBrowsers? *(Variable)* 10-52
Use saved value *(Inspector Submenu Option)* 18-5
user interface to inspector 18-2
Uses IV? *(Browser Menu Option)* 10-26
UsesCV *(Browser Submenu Option)* 10-28
UsesIV *(Browser Menu Option)* 10-33
UsesIV *(Browser Submenu Option)* 10-27
UsesLispVar *(Browser Submenu Option)* 10-28
UsesObject *(Browser Submenu Option)* 10-28

V
ValueFound *(Macro)* 2-25
variable 1-4

W
WhenMenuItemHeld *(Method of Window)* 19-17
WhereIs *(Browser Menu Option)* 10-14
WhereIs *(Method of Object)* 2-24
WhereIs (WhereIsMethod) *(Browser Menu Option)* 10-30
WhereIsCV *(Browser Submenu Option)* 10-15
WhereIsIV *(Browser Submenu Option)* 10-15
WhereIsMethod *(Browser Submenu Option)* 10-15
WhoHas *(Function)* 3-22
Window *(Class)* 19-1
WindowAfterMoveFn *(Function)* 19-9
WindowButtonEventFn *(Function)* 19-17
WindowRightButtonFn *(Function)* 19-17
WindowShapeFn *(Function)* 19-9
wrapped value 8-19
WrappingPrecedence *(Method of ActiveValue)* 8-18
WrappingPrecedence *(Specialization of ActiveValue)* 8-16

←
← *(Function)* 7-1
← *(Macro)* 7-1
←**!** *(Function)* 7-2
←**!** *(Macro)* 7-2
←@ *(Macro)* 5-12
←**AV** *(Macro)* 8-26
←**IV** *(Macro)* 7-2
←**New** *(Macro)* 2-6
←**New** *(NLambda NoSpread Macro)* 7-5
←**Process** *(Macro)* 16-1
←**Process!** *(Macro)* 16-2
←**Proto** *(Macro)* 7-3
←**Super** *(Macro)* 7-3
←**Super** *(Function)* 7-3
←**Super?** *(Macro)* 7-5
←**SuperFringe** *(Macro)* 7-5
←**SuperFringe** *(Function)* 7-5
←**Try** *(Macro)* 7-3

#
#, 18-1

$
$ *(Macro)* 2-2
$ *(NLambda Function)* 2-2; 17-1
$! *(Function)* 2-2
$! *(Lambda Function)* 17-2
$AV *(NLambda NoSpread Function)* 8-27
$C *(NLambda Function)* 17-2

*****
any *(Browser Submenu Option)* 10-27
EditAll *(Browser Submenu Option)* 10-27; 27
FEATURES *(Variable)* 20-2
hiddenFile *(Submenu Option)* 10-5
loadFile *(Submenu Option)* 10-5
newFile *(Submenu Option)* 10-5
NewFunction *(Browser Submenu Option)* 10-29
other *(Browser Submenu Option)* 10-27
SubstituteAll *(Browser Submenu Option)* 10-27

:
:initForm *(Property)* 2-9

?
?= 18-16

@
@ *(Macro)* 5-10
@***** *(Macro)* 5-12

[This page intentionally left blank]