

TABLE OF CONTENTS

PREFACE

xv

1. INTRODUCTION

| | |
|--|------|
| 1.1 Introduction to Objects | 1-1 |
| 1.1.1 Object | 1-2 |
| 1.1.2 Message | 1-3 |
| 1.1.3 Method | 1-3 |
| 1.1.4 Selector | 1-3 |
| 1.1.5 Class | 1-3 |
| 1.1.6 Instance | 1-4 |
| 1.2 Storage of Data in Objects | 1-4 |
| 1.2.1 Class Variables and Instance Variables | 1-4 |
| 1.2.2 Properties | 1-5 |
| 1.3 Metaclasses | 1-6 |
| 1.4 Introduction to Inheritance | 1-6 |
| 1.4.1 Single Superclasses | 1-7 |
| 1.4.2 Multiple Superclasses | 1-8 |
| 1.5 Introduction to Access-Oriented Programming: Using Active Values | 1-9 |
| 1.6 Introduction to the Xerox LOOPS User Interface | 1-10 |
| 1.6.1 SEdit | 1-10 |
| 1.6.2 Inspector | 1-10 |
| 1.6.3 Masterscope | 1-10 |
| 1.6.4 File Manager | 1-11 |
| 1.6.5 Grapher Module | 1-11 |

TABLE OF CONTENTS

2. INSTANCES

| | |
|--|------|
| 2.1 Instance Naming Conventions | 2-1 |
| 2.2 Creating Instances | 2-4 |
| 2.3 Data Storage in Instances at Creation Time | 2-8 |
| 2.4 Changing the Number of Instance Variables in an Instance | 2-10 |
| 2.5 Moving Variables | 2-13 |
| 2.6 Destroying Instances | 2-15 |
| 2.7 Methods Concerning the Class of an Object | 2-16 |
| 2.8 Copying Instances | 2-19 |
| 2.9 Querying Structure of Instances | 2-21 |
| 2.10 Other Instance Items | 2-24 |

3. CLASSES

| | |
|--|------|
| 3.1 Creating Classes | 3-1 |
| 3.1.1 Function Calling and Message Sending | 3-2 |
| 3.1.2 Dynamic Mixins | 3-4 |
| 3.2 Destroying Classes | 3-5 |
| 3.3 Inheritance | 3-7 |
| 3.4 Editing Classes | 3-10 |
| 3.5 Modifying Classes | 3-11 |
| 3.6 Methods for Manipulating Class Names | 3-16 |
| 3.7 Querying the Structure of a Class | 3-17 |
| 3.8 Copying Classes and Their Contents | 3-23 |
| 3.9 Enumerating Instances of Classes | 3-24 |
| 3.10 Dealing with Inheritance | 3-27 |

4. METACLASSES

| | |
|--------------------------|-----|
| 4.1 Specific Metaclasses | 4-1 |
|--------------------------|-----|

| | |
|------------------------------------|-----|
| 4.1.1 The Metaclass Class | 4-1 |
| 4.1.2 The Metaclass Metaclass | 4-2 |
| 4.1.3 The Metaclass AbstractClass | 4-2 |
| 4.1.4 The Metaclass DestroyedClass | 4-2 |
| 4.2 Pseudoclasses | 4-2 |
| 4.3 Defining New Metaclasses | 4-5 |
| 4.4 Tofu | 4-6 |

5. ACCESSING DATA

| | |
|---------------------------------------|------|
| 5.1 Generalized Get and Put Functions | 5-1 |
| 5.2 Accessing Data in Instances | 5-4 |
| 5.2.1 Compact Accessing Forms | 5-10 |
| 5.2.2 Support for Changetran | 5-13 |
| 5.3 Accessing Data in Classes | 5-13 |
| 5.3.1 Metaclasses and Property Access | 5-13 |
| 5.3.2 Class Variable Access | 5-16 |
| 5.3.3 Instance Variable Access | 5-19 |

6. METHODS

| | |
|---|------|
| 6.1 Categories | 6-1 |
| 6.2 Structure of Method Functions | 6-3 |
| 6.3 Creating, Editing, and Destroying Methods | 6-4 |
| 6.4 Escaping from Message Syntax | 6-6 |
| 6.5 Movement between Classes | 6-8 |
| 6.5.1 Movement of Methods | 6-8 |
| 6.5.2 Stack Method Macros | 6-10 |

7. MESSAGE SENDING FORMS

8. ACTIVE VALUES

| | |
|--|------|
| 8.1 Using Active Values | 8-2 |
| 8.2 Specializations of the Class <code>ActiveValue</code> | 8-2 |
| 8.2.1 <code>IndirectVariable</code> | 8-3 |
| 8.2.2 <code>LocalStateActiveValue</code> | 8-6 |
| 8.2.2.1 <code>ExplicitFnActiveValue</code> | 8-8 |
| 8.2.2.2 <code>NoUpdatePermittedAV</code> | 8-9 |
| 8.2.2.3 <code>LispWindowAV</code> | 8-10 |
| 8.2.2.4 Breaking and Tracing Active Values | 8-10 |
| 8.2.2.5 <code>AppendSuperValue</code> | 8-11 |
| 8.2.2.6 <code>FirstFetchAV</code> | 8-12 |
| 8.2.3 <code>InheritingAV</code> | 8-14 |
| 8.2.4 <code>ReplaceMeAV</code> | 8-15 |
| 8.2.5 <code>NotSetValue</code> | 8-15 |
| 8.2.5.1 <code>NestedNotSetValue</code> | 8-16 |
| 8.2.6 User Specializations of Active Values | 8-16 |
| 8.3 Active Value Methods | 8-16 |
| 8.3.1 Adding and Deleting Active Values | 8-17 |
| 8.3.2 Fetching and Replacing Wrapped Values | 8-19 |
| 8.3.3 Get and Put Functions Bypassing the <code>ActiveValue</code> Mechanism | 8-22 |
| 8.3.4 Shared Active Values in Variable Inheritance | 8-22 |
| 8.3.5 Creating Your Own Active Values | 8-23 |
| 8.4 Annotated Values | 8-24 |
| 8.4.1 Explicit Control over Annotated Values | 8-25 |
| 8.4.2 Saving and Restoring Annotated Values | 8-26 |
| 8.5 Active Values in Class Structures | 8-27 |

9. DATA TYPE PREDICATES AND ITERATIVE OPERATORS

| | |
|--------------------------|-----|
| 9.1 Data Type Predicates | 9-1 |
| 9.2 Iterative Operators | 9-3 |

10. BROWSERS

| | |
|---|-------|
| 10.1 Types of Built-in Browsers | 10-1 |
| 10.1.1 Lattice Browsers | 10-2 |
| 10.1.2 Class Browsers | 10-2 |
| 10.1.3 File Browsers | 10-2 |
| 10.1.4 Supers Browsers | 10-2 |
| 10.1.5 Metaclass Browsers | 10-2 |
| 10.1.6 Instance Browsers | 10-3 |
| 10.2 Opening Browsers | 10-3 |
| 10.2.1 Using Menu Options to Open Browsers | 10-3 |
| 10.2.1.1 Overview of Background Menu and LOOPS Icon | 10-3 |
| 10.2.1.2 Command Summary | 10-4 |
| 10.2.2 Using Commands to Open Browsers | 10-5 |
| 10.3 Using Class Browsers, Meta Browsers, and Supers Browsers | 10-7 |
| 10.3.1 Selecting Options in the Title Bar Menu | 10-8 |
| 10.3.1.1 Recompute and its Suboptions | 10-8 |
| 10.3.1.2 AddRoot and its Suboptions | 10-10 |
| 10.3.1.3 Add Category Menu | 10-10 |
| 10.3.2 Selecting Options in the Left Menu | 10-11 |
| 10.3.2.1 PrintSummary and its Suboptions | 10-12 |
| 10.3.2.2 Doc (ClassDoc) and its Suboptions | 10-13 |
| 10.3.2.3 WhereIs and its Suboptions | 10-14 |
| 10.3.2.4 DeleteFromBrowser and its Suboptions | 10-16 |
| 10.3.2.5 SubBrowser | 10-16 |
| 10.3.2.6 TypeInName | 10-16 |
| 10.3.2.7 Extending Functionality with the Left Mouse Button | 10-16 |

| | | |
|----------|--|-------|
| 10.3.3 | Selecting Options in the Middle Menu | 10-17 |
| 10.3.3.1 | Box/UnBoxNode | 10-17 |
| 10.3.3.2 | Methods (EditMethod) and its Suboptions | 10-18 |
| 10.3.3.3 | Add (AddMethod) and its Suboptions | 10-20 |
| 10.3.3.4 | Delete (DeleteMethod) and its Suboptions | 10-21 |
| 10.3.3.5 | Move (MoveMethodTo) and its Suboptions | 10-22 |
| 10.3.3.6 | Copy (CopyMethodTo) and its Suboptions | 10-23 |
| 10.3.3.7 | Rename (RenameMethod) and its Suboptions | 10-23 |
| 10.3.3.8 | Edit (EditClass) and its Suboptions | 10-24 |
| 10.4 | Using File Browsers | 10-24 |
| 10.4.1 | Selecting Options in the Title Bar Menu | 10-25 |
| 10.4.1.1 | Recompute and its Suboptions | 10-25 |
| 10.4.1.2 | AddRoot and its Suboptions | 10-25 |
| 10.4.1.3 | Add Category Menu | 10-25 |
| 10.4.1.4 | Change display mode and its Suboptions | 10-25 |
| 10.4.1.5 | Uses IV? and its Suboptions | 10-26 |
| 10.4.1.6 | Edit FileComs and its Suboptions | 10-28 |
| 10.4.1.7 | CLEANUP file and its Suboptions | 10-30 |
| 10.4.2 | Selecting Options in the Left Menu | 10-30 |
| 10.4.2.1 | PrintSummary and its Suboptions | 10-30 |
| 10.4.2.2 | Doc (ClassDoc) and its Suboptions | 10-30 |
| 10.4.2.3 | WhereIs (WhereIsMethod) and its Suboptions | 10-30 |
| 10.4.2.4 | DeleteFromBrowser and its Suboptions | 10-31 |
| 10.4.2.5 | SubBrowser | 10-31 |
| 10.4.2.6 | TypeInName | 10-31 |
| 10.4.2.7 | AddSubs and its Suboptions | 10-31 |
| 10.4.3 | Selecting Options in the Middle Menu | 10-31 |
| 10.4.3.1 | BoxNode | 10-32 |
| 10.4.3.2 | Methods (EditMethod) and its Suboptions | 10-32 |
| 10.4.3.3 | Add (AddMethod) and its Suboptions | 10-32 |
| 10.4.3.4 | Delete (DeleteMethod) and its Suboptions | 10-32 |
| 10.4.3.5 | Move (MoveMethodTo) and its Suboptions | 10-32 |
| 10.4.3.6 | Copy (CopyMethodTo) and its Suboptions | 10-32 |

| | |
|---|-------|
| 10.4.3.7 Rename (RenameMethod) and its Suboptions | 10-32 |
| 10.4.3.8 Edit (EditClass) and its Suboptions | 10-32 |
| 10.4.3.9 UsesIV and its Suboptions | 10-33 |
| 10.5 Programmer's Interface to Lattice Browsers | 10-33 |
| 10.5.1 Instance Variables for the Class LatticeBrowser | 10-33 |
| 10.5.2 Class Variables for the Class LatticeBrowser | 10-34 |
| 10.5.3 Methods for the Class LatticeBrowser | 10-35 |
| 10.6 Instance Browsers | 10-50 |
| 10.6.1 Instance Variables for the Class InstanceBrowser | 10-50 |
| 10.6.2 Methods for the Class InstanceBrowser | 10-50 |
| 10.6.3 Selecting Options in the Title Bar Menu | 10-51 |
| 10.6.4 Selecting Options in the Left Menu | 10-51 |
| 10.6.5 Selecting Options in the Middle Menu | 10-52 |
| 10.7 Automatic Updates of Class Browsers | 10-52 |

11. ERRORS AND BREAKS

| | |
|---|------|
| 11.1 Error Handling Functions and Methods | 11-1 |
| 11.2 Error Messages | 11-5 |
| 11.1.1 Classes and Instances | 11-6 |
| 11.1.2 Methods and Messages | 11-7 |
| 11.1.3 Naming Objects | 11-8 |
| 11.1.4 Annotated and Active Values | 11-9 |
| 11.1.5 Miscellaneous | 11-9 |

12. BREAKING AND TRACING

| | |
|-----------------------------------|------|
| 12.1 Breaking and Tracing Methods | 12-1 |
| 12.2 Breaking and Tracing Data | 12-3 |

TABLE OF CONTENTS

13. EDITING

| | |
|----------------------|------|
| 13.1 Editing Classes | 13-1 |
|----------------------|------|

| | |
|------------------------|------|
| 13.2 Editing Instances | 13-5 |
|------------------------|------|

14. FILE MANAGER

| | |
|-------------------------|------|
| 14.1 Manipulating Files | 14-1 |
|-------------------------|------|

| | |
|--------------------|------|
| 14.2 Loading Files | 14-2 |
|--------------------|------|

| | |
|--|------|
| 14.3 Xerox LOOPS File Manager Commands | 14-3 |
|--|------|

| | |
|--|------|
| 14.4 Saving Xerox LOOPS Objects on Files | 14-6 |
|--|------|

| | |
|--------------------|-------|
| 14.5 Storing Files | 14-10 |
|--------------------|-------|

| | |
|----------------------|-------|
| 14.6 Compiling Files | 14-12 |
|----------------------|-------|

15. PERFORMANCE ISSUES

| | |
|-------------------------|------|
| 15.1 Garbage Collection | 15-1 |
|-------------------------|------|

| | |
|-------------------------------|------|
| 15.2 Instance Variable Access | 15-1 |
|-------------------------------|------|

| | |
|--------------------|------|
| 15.3 Method Lookup | 15-3 |
|--------------------|------|

| | |
|---------------------|------|
| 15.4 Cache Clearing | 15-3 |
|---------------------|------|

16. PROCESSES

17. READING AND PRINTING

| | |
|----------------------|------|
| 17.1 Reading Objects | 17-1 |
|----------------------|------|

| | |
|------------------|------|
| 17.2 Print Flags | 17-2 |
|------------------|------|

| | |
|-----------------------|------|
| 17.3 Printing Classes | 17-4 |
|-----------------------|------|

| | |
|-----------------------|------|
| 17.4 Printing Objects | 17-8 |
|-----------------------|------|

| | |
|-----------------------------|-------|
| 17.5 Printing Active Values | 17-11 |
|-----------------------------|-------|

| | |
|--------------------------------|-------|
| 17.6 Printing Methods | 17-12 |
| 17.7 Unique Identifiers (UIDs) | 17-14 |

18. USER INPUT/OUTPUT MODULES

| | |
|---|-------|
| 18.1 Inspector | 18-1 |
| 18.1.1 Overview of the User Interface | 18-1 |
| 18.1.2 Using Instance Inspectors | 18-2 |
| 18.1.2.1 Titles of Instance Inspector Windows | 18-2 |
| 18.1.2.2 Menu for the Title Bar | 18-3 |
| 18.1.2.3 Menu for the Left Column | 18-4 |
| 18.1.2.4 Menu for the Right Column | 18-6 |
| 18.1.3 Using Class Inspectors | 18-7 |
| 18.1.3.1 Titles of Class Inspector Windows | 18-7 |
| 18.1.3.2 Menu for the Title Bar | 18-8 |
| 18.1.3.3 Menu for the Left Column | 18-8 |
| 18.1.3.4 Menu for the Right Column | 18-8 |
| 18.1.4 Using Class IVs Inspectors | 18-9 |
| 18.1.4.1 Titles of Class IVs Inspector Windows | 18-9 |
| 18.1.4.2 Menu for the Title Bar | 18-9 |
| 18.1.4.3 Menu for the Left Column | 18-10 |
| 18.1.4.4 Menu for the Right Column | 18-10 |
| 18.1.5 Functional Interface for Instance Inspectors | 18-11 |
| 18.1.6 Customizing the Inspector | 18-15 |
| 18.2 Extensions to ?= | 18-16 |
| 18.2.1 Message Sending | 18-16 |
| 18.2.2 Record Creation | 18-17 |

19. WINDOWS

| | |
|-----------------------|------|
| 19.1 The Class Window | 19-1 |
|-----------------------|------|

TABLE OF CONTENTS

| | |
|-----------------------------------|-------|
| 19.2 Basic Window Methods | 19-2 |
| 19.3 Prompt Windows | 19-9 |
| 19.4 Mouse and Menu Functionality | 19-14 |
| 19.4.1 Menu Item Structure | 19-17 |
| 19.4.2 Caching Menus | 19-18 |
| 19.5 Subclasses of a Window | 19-18 |
| 19.6 Lisp Windows | 19-22 |

20. SYSTEM VARIABLES AND FUNCTIONS

| | |
|-------|---------|
| INDEX | INDEX-1 |
|-------|---------|

| | |
|----------|------------|
| GLOSSARY | GLOSSARY-1 |
|----------|------------|
