**Preface** iii Introduction and Installation ı 1. Introduction 1-1 NoteCards 1-1 System Overview 1-1 Useful SunOS and UNIX Conventions 1-2 NoteCards Device Conventions 1-2 Stylistic Conventions 1-2 1-2 Prompts Font Usage 1-3 1-3 Keyboard Conventions 2. System Requirements 2-1 2-1 **Prerequisites** Processor Hardware 2-1 2-1 Memory Swap Space 2-1 Disk Space 2-1 2-1 Input/Output Devices 2-2 Bitmap Display 2-2 Printers 2-2 Tape Access 2-2 Operating System Requirements Constraints 2-2 **Resource Constraints** 2-2 **Shared Sun Workstations** 2-2 Release Contents 2-3 Documentation 2-3 Software 2-3 3. Software Installation 3-1 Insuring Adequate Swap Space 3-1 Installing Software 3-1 Copy Protection 3-3 Configuring the Software 3-3

Relinking

3-4

|         | Enabling PUP/XNS Ethernet                                    | 3-4  |
|---------|--|------|
|         | Using/Installing the Host Access Key                         | 3-4  |
| 4. Svs  | tem Use Issues   | 4-1  |
|         | Site Initialization File                                     | 4-1  |
|         | Starting NoteCards   | 4-1  |
|         | Exiting NoteCards and Saving State                           | 4-2  |
|         | Keyboard Interpretation                                      | 4-4  |
|         | Sun Type 2 Keyboard  | 4-4  |
|         | Sun Type 3 Keyboard  | 4-5  |
|         | Sun Type 4 Keyboard  | 4-6  |
|         | Consol Messages  | 4-6  |
|         | File Compatibility   | 4-7  |
|         | Sysout Compatibility between Sun and Xerox Workstations      | 4-7  |
|         | File Compatibility between Sun and Xerox Workstations        | 4-7  |
|         | Notefile Compatibility with Prerelease Versions of NoteCards | 4-8  |
|         | Using SunOS Files from NoteCards                             | 4-8  |
|         | File Naming Conventions                                      | 4-9  |
|         | Common (DSK) and (UNIX) Naming Conventions                   | 4-9  |
|         | {DSK} Naming Conventions                                     | 4-10 |
|         | Version Numbering  | 4-10 |
|         | Pathnames  | 4-12 |
|         | {UNIX} Naming Conventions                                    | 4-12 |
|         | Directories  | 4-13 |
|         | Directory Enumeration  | 4-13 |
|         | Directory Creation   | 4-13 |
|         | Open File Limit  | 4-14 |
|         | Default Pathname   | 4-14 |
|         | File Attributes  | 4-14 |
|         | File System Errors   | 4-15 |
|         |  |      |
|         | II Note On the Total Self                                    |      |
|         | II NoteCards Tutorial  |      |
| 5. Note | eCards Basics  | 5-1  |
|         | A Few Pointers on Mouse Etiquette                            | 5-1  |
|         | Mouse Button Use   | 5-2  |
|         | Left Mouse Button  | 5-2  |
|         | Middle Mouse Button  | 5-2  |
|         | Right Mouse Button   | 5-2  |
|         | Regions Sensitive to Mouse Activity                          | 5-2  |

|          | The Background                                       | 5-2 |
|----------|--|-----|
|          | Windows and the Window Title Bar                     | 5-3 |
|          | Icons  | 5-5 |
|          | Scroll Bars  | 5-5 |
|          | Dealing with Simple Error Conditions                 | 5-6 |
|          | Starting NoteCards                                   | 5-7 |
|          | Closing Notefiles and Exiting NoteCards              | 5-8 |
|          | Closing Notefiles                                    | 5-8 |
|          | Close  | 5-9 |
|          | Abort  | 5-9 |
| 6. Build | ing NoteCards Structures and Modes of Use            | 6-1 |
|          | Introduction   | 6-1 |
|          | A Standard View of Building NoteCards Structures     | 6-1 |
|          | A Non-Standard View of Building NoteCards Structures | 6-1 |
|          | FileBoxes and Hierarchies                            | 6-1 |
|          | The Flat System                                      | 6-2 |
|          | The Almost Flat System                               | 6-2 |
|          | Link Types   | 6-2 |
|          | Multiple Users                                       | 6-2 |
|          | Cards and Information Chunk Size                     | 6-2 |
|          | Types of Structures People Have Built with Notecards | 6-3 |
|          | Specalizing NoteCard                                 | 6-3 |
|          | III Reference Manual                                 |     |
| 7. The L | Jser Interface                                       | 7-1 |
| 8. Links | <b>)</b>   | 8-1 |
|          | Links and Link Types                                 | 8-1 |
|          | System-Reserved Link Types                           | 8-1 |
|          | User-Specified Link Types                            | 8-2 |
|          | Link Directions and Link Ends                        | 8-3 |
|          | Link Categories                                      | 8-3 |
|          | Other Link Terminology                               | 8-3 |
|          | Link Types vs. Card Types                            | 8-3 |
|          | Link Access and Use                                  | 8-4 |
|          | Link Icon Functionality                              | 8-4 |
|          | Active Regions of Link Icons                         | 8-4 |
|          | Mouse-Button Actions in Link Icons                   | 8-5 |
|          | Viewing Local and Global Links                       | 8-7 |

|          | Unfiled and Lost Cards                     | 8-8      |
|----------|--|----------|
|          | Creating Links                             | 8-9      |
|          | Creating Links in Text Cards               | 8-9      |
|          | Insert Link                                | 8-9      |
|          | Insert Links                               | 8-12     |
|          | Add Global Link                            | 8-13     |
|          | Add Global Links                           | 8-13     |
|          | Creating Links in Other Card Types         | 8-13     |
|          | Text-Based Cards                           | 8-13     |
|          | Sketch-Based Cards                         | 8-13     |
|          | Graph-Based Cards                          | 8-14     |
|          | Deleting Links                             | 8-14     |
|          | Deleting Links from Card Contents          | 8-15     |
|          | Text-Based Cards                           | 8-15     |
|          | Sketch-Based Cards                         | 8-15     |
|          | Graph-Based Cards                          | 8-15     |
|          | Deleting Links from the Show Links Display | 8-16     |
|          | Tailoring Links                            | 8-16     |
|          | Link Ops Menu                              | 8-16     |
|          | Bring Up Card/Box                          | 8-16     |
|          | Change Link Type                           | 8-16     |
|          | Change Card Title                          | 8-16     |
|          | Change Display Mode                        | 8-16     |
|          | System Parameters for Links                | 8-18     |
|          | Cross-File Links                           | 8-18     |
|          | Appearance                                 | 8-18     |
|          | Missing Notefiles                          | 8-19     |
| 9. Cards | s and Banners                              | 9-1      |
|          | The Notefile Banner                        | 9-1      |
|          | The Banner Title Bar                       | 9-1      |
|          | Notefile Ops Menus                         | 9-1      |
|          | Middle-Mouse-Button Title-Bar Menu         | 9-3      |
|          | Full File Name                             | 9-3      |
|          | File Capacity                              | 9-3      |
|          | Special Cards                              | 9-4      |
|          | Table of Contents FileBox                  | 9-5      |
|          | To Be Filed FileBox                        | 9-5      |
|          | Orphans FileBox                            | 9-6      |
|          | New Cards                                  | 9-6      |
|          | User Cards and System Cards                | 9-7      |
|          |  | <u> </u> |

|          | Text-, Sketch-, and Graph-Based ( | Cards          | 9-8  |
|----------|-----------------------------------|----------------|------|
|          | The Card Menu                     |                | 9-8  |
|          | The Standard Card Menu            |                | 9-8  |
|          | Edit Property List                |                | 9-8  |
|          | Show Links                        |                | 9-9  |
|          | Show Info                         |                | 9-10 |
|          | Designate FileBoxes               |                | 9-11 |
|          | Assign Title                      |                | 9-11 |
|          | Title/FileBoxes                   |                | 9-12 |
|          | Insert Link                       |                | 9-12 |
|          | Close and Save                    |                | 9-13 |
|          | The FileBox Card Menu             |                | 9-13 |
|          | Add Global Link                   |                | 9-13 |
|          | Put Cards Here                    |                | 9-14 |
| 10. User | Cards                             |                | 10-1 |
|          | Text Cards                        |                | 10-1 |
|          | The Text-Card Menu                |                | 10-1 |
|          | FileBox Cards                     |                | 10-2 |
|          | Suggested FileBoxes and No        | te Cards       | 10-3 |
|          | Bibliography                      |                | 10-3 |
|          | Index                             |                | 10-3 |
|          | Read Me                           |                | 10-3 |
|          | Active Cards                      |                | 10-3 |
|          | The FileBox-Card Menu             |                | 10-3 |
|          | System Parameters Affecting       | FileBoxes      | 10-3 |
|          | Sketch Cards                      |                | 10-3 |
|          | The Sketch-Card Menu              |                | 10-3 |
|          | The Map Option                    |                | 10-4 |
|          | System Parameters Affecting       | Sketch Cards   | 10-4 |
|          | Graph Cards                       |                | 10-4 |
|          | The Graph-Card Menu               |                | 10-5 |
|          | The Grapher Menu                  |                | 10-5 |
|          | The Graph-Card and Graphe         | r Menu Options | 10-6 |
|          | Move Node                         | Move Node      | 10-6 |
|          | Remove Node                       | Delete Node    | 10-7 |
|          | Connect Nodes                     | Add Link       | 10-7 |
|          | Disconnect Nodes                  | Delete Link    | 10-7 |
|          | Add Label                         | Add Node       | 10-8 |
|          | Change Label                      | Change Label   | 10-8 |
|          | Smaller Label                     | Label Smaller  | 10-8 |

|         | <u>Larger Label</u>           | Labei Larger | 10-8  |
|---------|-------------------------------|--------------|-------|
|         | Toggle Shade                  | <-> Shade    | 10-8  |
|         | Toggle Border                 | <-> Border   | 10-8  |
|         | Directed/Undirected           | <-> Directed | 10-8  |
|         | Sides/Centers                 | <-> Sides    | 10-9  |
|         | Fix Menu                      |              | 10-10 |
|         |                               | Stop         | 10-10 |
|         | Bit Map Editor                |              | 10-10 |
|         | Inserting Bit Maps into Cards |              | 10-10 |
|         | Text-Based Cards              |              | 10-10 |
|         | Sketch-Based Cards            |              | 10-11 |
|         | Bit Map Operations            |              | 10-11 |
|         | Change Scale                  |              | 10-11 |
|         | Hand Edit                     |              | 10-12 |
|         | Trim                          |              | 10-12 |
|         | Reflect Left-to-right         |              | 10-12 |
|         | Reflect Top-to-Bottom         |              | 10-12 |
|         | Reflect Diagonally            |              | 10-12 |
|         | Rotate Left                   |              | 10-12 |
|         | Rotate Right                  |              | 10-12 |
|         | Expand on Right               |              | 10-12 |
|         | Expand on Left                |              | 10-13 |
|         | Expand on Bottom              |              | 10-13 |
|         | Expand on Top                 |              | 10-13 |
|         | Switch Black & White          |              | 10-13 |
|         | Add Border                    |              | 10-13 |
|         | The Bit Map Editor            |              | 10-14 |
|         | Paint                         |              | 10-16 |
|         | ShowAsTile                    |              | 10-16 |
|         | Grid On/Off                   |              | 10-16 |
|         | GridSize                      |              | 10-16 |
|         | Reset                         |              | 10-17 |
|         | Clear                         |              | 10-17 |
|         | Cursor                        |              | 10-17 |
|         | OK                            |              | 10-17 |
|         | Abort                         |              | 10-18 |
| 11. Sys | stem Cards                    |              | 11-1  |
|         | Search Cards                  |              | 11-1  |
|         | Link Index Cards              |              | 11-2  |
|         | Document Cards                |              | 11-3  |

| TitlesFromNoteCards  BuildBackLinks  CopyEmbeddedLinks  | 11-4   |
|---|--|
| CopyEmbeddedLinks   |  |
|   | 11-4   |
|   | 11-4   |
| ExpandEmbeddedLinks   | 11-4   |
| Browser Cards   | 11-5   |
| Changes to the NoteCards Browser  | 11-6   |
| Multiple Roots  | 11-7   |
| Dashed Links  | 11-7   |
| Arrowheads  | 11-7   |
| Browser Specs   | 11-7   |
| New Middle-Button Title-Bar Menu Options  | 11-9   |
| Editing the Browser Manually and Structure Editing  | 11-9   |
| Overview Windows on Browser Cards   | 11-12  |
| Creating an Overview Window   | 11-12  |
| Reshaping the Overview Window   | 11-13  |
| Scrolling and the Wire Frame  | 11-13  |
| Recomputing the Overview Contents   | 11-13  |
| The Browser Overview Stylesheet   | 11-13  |
| Tidbits   | 11-14  |
| 12. The MenuBox Icon  | 12-1   |
| Notatile Options  | 12-1   |
| Notefile Options  | 12-1   |
| Notefile Options  Open  | 12-1   |
| <u></u>   |  |
| Open  | 12-2   |
| Open Compact  | 12-2<br>12-3   |
| Open Compact Inspect & Repair   | 12-2<br>12-3<br>12-4   |
| Open Compact Inspect & Repair Copy  | 12-2<br>12-3<br>12-4<br>12-4   |
| Open Compact Inspect & Repair Copy Rename   | 12-2<br>12-3<br>12-4<br>12-4   |
| Open Compact Inspect & Repair Copy Rename Delete  | 12-2<br>12-3<br>12-4<br>12-4<br>12-4<br>12-4   |
| Open Compact Inspect & Repair Copy Rename Delete Create   | 12-2<br>12-3<br>12-4<br>12-4<br>12-4<br>12-4   |
| Open Compact Inspect & Repair Copy Rename Delete Create Checkpoint  | 12-2<br>12-3<br>12-4<br>12-4<br>12-4<br>12-4<br>12-5                                 |
| Open Compact Inspect & Repair Copy Rename Delete Create Checkpoint Close  | 12-2<br>12-3<br>12-4<br>12-4<br>12-4<br>12-4<br>12-5                                 |
| Open Compact Inspect & Repair Copy Rename Delete Create Checkpoint Close Abort 12-6   | 12-2<br>12-3<br>12-4<br>12-4<br>12-4<br>12-4<br>12-5<br>12-6                         |
| Open Compact Inspect & Repair Copy Rename Delete Create Checkpoint Close Abort 12-6 NC FileBrowser                                | 12-2<br>12-3<br>12-4<br>12-4<br>12-4<br>12-4<br>12-5<br>12-6                         |
| Open Compact Inspect & Repair Copy Rename Delete Create Checkpoint Close Abort 12-6 NC FileBrowser Card Options                   | 12-2<br>12-3<br>12-4<br>12-4<br>12-4<br>12-4<br>12-5<br>12-6<br>12-6                 |
| Open Compact Inspect & Repair Copy Rename Delete Create Checkpoint Close Abort 12-6 NC FileBrowser Card Options Close             | 12-2<br>12-3<br>12-4<br>12-4<br>12-4<br>12-5<br>12-6<br>12-6<br>12-7                 |
| Open Compact Inspect & Repair Copy Rename Delete Create Checkpoint Close Abort 12-6 NC FileBrowser Card Options Close Delete      | 12-2<br>12-3<br>12-4<br>12-4<br>12-4<br>12-5<br>12-6<br>12-6<br>12-6<br>12-7<br>12-8 |
| Open Compact Inspect & Repair Copy Rename Delete Create Checkpoint Close Abort 12-6 NC FileBrowser Card Options Close Delete Copy | 12-2<br>12-3<br>12-4<br>12-4<br>12-4<br>12-5<br>12-6<br>12-6<br>12-7<br>12-8<br>12-8 |

|     | NF Indicators On                  | 12-9  |
|-----|-----------------------------------|-------|
|     | TEdit Killer On                   | 12-9  |
| 13. | System Parameters                 | 13-1  |
|     | Accessing System Parameters       | 13-1  |
|     | NoteCards System Parameters       | 13-3  |
|     | Extra TEdit Props                 | 13-3  |
|     | Include Card Object In ShowInfo   | 13-3  |
|     | Del TEdit Process When Shrinking  | 13-3  |
|     | Font Parameters                   | 13-4  |
|     | Menu Font                         | 13-4  |
|     | Default Font                      | 13-4  |
|     | Link Icon Font                    | 13-4  |
|     | Notefile Parameters               | 13-5  |
|     | Show Notefile On Cards            | 13-5  |
|     | New Notefile Initial Size         | 13-6  |
|     | Menu Lingers After Notefile Close | 13-6  |
|     | Card Parameters                   | 13-6  |
|     | Force Filing                      | 13-6  |
|     | Force Titles                      | 13-6  |
|     | Default Card Type                 | 13-6  |
|     | Close Cards Off Screen            | 13-7  |
|     | Bring Up cards At Previous Pos    | 13-7  |
|     | FileBox Card Parameters           | 13-7  |
|     | Markers In FileBoxes              | 13-7  |
|     | Alphabetize FileBox Children      | 13-7  |
|     | Browser Card Parameters           | 13-7  |
|     | Special Browser Specs             | 13-7  |
|     | Arrow Heads In Browsers           | 13-8  |
|     | Link Dashing In Browsers          | 13-8  |
|     | Sketch Card Parameters            | 13-8  |
|     | Attach Sketch Menu                | 13-8  |
|     | Link Parameters                   | 13-8  |
|     | Link Icon Border Width            | 13-8  |
|     | Link Icon Multi Line Mode         | 13-9  |
|     | Cross File Link Mode              | 13-9  |
|     | Link Icon Max Width in Pixels     | 13-9  |
|     | Link Icon Show Title Default      | 13-9  |
|     | Link Icon Attach Bitmap Default   | 13-10 |
|     | Link Icon Show Link Type Default  | 13-10 |
|     | Use Deleted Link Icon Indicators  | 13-10 |

| 14. The  | FileBrowser                               | 14-1  |
|----------|---|-------|
|          | User Interface                            | 14-1  |
|          | Starting FileBrowser                      | 14-1  |
|          | Specifying What Files to Browse           | 14-1  |
|          | Examples                                  | 14-2  |
|          | Using the FileBrowser Window              | 14-3  |
|          | Selecting Files                           | 14-5  |
|          | Commands the Require Input                | 14-5  |
|          | Aborting Commands                         | 14-6  |
|          | Quitting the FileBrowser                  | 14-6  |
|          | Copy-Selecting Files                      | 14-7  |
|          | Getting Hardcopy Directory Listings       | 14-7  |
|          | FileBrowser Commands                      | 14-8  |
|          | Delete, Undelete                          | 14-8  |
|          | Сору                                      | 14-9  |
|          | Rename                                    | 14-11 |
|          | Hardcopy                                  | 14-12 |
|          | See                                       | 14-13 |
|          | FileBrowse                                | 14-15 |
|          | Edit                                      | 14-15 |
|          | Load                                      | 14-16 |
|          | Compile                                   | 14-16 |
|          | Expunge                                   | 14-16 |
|          | Recompute                                 | 14-16 |
|          | New Info                                  | 14-17 |
|          | Set Depth                                 | 14-19 |
|          | Sort                                      | 14-19 |
|          | Troubleshooting Problems with FileBrowser | 14-20 |
| 15. Othe | er Tools                                  | 15-1  |
|          | Digital Clock                             | 15-1  |
|          | Introduction                              | 15-1  |
|          | Starting the Digital Clock                | 15-1  |
|          | Stopping the Digital Clock                | 15-2  |
|          | Changing the Digital Clock                | 15-2  |
|          | Set Font                                  | 15-3  |
|          | Set Time                                  | 15-4  |
|          | Set Alarm                                 | 15-4  |
|          | Quiet Alarm/Loud Alarm                    | 15-5  |
|          | Delete Alarm Setting                      | 15-5  |

|            | Shape to Fit   | 15-5  |
|------------|--|-------|
|            | 12-Hour/24-Hour Clock  | 15-5  |
|            | Set Local Time Zone  | 15-5  |
|            | Add New Regional Time Zone                                   | 15-5  |
|            | Delete This Window   | 15-6  |
|            | Set Font for Aux Clocks                                      | 15-6  |
|            | Set Aux Clock Font In Just This Window                       | 15-6  |
|            | Set Time-Zone Heading  | 15-6  |
|            | Set Regional Time Zone                                       | 15-7  |
|            | Analog Clock   | 15-7  |
|            | Introduction   | 15-7  |
|            | Starting the Analog Clock                                    | 15-7  |
|            | Stopping the Analog Clock                                    | 15-8  |
|            | Changing the Analog Clock                                    | 15-8  |
|            | Numbers  | 15-9  |
|            | Points   | 15-9  |
|            | No Numbers   | 15-9  |
|            | Rings  | 15-9  |
|            | No Rings   | 15-9  |
|            | Hands  | 15-9  |
|            | No Hands   | 15-9  |
|            | Times  | 15-9  |
|            | No Times   | 15-9  |
|            | Show Style   | 15-9  |
|            | Set to Default   | 15-9  |
|            | Change Default   | 15-10 |
|            | Set Time   | 15-10 |
|            | Known Problems   | 15-10 |
|            | Directory Connector  | 15-10 |
|            | Starting the Directory Connector                             | 15-10 |
|            | Stopping the Directory Connector                             | 15-10 |
|            | Changing the Directory Connector Fonts                       | 15-10 |
|            | Using the Directory Connector                                | 15-11 |
|            | Left Mouse Button  | 15-11 |
|            | Middle Mouse Button  | 15-12 |
| <u>16.</u> | Printing   | 16-1  |
| <u>17.</u> | Error Recovery and Known Problems                            | 17-1  |
|            | System Status, Aborting Operations, and Spawning a New Mouse | 17-1  |
|            | System Status  | 17-1  |
|            |  |       |

| Aborting Operations             | 17-1       |
|---------------------------------|------------|
| Spawning a New Mouse            | 17-3       |
| Break Windows                   | 17-3       |
| Errors While Running NoteCards  | 17-4       |
| I/O Errors                      | 17-4       |
| Virtual Memory Errors           | 17-5       |
| URAID                           | 17-5       |
| Entering URAID                  | 17-5       |
| URAID Commands                  | 17-5       |
| Other Fatal Error Conditions    | 17-6       |
| System Error Conditions         | 17-6       |
| Known Problems                  | 17-7       |
| Printing Browsers               | 17-7       |
| Notefile Indicator Window       | 17-8       |
| PostScript Fonts                | 17-8       |
| Appendices, Glossary, and Index |            |
| Appendix A. Notefile Concepts   | A-1        |
| Appendix B. Notefile Inspector  | B-1        |
| Appendix C. Installation Files  | C-1        |
| Appendix D. Checksum Control    | D-1        |
| Glossary                        | GLOSSARY-1 |
| Index                           | INDEX-1    |



[This page intentionally left blank]