

## A

access-oriented programming 1-1,9  
 accessing  
   a class, errors 11-6  
   an instance, errors 11-6  
   class variable 5-16  
   data in classes 5-13  
   instance variable 5-19  
 active value 1-9; 5-5; 8-1  
   adding 8-17  
   breaking and tracing 8-10  
   bypassing 8-22  
   creating 8-23  
   deleting 8-17  
   errors 11-9  
   in class structures 8-27  
   printing 17-11  
   replacing 8-17  
 ActiveValue 8-1  
   methods 8-16  
   shared 8-22  
   specializations 8-2  
**Add** (*Inspector Submenu Option*) 18-4,10  
**Add** (*Method of Class*) 3-12  
**Add (AddMethod)** (*Browser Menu Option*) 10-20,32  
**Add Category Menu** (*Browser Menu Option*) 10-10,25  
**Add file to browser** (*Browser Submenu Option*) 10-26  
**Add/Delete** (*Inspector Menu Option*) 18-4,10  
**AddActiveValue** (*Method of ActiveValue*) 8-17  
**AddCIV** (*Function*) 3-14  
**AddCV** (*Browser Submenu Option*) 10-20  
**AddCV** (*Function*) 3-13  
**AddCV** (*Method of Class*) 3-13  
**AddIV** (*Browser Submenu Option*) 10-20  
**AddIV** (*Function*) 2-10  
**AddIV** (*Method of Class*) 3-14  
**AddIV** (*Method of Object*) 2-11  
**AddMethod** (*Browser Submenu Option*) 10-21  
 adding an active value 8-17  
**AddRoot** (*Browser Menu Option*) 10-10,25  
**AddRoot** (*Method of LatticeBrowser*) 10-36  
**AddSubs** (*Browser Menu Option*) 10-31  
**AddSubs!** (*Browser Submenu Option*) 10-31  
**AddSuper** (*Browser Submenu Option*) 10-21  
**AfterMove** (*Method of Window*) 19-3  
**AfterReshape** (*Method of Window*) 19-3  
**all** (*Browser Submenu Option*) 10-26  
**All** (*Inspector Menu Option*) 18-8  
**AllInstances** (*Method of Class*) 3-24  
**AllInstances!** (*Method of Class*) 3-25  
**AllMethodCategories** (*Method of Class*) 6-2  
**AllSubClasses** (*Function*) 3-28  
**AllValues** (*Inspector Menu Option*) 18-3,10  
**AnalyzeFile** (*Browser Submenu Option*) 10-28  
 annotated value 8-24  
   errors 11-9  
   explicit control over 8-25  
   restoring 8-26  
   saving 8-26  
**AnnotatedValue** (*Class*) 8-24  
**AnnotatedValue?** (*Macro*) 9-2

**Any** (*Category*) 6-1  
**AppendSuperValue** (*Class*) 8-11  
**ApplyMethod** (*Function*) 6-7  
**ArgsOfMethodBeingCompiled** (*Macro*) 6-10  
**associatedFiles** (*Browser Submenu Option*) 10-26  
**AttachLispWindow** (*Method of Window*) 19-22  
**AVPrintSource** (*Method of ActiveValue*) 8-26; 17-11  
**AVPrintSource** (*Specialization of ActiveValue*) 8-16

## B

background menu 10-3  
**Blink** (*Method of Window*) 19-3  
**Box/UnBoxNode** (*Browser Menu Option*) 10-17  
**BoxNode** (*Browser Menu Option*) 10-32  
**BoxNode** (*Method of LatticeBrowser*) 10-37  
**Break on Access** (*Inspector Submenu Option*) 18-6  
**Break on Put** (*Inspector Submenu Option*) 18-6  
**BreakFunction** (*Browser Submenu Option*) 10-29  
 breaking 12-1  
**BreakIt** (*Function*) 12-4  
**BreakIt** (*Inspector Menu Option*) 18-6  
**BreakIt** (*Method of Object*) 12-3  
**BreakMethod** (*Browser Menu Option*) 10-20  
**BreakMethod** (*Method of Class*) 12-1  
**BreakOnPut** (*Class*) 8-10  
**BreakOnPutOrGet** (*Class*) 8-10  
**BrokenVariables** (*Global Variable*) 12-6  
**Browse** (*Function*) 10-7  
**Browse** (*Inspector Menu Option*) 18-8  
**Browse** (*Method of LatticeBrowser*) 10-6,37  
**Browse Class** (*Submenu Option*) 10-3,4  
**Browse File** (*Submenu Option*) 10-3,5  
**Browse Supers** (*Submenu Option*) 10-4  
**BrowseFile** (*Method of FileBrowser*) 10-6  
 browser 10-1  
**BrowserObjects** (*Method of LatticeBrowser*) 10-38  
**BrowseSupers** (*Inspector Submenu Option*) 18-8  
**Bury** (*Method of Window*) 20-4  
**ButtonEventFn** (*Method of Window*) 19-15

## C

cache 15-2,3  
**CalledFns** (*Function*) 6-9  
**CallsFunction** (*Browser Submenu Option*) 10-28  
 categories of a method 6-1  
**CategorizeMethods** (*Browser Submenu Option*) 10-19  
**CategorizeMethods** (*Method of Class*) 6-2  
**Change display mode** (*Browser Menu Option*) 10-25  
**ChangeClass** (*Method of Object*) 2-16  
**ChangeFontSize** (*Browser Submenu Option*) 10-8  
**ChangeFontSize** (*Method of LatticeBrowser*) 10-38  
**ChangeFormat** (*Method of LatticeBrowser*) 10-38  
**ChangeMaxLabelSize** (*Method of LatticeBrowser*) 10-39  
**ChangeMethodCategory** (*Browser Submenu Option*) 10-19  
**ChangeMethodCategory** (*Method of Class*) 6-3  
 Changetran 5-13  
**Check** (*Browser Submenu Option*) 10-27  
**CheckFile** (*Browser Submenu Option*) 10-28  
 class 1-3,6; 3-1  
   contents 3-1

- copying 3-23
- creating 3-1
- destroying 3-5
- editing 3-10; 13-1
- enumerating instances 3-24
- manipulating 2-16; 3-16
- modifying 3-11
- printing 17-4
- querying the structure 3-17
- reading data in 5-13
- renaming 3-16
- storing data in 5-13
- Class** (Category) 6-1
- Class** (Inspector Menu Option) 18-3
- Class** (Macro) 2-17
- Class** (Method of Object) 2-17
- class browser 10-2
  - automatic update 10-52
  - menu interface 10-8
- class inspector 18-7
- class variable 1-4; 5-5
  - accessing 5-16
  - for class LatticeBrowser 10-34
- Class?** (Macro) 9-2
- ClassDoc** (Browser Submenu Option) 10-14
- CLASSES** (File Package Command) 14-4
- ClassIV inspector 18-9
- ClassName** (Function) 2-18; 3-17
- ClassName** (Method of Object) 2-18
- ClassNameOfMethodOwner** (Macro) 6-10
- CLEANUP** file (Browser Menu Option) 10-30
- CleanUp File** (Submenu Option) 10-5
- Clear** (Method of Window) 19-4
- ClearAllCaches** (Function) 15-3; 20-3
- ClearAllCaches** (Variable) 20-3
- ClearLabelCache** (Method of LatticeBrowser) 10-40
- ClearMenuCache** (Method of Window) 19-15
- ClearPromptWindow** (Method of Window) 19-10
- Close** (Method of Window) 19-4
- ClosePromptWindow** (Method of Window) 19-10
- compact accessing forms 5-10
- ConformToClass** (Method of Object) 2-12
- Copy** (Method of Class) 3-23
- Copy** (CopyMethodTo) (Browser Menu Option) 10-23,32
- CopyActiveValue** (Method of ActiveValue) 8-22
- CopyActiveValue** (Specialization of ActiveValue) 8-16
- CopyCV** (Method of Class) 3-23
- CopyCVTo** (Browser Submenu Option) 10-23
- CopyDeep** (Method of Object) 2-19
- copying
  - class 3-23
  - instance 2-19
- CopyIV** (Method of Class) 3-24
- CopyIVTo** (Browser Submenu Option) 10-23
- CopyMethodTo** (Browser Submenu Option) 10-23
- CopyShallow** (Method of Object) 2-20
- create annotatedValue** (Macro) 8-25
- CreateClass** (Method of Metaclass) 3-3
- CreateWindow** (Method of NonRectangular Window) 19-19
- CreateWindow** (Method of Window) 19-22
- creating
  - active value 8-23
  - class 3-1
  - instance 2-4

- method 6-4
- record 18-17
- CursorInside?** (Method of Window) 19-4
- CV, see class variable
- CVDoc** (Browser Submenu Option) 10-14
- CVMissing** (Method of Class) 11-2
- CVValueMissing** (Method of Class) 11-3
- D**
- data type predicate 9-1
- DefaultActiveValueClassName** (Variable) 17-12
- DEFCLASS** (NLambda NoSpread Function) 14-4
- DEFCLASSES** (NLambda NoSpread Function) 14-4
- DefineClass** (Function) 3-2
- DefineMethod** (Function) 6-5
- defining a metaclass 4-5
- DEFINST** (NLambda NoSpread Function) 14-6
- DEFINSTANCES** (NLambda NoSpread Function) 14-6
- Delete** (Inspector Submenu Option) 18-4,10
- Delete** (Method of Class) 3-12
- Delete** (DeleteMethod) (Browser Menu Option) 10-21,32
- DeleteActiveValue** (Method of ActiveValue) 8-18
- DeleteCIV** (Function) 3-15
- DeleteClass** (Browser Submenu Option) 10-22
- DeleteClassProp** (Function) 3-13
- DeleteCV** (Browser Submenu Option) 10-21
- DeleteCV** (Function) 3-14
- DeleteFromBrowser** (Browser Menu Option) 10-16,31
- DeleteFromBrowser** (Browser Submenu Option) 10-16
- DeleteFromBrowser** (Method of LatticeBrowser) 10-40
- DeleteIV** (Browser Submenu Option) 10-21
- DeleteIV** (Function) 2-11
- DeleteIV** (Method of Object) 2-12
- DeleteMethod** (Browser Submenu Option) 10-22
- DeleteMethod** (Function) 6-5
- DeleteSubtreeFromBrowser** (Browser Submenu Option) 10-16
- DeleteSubtreeFromBrowser** (Method of LatticeBrowser) 10-40
- deleting an active value 8-17
- DelFromFile** (Method of Object) 14-9
- Destroy** (Method of Class) 3-5
- Destroy** (Method of Object) 2-15
- Destroy** (Method of Window) 19-4
- Destroy!** (Method of Class) 3-6
- Destroy!** (Method of Object) 2-15
- DestroyClass** (Method of Class) 3-6
- destroying
  - class 3-5
  - instance 2-15
  - method 6-4
- DestroyInstance** (Method of Class) 2-15
- DetachLispWindow** (Method of Window) 19-22
- Doc** (ClassDoc) (Browser Menu Option) 10-13,30
- DoFringeMethods** (Function) 6-7
- DoMethod** (Function) 6-7
- DontSave** (Instance Variable Property Name) 14-10
- dynamic mixin 3-4

**E**

- Edit** (Browser Submenu Option) 10-27

**Edit** (*Inspector Menu Option*) 18-4,8  
**Edit** (*Method of Class*) 3-10; 13-1  
**Edit** (*Method of Object*) 13-5  
**Edit (EditClass)** (*Browser Menu Option*) 10-24,32  
**Edit FileComs** (*Browser Menu Option*) 10-28  
**Edit Filecoms** (*Submenu Option*) 10-5  
**Edit Functions** (*Browser Submenu Option*) 10-29  
**Edit!** (*Method of Class*) 13-3  
**EditCategory** (*Browser Submenu Option*) 10-19  
**EditClass** (*Browser Submenu Option*) 10-24  
**EditClass!** (*Browser Submenu Option*) 10-24  
**EditComs** (*Browser Submenu Option*) 10-29  
**EditFns** (*Browser Submenu Option*) 10-29  
**EditIcon** (*Method of NonRectangular Window*) 19-19  
 editing 13-1  
     a class 13-1  
     class 3-10  
     description of window 13-2  
     method 6-4  
**EditInstances** (*Browser Submenu Option*) 10-29  
**EditMacros** (*Browser Submenu Option*) 10-29  
**EditMask** (*Method of NonRectangular Window*) 19-20  
**EditMethod** (*Browser Submenu Option*) 10-18  
**EditMethod** (*Method of Class*) 6-5  
**EditMethod!** (*Browser Submenu Option*) 10-18  
**EditMethodObject** (*Browser Submenu Option*) 10-18  
**EditRecords** (*Browser Submenu Option*) 10-29  
**EditVars** (*Browser Submenu Option*) 10-29  
 enumerating instances of a class 3-24  
 error handling 11-1  
 error message 11-5  
**ErrorOnNameConflict** (*Variable*) 2-4; 11-2  
 escaping from message syntax 6-6  
**ExplicitFnActiveValue** (*Class*) 8-8

## F

**fetch annotatedValue of** (*Macro*) 8-25  
**FetchMethod** (*Method of Class*) 7-5  
 file  
     storing 14-10  
 file browser 10-2  
     menu interface 10-24  
 file manager 1-11; 14-1  
     commands 14-3  
**FileBrowse** (*Function*) 10-7  
**FileIn** (*Method of Class*) 14-6  
**FileOut** (*Method of Class*) 17-4  
**FileOut** (*Method of Object*) 14-11; 17-8  
**FILES?** (*Function*) 14-7  
**FirstFetchAV** (*Class*) 8-12  
**FlashNode** (*Method of LatticeBrowser*) 10-41  
**FlipNode** (*Method of LatticeBrowser*) 10-41  
**Fringe** (*Method of Class*) 3-27  
 function calling 3-2

## G

garbage collection 15-1  
**Get** (*Method of Object*) 5-6  
**GetClass** (*Function*) 5-14  
**GetClassHere** (*Function*) 5-16  
**GetClassIV** (*Function*) 5-20  
**GetClassIVHere** (*Function*) 5-20  
**GetClassOnly** (*Function*) 5-15  
**GetClassProp** (*Method of Class*) 3-18

**GetClassValue** (*Function*) 5-8,16  
**GetClassValueOnly** (*Function*) 5-9,18; 8-22  
**GetCVHere** (*Function*) 5-18  
**GetDisplayLabel** (*Method of LatticeBrowser*) 10-41  
**GetIt** (*Function*) 5-1  
**GetItHere** (*Function*) 5-3  
**GetItOnly** (*Function*) 5-2  
**GetIVHere** (*Function*) 5-10  
**GetLabel** (*Method of LatticeBrowser*) 10-41  
**GetLispClass** (*Function*) 4-3  
**GetObjectNames** (*Function*) 2-4  
**GetObjFromUID** (*Function*) 17-15  
**GetPromptWindow** (*Method of Window*) 19-10  
**GetProp** (*Method of Window*) 19-5  
**GetSubs** (*Method of InstanceBrowser*) 10-50  
**GetSubs** (*Method of LatticeBrowser*) 10-42  
**GettingWrappedValue** (*Message*) 1-9  
**GetValue** (*Function*) 4-3; 5-6  
**GetValue** (*Macro*) 15-2  
**GetValueOnly** (*Function*) 5-7; 8-22  
**GetWrappedValue** (*Method of ActiveValue*) 8-20  
**GetWrappedValue** (*Method of LispWindowAV*) 19-23  
**GetWrappedValue** (*Specialization of ActiveValue*) 8-16  
**GetWrappedValueOnly** (*Method of ActiveValue*) 8-20  
 global cache 15-2,3  
 Grapher 1-11; 10-1,33  
**GraphFits** (*Method of LatticeBrowser*) 10-42

## H

**Hardcopy** (*Method of Window*) 19-5  
**Hardcopy file** (*Browser Submenu Option*) 10-30  
**HardcopyToFile** (*Method of Window*) 19-5  
**HardcopyToPrinter** (*Method of Window*) 19-5  
**HasAttribute** (*Method of Class*) 3-18  
**HasAttribute!** (*Method of Class*) 3-19  
**HasCV** (*Method of Class*) 3-19  
**HasCV** (*Method of Object*) 2-21  
**HasItem** (*Method of Class*) 3-20  
**HasIV** (*Method of Class*) 3-21  
**HasIV** (*Method of Object*) 2-21  
**HasIV!** (*Method of Class*) 3-21  
**HasLispWindow** (*Method of Window*) 19-23  
**HasObject** (*Method of LatticeBrowser*) 10-42  
**HasUID?** (*Function*) 17-14  
**HELPCHECK** (*Function*) 11-1  
**HighlightNode** (*Method of LatticeBrowser*) 10-42

## I

**IconTitle** (*Method of LatticeBrowser*) 10-43  
**IconWindow** (*Class*) 19-20  
**ImplementsMethod** (*Browser Submenu Option*) 10-28  
**in-supers-of** (*Iterative Statement Operator*) 9-3  
**IndexedObject** (*Class*) 3-25  
**IndirectVariable** (*Class*) 8-3  
 inheritance 1-6; 3-7,27  
**InheritedValue** (*Method of InheritingAV*) 8-14  
**InheritingAV** (*Class*) 8-14  
**InPlace** (*Browser Submenu Option*) 10-8  
**Inspect** (*Inspector Menu Option*) 18-7,10  
**Inspect** (*Method of Object*) 2-22; 18-2  
**InspectClass** (*Browser Submenu Option*) 10-24  
**InspectFetch** (*Method of Object*) 18-12  
 inspector 1-10; 18-1

customizing 18-15  
**InspectPropCommand** (*Method of Object*) 18-13  
**InspectProperties** (*Method of Object*) 18-13  
**InspectStore** (*Method of Object*) 18-13  
**InspectTitle** (*Method of Object*) 18-14  
**InspectValueCommand** (*Method of Object*) 18-14  
**InstallEditSource** (*Method of Class*) 13-3  
**InstallEditSource** (*Method of Object*) 13-6  
 instance 1-4  
   accessing data in 5-4  
   copying 2-19  
   creating 2-4  
   data storage at creation time 2-8  
   destroying 2-15  
   editing 13-5  
   naming 2-1  
   querying structure 2-21  
 instance browser 10-3,50  
 instance inspector 18-2  
 instance variable 1-4; 5-5  
   access 15-1  
   accessing 5-19  
   changing number of 2-10  
   delimiters 2-11  
   for class InstanceBrowser 10-50  
   for class LatticeBrowser 10-33  
**Instance?** (*Macro*) 9-2  
**INSTANCES** (*File Package Command*) 14-5  
**InstOf** (*Method of Object*) 2-18  
**InstOf!** (*Method of Object*) 2-19  
**Internal** (*Category*) 6-1  
**Invert** (*Method of NonRectangular Window*) 19-20  
**Invert** (*Method of Window*) 19-5  
**ItemMenu** (*Method of Window*) 19-15  
 iterative operator 9-3  
 IV, see instance variable  
**IVDoc** (*Browser Submenu Option*) 10-14  
**IVMissing** (*Method of Object*) 2-12; 11-3  
**IVs** (*Inspector Menu Option*) 18-4,10  
**IVValueMissing** (*Method of Object*) 2-8; 11-4  
  
**L**  
 lattice 1-1  
 lattice browser 10-2  
**Lattice/Tree** (*Browser Submenu Option*) 10-9  
 left column menu  
   class inspector 18-8  
   ClassIV inspector 18-10  
   instance inspector 18-4  
 left menu  
   class, meta, and supers browsers 10-11  
   file browser 10-30  
   instance browser 10-51  
**LeftSelection** (*Method of LatticeBrowser*) 10-43  
**LeftSelection** (*Method of Window*) 19-16  
**LeftShiftSelect** (*Method of LatticeBrowser*) 10-43  
 Lisp window 19-22  
**LispClassTable** (*Global Variable*) 4-4  
**LispUserFilesForLoops** (*Variable*) 20-2  
**LispWindowAV** (*Class*) 8-10  
**ListAttribute** (*Method of Class*) 3-21  
**ListAttribute** (*Method of Object*) 2-22  
**ListAttribute!** (*Method of Class*) 3-22  
**ListAttribute!** (*Method of Object*) 2-23  
**LOAD** (*Function*) 14-2  
**Load PROP file** (*Browser Submenu Option*) 10-30  
**LOADFNS** (*Function*) 14-3  
 loading a file 14-2

**LoadLoopsForms** (*Variable*) 20-2  
**Local** (*Inspector Menu Option*) 18-8  
 local cache 15-2,3  
**LocalStateActiveValue** (*Class*) 8-6  
**LocalValues** (*Inspector Menu Option*) 18-4,10  
 LOOPS icon 10-4  
**Loops Icon** (*Menu Option*) 10-3  
**LoopsDate** (*Variable*) 20-2  
**LoopsDebugFlg** (*Variable*) 11-2  
**LOOPSDIRECTORY** (*Variable*) 20-2  
**LOOPFILES** (*Variable*) 20-2  
**LoopsHelp** (*NoSpread Function*) 11-2  
**LoopsIcon** (*Class*) 19-21  
**LOOPSLIBRARYDIRECTORY** (*Variable*) 20-2  
**LoopsPatchFiles** (*Variable*) 20-2  
**LOOPUSERSDIRECTORY** (*Variable*) 20-2  
**LOOPUSERSRULESDIRECTORY** (*Variable*) 20-2  
**LoopsVersion** (*Variable*) 20-1

## M

**MakeEditSource** (*Method of Class*) 13-4  
**MakeEditSource** (*Method of Object*) 13-5  
**MAKEFILE** (*Function*) 14-11  
**MakeFileSource** (*Method of Object*) 14-11  
**MakeFullEditSource** (*Method of Class*) 13-4  
**MakeFunctionMenu** (*Browser Submenu Option*) 10-29  
 manipulating  
   a file 14-1  
   a class 2-16; 3-16  
**MapObjectUID** (*Function*) 17-15  
 Masterscope 1-10  
**Masterscope** (*Category*) 6-2  
**MaxLatticeHeight** (*Variable*) 10-48  
**MaxLatticeWidth** (*Variable*) 10-48  
 menu 19-14  
   caching 19-18  
   item structure 19-17  
 message 1-3  
 message sending 3-2  
 message sending form 7-1; 18-16  
 message syntax, escaping from 6-6  
**MessageNotUnderstood** (*Method of AnnotatedValue*) 8-26  
**MessageNotUnderstood** (*Method of Object*) 11-5  
**MessageNotUnderstood** (*Method of Tofu*) 4-7  
 metaclass 1-6; 5-13  
   AbstractClass 4-2  
   Class 4-1  
   defining 4-5  
   DestroyedClass 4-2  
   MetaClass 4-2  
 metaclass browser 10-2  
   menu interface 10-8  
**METH** (*NLambda NoSpread Function*) 14-5  
 method 1-3; 6-1  
   creating 6-4  
   destroying 6-4  
   editing 6-4  
   for class InstanceBrowser 10-50  
   for window 19-2  
   printing 17-12  
**method** (*Definer*)  
   structure 6-3  
 method lookup 15-3  
**MethodDoc** (*Browser Submenu Option*) 10-14  
**MethodDoc** (*Method of Class*) 17-13  
**MethodMenu** (*Browser Submenu Option*) 10-19

**MethodNotFound** (*Method of Tofu*) 4-7  
**METHODS** (*File Package Command*) 14-5  
**Methods (EditMethod)** (*Browser Menu Option*) 10-18,32  
**MethodSummary** (*Browser Submenu Option*) 10-13  
**MethodSummary** (*Method of Class*) 17-13  
 middle menu  
   class, meta, and supers browsers 10-17  
   file browser 10-31  
   instance browser 10-52  
**MiddleSelection** (*Method of Window*) 19-16  
**MiddleShiftSelect** (*Method of LatticeBrowser*) 10-44  
 modifying a class 3-11  
**MousePackage** (*Method*) 19-6  
**MouseReadtable** (*Method*) 19-6  
**Move** (*Method of Window*) 19-5  
**Move (MoveMethodTo)** (*Browser Menu Option*) 10-22,32  
**MoveClassVariable** (*Function*) 2-14  
**MoveCVTo** (*Browser Submenu Option*) 10-22  
**MoveIVTo** (*Browser Submenu Option*) 10-22  
**MoveMethod** (*Function*) 6-8  
**MoveMethod** (*Method of Class*) 6-9  
**MoveMethodsToFile** (*Function*) 6-9  
**MoveMethodTo** (*Browser Submenu Option*) 10-22  
**MoveSuperTo** (*Browser Submenu Option*) 10-22  
**MoveToFile** (*Browser Submenu Option*) 10-22  
**MoveToFile** (*Method of Class*) 14-9  
**MoveToFile!** (*Browser Submenu Option*) 10-22  
**MoveToFile!** (*Method of Class*) 14-9  
**MoveVariable** (*Function*) 2-14  
 moving a variable 2-13  
 multiple references of objects 15-1

## N

naming an instance 2-1  
 naming an object, errors 11-8  
**NestedNotSetValue** (*Class*) 8-16  
**New** (*Method of Class*) 2-5  
**New** (*Method of Metaclass*) 3-3; 4-5  
**NewClass** (*Method of Class*) 3-3  
**NewInstance** (*Browser Submenu Option*) 10-21,32  
**NewInstance** (*Method of Object*) 2-6  
**NewItem** (*Method of LatticeBrowser*) 10-44  
**NewPath** (*Method of InstanceBrowser*) 10-51  
**NewWithValues** (*Method of Class*) 2-7  
**NiceMenu** (*Function*) 19-13  
**NodeRegion** (*Method of LatticeBrowser*) 10-45  
**NonRectangularWindow** (*Class*) 19-19  
**NotSetValue** (*Class*) 8-15  
**NotSetValue** (*Macro*) 2-9  
**NoUpdatePermittedAV** (*Class*) 8-9  
**NoValueFound** (*Macro*) 2-24  
**NoValueFound** (*Variable*) 2-24

## O

object 1-2  
   multiple references 15-1  
   printing 17-8  
   saving on a file 14-6  
   storing data in 1-4  
**Object** (*Category*) 6-1  
 object-oriented programming 1-1,3  
**Object?** (*Macro*) 9-1  
**ObjectAlwaysPPFlag** (*Variable*) 17-3

**ObjectDontPPFlag** (*Variable*) 17-3  
**ObjectFromLabel** (*Method of LatticeBrowser*) 10-45  
**ObjectModified** (*Method of Object*) 14-8  
**OldInstance** (*Method of Object*) 14-10  
**OnFile** (*Method of Class*) 14-8  
**Open** (*Method of Window*) 19-6  
 opening a browser 10-3  
**OptionalLispuserFiles** (*Variable*) 9-2  
**OverridesMethod** (*Browser Submenu Option*) 10-28

## P

**Paint** (*Method of Window*) 19-6  
**PositionNode** (*Method of LatticeBrowser*) 10-45  
**PP** (*Browser Submenu Option*) 10-12  
**PP** (*Method of Class*) 17-5  
**PP** (*Method of Object*) 17-9  
**PP!** (*Browser Submenu Option*) 10-12  
**PP!** (*Method of Class*) 17-6  
**PP!** (*Method of Object*) 17-9  
**PPDefault** (*Variable*) 17-12  
**PPMethod** (*Browser Submenu Option*) 10-13  
**PPMethod** (*Method of Class*) 17-12  
**PPV!** (*Browser Submenu Option*) 10-12  
**PPV!** (*Method of Class*) 17-7  
**PPV!** (*Method of Object*) 17-10  
**PrettyPrintClass** (*Function*) 14-11  
**PrettyPrintInstance** (*Function*) 14-11  
**PrintCategories** (*Browser Submenu Option*) 10-12  
 printing 17-1  
   variables affecting 17-2  
**PrintOn** (*Method of IndexedObject*) 3-25  
**PrintOn** (*Method of Object*) 17-8  
**PrintSummary** (*Browser Menu Option*) 10-12,30  
**PrintSummary** (*Browser Submenu Option*) 10-13  
 procedure-oriented programming 1-1,2,3  
 programming paradigms 1-1  
 prompt window 19-9  
**PromptEval** (*Function*) 19-11  
**PromptForList** (*Method of Window*) 19-11  
**PromptForString** (*Method of Window*) 19-12  
**PromptForWord** (*Method of Window*) 19-12  
**PromptPrint** (*Method of Window*) 19-13  
**PromptRead** (*Function*) 19-13  
**Properties** (*Inspector Menu Option*) 18-5,11  
**Prototype** (*Method of Class*) 3-26  
 pseudoclass 8-24  
 pseudoclasses 4-2  
 pseudoinstances 4-2; 8-24  
**Public** (*Category*) 6-1  
**Put** (*Method of Object*) 5-7  
**PutClass** (*Function*) 5-14  
**PutClassIV** (*Function*) 5-21  
**PutClassOnly** (*Function*) 5-15  
**PutClassValue** (*Function*) 5-8,17  
**PutClassValueOnly** (*Function*) 5-9,18; 8-22  
**PutCVHere** (*Function*) 5-19  
**PutIt** (*Function*) 5-3  
**PutItOnly** (*Function*) 5-4  
**PutSavedValue** (*Function*) 19-21  
**PuttingWrappedValue** (*Message*) 1-9  
**PutValue** (*Function*) 4-3; 5-6  
**PutValue** (*Inspector Menu Option*) 18-5  
**PutValue** (*Macro*) 15-2  
**PutValueOnly** (*Function*) 5-7; 8-22  
**PutValueOnly** (*Inspector Submenu Option*) 18-5  
**PutWrappedValue** (*Method of ActiveValue*) 8-21

**PutWrappedValue** (Method of *LispWindowAV*) 19-23  
**PutWrappedValue** (Specialization of *ActiveValue*) 8-16  
**PutWrappedValueOnly** (Method of *ActiveValue*) 8-21

**Q**

querying  
     structure of a class 3-17  
     structure of an instance 2-21

**R**

reading 17-1  
**Recompute** (Browser Menu Option) 10-8,25  
**Recompute** (Browser Submenu Option) 10-8  
**Recompute** (Method of *LatticeBrowser*) 10-46  
**RecomputeInPlace** (Method of *LatticeBrowser*) 10-46  
**RecomputeLabels** (Browser Submenu Option) 10-8  
**RecomputeLabels** (Method of *LatticeBrowser*) 10-46  
 record  
     creating 18-17  
**Refetch** (Inspector Menu Option) 18-4,8,10  
**RemoveFromBadList** (Browser Submenu Option) 10-10  
**RemoveHighlights** (Method of *LatticeBrowser*) 10-46  
**RemoveShading** (Method of *LatticeBrowser*) 10-47  
**Rename** (Method of Class) 3-16  
**Rename** (Method of Object) 2-3  
**Rename** (**RenameMethod**) (Browser Menu Option) 10-23,32  
**RenameClass** (Browser Submenu Option) 10-23  
**RenameCV** (Browser Submenu Option) 10-23  
**RenameIV** (Browser Submenu Option) 10-23  
**RenameMethod** (Browser Submenu Option) 10-23  
**RenameMethod** (Function) 6-8  
**RenameVariable** (Function) 2-14  
**replace annotatedValue of** (Macro) 8-25  
**ReplaceActiveValue** (Method of *ActiveValue*) 8-19  
**ReplaceMeAV** (Class) 8-15  
**ReplaceSupers** (Method of Class) 3-15  
 replacing an active value 5-17  
**RetireMethod** (Browser Submenu Option) 10-23  
 right column menu  
     class inspector 18-8  
     ClassIV inspector 18-10  
     instance inspector 18-6  
**RightSelection** (Method of Window) 19-16  
 rule-oriented programming 1-1

**S**

**Save Value** (Inspector Menu Option) 18-4,7,11  
**SavedValue** (Function) 19-21  
**SaveInIT** (Method of *LatticeBrowser*) 10-47  
**SaveInstance** (Method of Object) 14-8  
**SaveInstance?** (Method of Object) 14-9  
**SaveValue** (Browser Submenu Option) 10-8  
 saving  
     an object on a file 14-6  
**ScrollWindow** (Method of Window) 19-7  
 SEdit 1-10  
**Select file** (Browser Submenu Option) 10-26  
**selectedFile** (Browser Submenu Option) 10-25

**SelectFile** (Lambda NoSpread Function) 19-14  
 selector 1-3  
**SelectorOfMethodBeingCompiled** (Macro) 6-10  
**SelectorsWithBreak** (Method of Class) 12-3  
**SEND** (Function) 7-2  
**SEND** (Macro) 7-2  
 sending  
     a message, errors 11-7  
**SendsMessage** (Browser Submenu Option) 10-28  
**SetName** (Method of Class) 3-16  
**SetName** (Method of Object) 2-2  
**SetProp** (Method of Window) 19-7  
**ShadeNode** (Method of *LatticeBrowser*) 10-47  
**Shape** (Method of *NonRectangular Window*) 19-20  
**Shape** (Method of Window) 19-7  
**Shape?** (Method of Window) 19-8  
**ShapeToHold** (Browser Submenu Option) 10-8  
**ShapeToHold** (Method of *LatticeBrowser*) 10-48  
**Show** (Method of *LatticeBrowser*) 10-48  
**Shrink** (Method of *LatticeBrowser*) 10-48  
**Shrink** (Method of Window) 19-8  
**Snap** (Method of Window) 19-8  
**Specialize** (Method of Class) 3-27  
**SpecializeClass** (Browser Submenu Option) 10-21  
**SpecializedClass** (Browser Submenu Option) 10-32  
**SpecializeMethod** (Browser Submenu Option) 10-21  
**SpecializesMethod** (Browser Submenu Option) 10-28  
 stack method macros 6-10  
 storing  
     a file 14-10  
     data in objects 1-4  
**SubBrowser** (Browser Menu Option) 10-16,31  
**SubBrowser** (Method of *LatticeBrowser*) 10-49  
 subclass 1-6  
**Subclass** (Method of Class) 3-28  
**SubClasses** (Method of Class) 3-28  
**SubclassResponsibility** (Macro) 6-6  
**Substitute** (Browser Submenu Option) 10-27  
**SubsTree** (Function) 3-29  
 superclass 1-7,8  
**SuperMethodNotFound** (Method of *Tofu*) 4-7  
 supers browser 10-2  
     menu interface 10-8  
 system function 20-1  
 system variable 20-1

**T**

**THESE-INSTANCES** (File Package Command) 14-5  
 title  
     class inspector 18-7  
     ClassIV inspector 18-9  
     instance inspector 18-2  
 title bar menu  
     class inspector 18-8  
     class, meta, and supers browsers 10-8  
     ClassIV inspector 18-9  
     file browser 10-25  
     instance browser 10-51  
     instance inspector 18-3  
**TitleCommand** (Method of Object) 18-15  
**TitleSelection** (Method of *LatticeBrowser*) 10-49  
**TitleSelection** (Method of Window) 19-16  
 Tofu 4-6  
 tools 1-10

**ToTop** (*Method of Window*) 19-8  
**Trace on Access** (*Inspector Submenu Option*) 18-6  
**Trace on Put** (*Inspector Submenu Option*) 18-6  
**TraceFunction** (*Browser Submenu Option*) 10-29  
**TraceIt** (*Function*) 12-6  
**TraceIt** (*Inspector Menu Option*) 18-6  
**TraceIt** (*Method of Object*) 12-5  
**TraceMethod** (*Browser Submenu Option*) 10-20  
**TraceMethod** (*Method of Class*) 12-2  
**TraceOnPut** (*Class*) 8-10  
**TraceOnPutOrGet** (*Class*) 8-10  
tracing 12-1  
**type? annotatedValue** (*Macro*) 8-25  
**TypeInName** (*Browser Menu Option*) 10-16,31

## U

UID, see Unique Identifier  
**UID** (*Function*) 17-15  
**UnbreakFunction** (*Browser Submenu Option*) 10-29  
**UnBreakIt** (*Function*) 12-6  
**UnBreakIt** (*Inspector Menu Option*) 18-6  
**UnbreakMethod** (*Browser Submenu Option*) 10-20  
**UnbreakMethod** (*Method of Class*) 12-2  
**Understands** (*Method of Object*) 9-3  
**UNDO** (*Program Assistant Command*) 14-3  
Unique Identifier 15-1; 17-14  
**UnmarkNodes** (*Method of LatticeBrowser*) 10-49  
**UnSetName** (*Method of Class*) 3-17  
**UnSetName** (*Method of Object*) 2-3  
**Update** (*Method of Window*) 19-9  
**UpdateClassBrowsers** (*Function*) 10-52  
**UpdateClassBrowsers?** (*Variable*) 10-52  
**Use saved value** (*Inspector Submenu Option*) 18-5  
user interface to inspector 18-2  
**Uses IV?** (*Browser Menu Option*) 10-26  
**UsesCV** (*Browser Submenu Option*) 10-28  
**UsesIV** (*Browser Menu Option*) 10-33  
**UsesIV** (*Browser Submenu Option*) 10-27  
**UsesLispVar** (*Browser Submenu Option*) 10-28  
**UsesObject** (*Browser Submenu Option*) 10-28

## V

**ValueFound** (*Macro*) 2-25  
variable 1-4

## W

**WhenMenuItemHeld** (*Method of Window*) 19-17  
**WhereIs** (*Browser Menu Option*) 10-14  
**WhereIs** (*Method of Object*) 2-24  
**WhereIs (WhereIsMethod)** (*Browser Menu Option*) 10-30  
**WhereIsCV** (*Browser Submenu Option*) 10-15  
**WhereIsIV** (*Browser Submenu Option*) 10-15  
**WhereIsMethod** (*Browser Submenu Option*) 10-15  
**WhoHas** (*Function*) 3-22  
**Window** (*Class*) 19-1  
**WindowAfterMoveFn** (*Function*) 19-9  
**WindowButtonEventFn** (*Function*) 19-17  
**WindowRightButtonFn** (*Function*) 19-17  
**WindowShapeFn** (*Function*) 19-9  
wrapped value 8-19  
**WrappingPrecedence** (*Method of ActiveValue*) 8-18  
**WrappingPrecedence** (*Specialization of ActiveValue*) 8-16

←  
← (*Function*) 7-1  
← (*Macro*) 7-1  
←! (*Function*) 7-2  
←! (*Macro*) 7-2  
←@ (*Macro*) 5-12  
←AV (*Macro*) 8-26  
←IV (*Macro*) 7-2  
←New (*Macro*) 2-6  
←New (*NLambda NoSpread Macro*) 7-5  
←Process (*Macro*) 16-1  
←Process! (*Macro*) 16-2  
←Proto (*Macro*) 7-3  
←Super (*Macro*) 7-3  
←Super (*Function*) 7-3  
←Super? (*Macro*) 7-5  
←SuperFringe (*Macro*) 7-5  
←SuperFringe (*Function*) 7-5  
←Try (*Macro*) 7-3

## #

#, 18-1

## \$

\$ (*Macro*) 2-2  
\$ (*NLambda Function*) 2-2; 17-1  
\$! (*Function*) 2-2  
\$! (*Lambda Function*) 17-2  
\$AV (*NLambda NoSpread Function*) 8-27  
\$C (*NLambda Function*) 17-2

## \*

\*any\* (*Browser Submenu Option*) 10-27  
\*EditAll\* (*Browser Submenu Option*) 10-27; 27  
\*FEATURES\* (*Variable*) 20-2  
\*hiddenFile\* (*Submenu Option*) 10-5  
\*loadFile\* (*Submenu Option*) 10-5  
\*newFile\* (*Submenu Option*) 10-5  
\*NewFunction\* (*Browser Submenu Option*) 10-29  
\*other\* (*Browser Submenu Option*) 10-27  
\*SubstituteAll\* (*Browser Submenu Option*) 10-27

## :

:initForm (*Property*) 2-9

## ?

?= 18-16

## @

@ (*Macro*) 5-10  
@\* (*Macro*) 5-12

ntionally left blank]

[This page inte