

## HOW TO SET UP FOR TESTING LOOPS

Start with a fresh LISP.SYSOUT from {erinyes}<lisp>lyric>basics>, dated 27-Apr-87.

Give no INIT file

Log in.

Type into the exec:

```
(SETQ IL:DISPLAYFONTDIRECTORIES '("{ERINYES}<lisp>LYRIC>FONTS>"))
CONN {ERINYES}<lisp>Lyric>library>
(il:load 'TEDIT.lcom)
(il:tedit '{erinyes}<cate3>loops>LOOPS-setup.tedit)
```

This should bring up this document.

Shift selected all lines below here into the EXEC:

```
(il:load 'FILEBROWSER.lcom)
CONN {erinyes}<lisp>lyric>lispusers>
(il:load 'WHO-LINE.dfasl)
(il:load 'filewatch.lcom)

CONN {erinyes}<lispusers>lyric>
(il:load 'CROCK.lcom)

CONN {erinyes}<test>lisp>lyric>internal>library>
(il:load 'do-test.dfasl)

(setq il:*DEFAULT-CLEANUP-COMPILER* 'cl:COMPILE-FILE)

(setq il:ch.default.domain "AISNORTH")
(SETQ IL:CH.DEFAULT.ORGANIZATION "XEROX")
CONN |{PELE:AISNorth:Xerox}<CATE3>|

(il:closew il:logow)
(IL:CHANGEBACKGROUND 42405)
(il:crock)
```

Follow the instructions for loading loops from the release notes manual.

As long as the workstation can get the font files from the network, steps 1-3 can be ignored in the Installation of Loops (4.3 of Release Notes)

For step 4:

The modified network version:

```
CONN {ERINYES}<lisp>Lyric>library>
(il:load 'grapher.lcom)
```

For steps 5-6:

Insert Lyric LOOPS System #1 floppy, then type:

```
(il:fb '{floppy})
```

and copy all files to {dsk}<lispfiles>loops>

Do the same for the Lyric LOOPS System #2 floppy

Then type or shift select in an Interlisp window:

```
CONN "{DSK}<lispfiles>loops>"
(LOAD 'LOOPS)
```

Stuff the following lines into a temp file in core then shift select out the sysout command.

```
(il:sysout '{erinyes}<cate3>loops>test-loops.sysout)
(il:login)
(il:fb '{erinyes}<cate3>loops>)
; Make sure the Loops stuff is copied to <lispfiles>loops>
load the right software, and change to loops stuff
```