A	creation 36,37
Access key 11,13	deletion 37 enumeration 36
Asterisk 36	home 32,37
AUTHOR (File Attribute) 38	name delimiting 31
В	parent 32 DISKFREEPAGES (Function) D-1
Back trace 40,42	DISKPARTITION (Function) D-1
BACKGROUNDPAGEFREQ (Variable) 25	Display functions 27
BEEPOFF (Function) 27	Display fonts, how to find 12,21 DISPLAYFONTDIRECTORIES (Variable) 12,21
BEEPON (Function) 27	DLRS232C D-2
BeginDST (Variable) 12,22	DLTTY D-2
Binary files 4,38,40 Binary image, executable A-2; 13	{DSK} 26,32,36,38
Brackets	special characters 32 naming conventions 33
left angle 33	naming conventions 33 {DSK}INIT. 12, 16
right angle 31	DSKDISPLAY (Function) D-1
square 31	
C	
C-Shell 32	E
Carriage return 4,38,40	Emulator 2
Case sensitivity 33,35,39,40,41,42	\EndDST (Variable) 13,22
CHANGEBACKGROUNDBORDER (Function) 27	End-of-line convention 4,38,40 Environment variable A-1
Characters, special 32 CHDIR (Function) 35,37,44,45	LDEDESTSYSOUT 23
checksum 1,3, B-1	LDEINIT 11,16
chmod (UNIX Command) 38	LDESOURCESYSOUT 14,15
CLOCK (Function) 28	obtaining value of 26 EOL (File Attribute) 38
Clocks 27	Errors
CNDIR (Function) 37 Compatibility	fatal 44
compiled-file 4	file system 39,41
end-of-line convention 4	Lisp 44
sysout 4	F
Configuration changing 11	
software A-2	fg (UNIX Command) 25 File attributes 38
CONN (Command) 37	File name
Console messages 28	conventions 31
Conventions common {DSK} and {UNIX} 32	recognition 32
{DSK} naming 33	File protection bits, changing 38 file resources, exceeding 44
fonts 3	File streams 32
Medley devices 3,17,35	File system errors 39
notation 3 URAID 39,41	File types 39 File variables 39
Copy protection 11	FILENAMEFROMID (Function) D-1
CREATIONDATE (File Attribute) 38	Files
.cshrc file 13, A-1	binary 4,38,40
	finding 12,21 open 37, 44
D	text 38
	transfer 38
Daylight Savings Time	versionless 34
setting values for 12,22 DEFAULTFILETYPE (Variable) 38,39	FINDFILE (Function) 35 FLOPPY.ARCHIVE (Function) D-1
DEFAULTFILETYPELIST (Variable) 38,39	FLOPPY.CAN.READP (Function) D-1
DEFAULTPRINTERTYPE (Variable) 12,21	FLOPPY.CAN.WRITEP (Function) D-1
DEFAULTPRINTINGHOST (Variable) 12,21	FLOPPY.FORMAT (Function) D-1
DIRECTORIES (Variable) 12,21	FLOPPY.FREE.PAGES (Function) D-1
Directory changing 32,37	FLOPPY.FROM.FILE (Function) D-1

FLOPPY.MODE (Function) D-1	L
FLOPPY.NAME (Function) D-1	lde 13,22, A-3
FLOPPY. SCAVENGE (Function) D-1	killing 42,44
FLOPPY.TO.FILE (Function) D-1	ldechecksum (Command) 1, B-1
FLOPPY.UNARCHIVE (Function) D-1	LDEDESTSYSOUT (Variable) 23
FLOPPY WAIT. FOR. FLOPPY (Function) D-1	ldeether 13, A-3
Font directories C-3	LDEFILETIMEOUT (Variable) 40
Fonts 2	LDEINIT (Variable) 11,16
font conventions 3 Interpress 12,21	LDEKBDTYPE (Variable) 16,19
Frames, viewing 41,43	LDEKBDTYPE (Variable) 17
Functions	LDESRCESYSOUT (Variable) 14,15
display and keyboard 27	Left angle bracket 33,35
environment inquiry 26	Library files, finding 12,21
Lisp-stopping 25	Line feed 4,38,40 Lisp symbols
login 26 system environment 24	set in site initialization file 12,21
timer and clock 27	LISP-RELEASE-VERSION (Variable) 24
VM 25	LispUsers' Modules 5
	finding 12,21
G	LISPUSERSDIRECTORIES (Variable) 12,21
GEMETI ETNES (Eunstion) 20	litatom $39,41$
GETFILEINFO (Function) 38	LOGIN (Function) 26
TT	Login functions 26
Н	LOGOUT (Function) 22,23
Hardware, requirements 1,24	*LONG-SITE-NAME* (Variable) 12, 22
Host access key 13	LONG-SITE-NAME (Function) 12,22
Host ID 11	
identifying 24 Host name, identifying 24	M
Hosts supported by Medley	MACHINE-INSTANCE (Function) 24
{CORE} 31	MACHINE-TYPE (Function) 24
{DSK} 31	MACHINE-VERSION (Function) 24
(LPT) 31	MACHINETYPE (Function) 24
{NULL} 31	Medley, exiting 23
(UNIX) 31	Memory, requirements 1
	MP errors 39,41
I	\my.nsaddress (Variable) 24
Input/output devices, requirements 1	
install.sunosX 1	N
Installation	
preparation 7	Naming onventions 32, 33
script 9	Network address, identifying 24
software 9	NFS service 40
tape layout C-1 extracting files from C-4	0
extracting files from C-4 Installation Options Menu 9	
Interlisp package 39,41	Object file A-2
InterPress files 39	OPENFILE (Function) 38
InterPress fonts, finding 12,21	OPENSTREAM (Function) 38
INTERPRESSFONTDIRECTORIES (Variable) 12,21	Operating system requirements 2
	Options, adding 11
K	P
Kermit 38	r
KEYACTION (Function) 15,17	Packages 3
Keyboard functions 27	Passwords, maintaining for access 26
Keyboard template	Pathname, Lisp 31,35
Sun 3 15,18	Period single 32,37
Sun 4 15,18	double 32,37
Keyboard tone generator 27	Personal init file, set up 22
KEYBOARDEDITOR D-2	PLAYTUNE (Function) 27
KEYDOWNP (Function) 15,17	Postscript 1
kill (UNIX Command) 42,44	Postscriptstream Module 5

Press files 39 Printers 1 default 12,21 PROTECTION (File Attribute) 38 Protocol Ethernet 2 PUP 13 pstat (UNIX Command) 8	PUP protocol 13, 38 installation 3,8 PURGEDSKDIRECTORY (Function) D-1 R \RCLKMILLISECOND (Variable) 28 READSYS 42,44 REALMEMORYSIZE (Function) 24 Relative pathnames 33 Release contents 4, 5 Relinking A-3 Right angle bracket 31 RINGBELLS (Function) 27 rmdir (UNIX Command) 37 root (UNIX Command) 13 RPC 5
	SAVEVM (Function) 22,23 setenv (UNIX Command) 23 SETMAINTPANEL (Function) 27 SETPASSWORD (Function) 26 SETTIME (Function) 28 setuid (UNIX Command) 26 SETUSERNAME (Function) 26 *SHORT-SITE-NAME* (Variable) 12, 22 SHORT-SITE-NAME (Function) 12,22 Site initialization file 11,15 how to find 12,21 site-init.lisp 11,16 SIZE (File Attribute) 38 Sketch files 39 Slash 31 Software requirements 2, A-2 Special characters 32 Square brackets 31 Stack 40,42 Sun type 3 keyboard 17,18 Sun type 4 keyboard 17,19 Sun Workstations, sharing 2 SunOS versions supported 2,37,38,39 Type 4 keyboard 16,19 console messages 28 directory notations 32 file system 31 username 26 SunOS process identifying username of 26 SUSPEND-LISP (Function) 25 Swap space, allocating additional 8 Symbols set in site initialization file 12,21 Sysout 2,13,39,41 files 37, 39 locations of 13,15 SYSOUT (Function) 24,45 System administrator 9,13
	T TCP D-1 TCPCHAT D-1 TCP/IP 38

Teleraid 39,41	\
T 1.4.	\BeginDST (Variable) 12,22
Template	\EndDST (Variable) 13,22
Sun 3 keyboard 15,18	\MY.NSADDRESS (Variable) 24
Sun 4 keyboard 15,18 Text files 4,38,40	\RCLKMILLISECOND (Variable) 28
tilde 32	(RCDRMIDDISECOND (Variable) 20
tilde-slash 35,37	•
TIME (Function) 28	{
Timers 27	{CORE} 31
/tmp/XXXX-lisp.log 29	$\{DSK\}$ 26,32,36,38
TYPE (File Attribute) 38,39	special characters 32
1112 (The fittibute) 50,00	naming conventions 33
U	{DSK}INIT. 12,16
O	(LPT) 31
$\{UNIX\}$ 26,36,37,38	{NULL} 31
naming conventions 35	(UNIX) 26,36,37,38
{UNIX} (Function) 32	naming conventions 35
UNIX process, suspending 25	{UNIX} (Function) 32
UNIX-FULLNAME (Function) 26	
UNIX-GETENV (Function) 26	~
UNIX-GETPARM (Function) 26	9.0
UNIX-USERNAME (Function) 26	~ 32
URAID 39,41	~/ 35,37
commands 40,42	\sim /lisp.virtualmem 14,15,22,23
quit 40,42	
/usr/share/lde 1, 2, B-1	*
User IDs, maintaining for access 26	* 36
USERGREETFILES (Variable) 12,21	*LONG-SITE-NAME* (Variable) 12,22
USERNAME (Function) 26	*SHORT-SITE-NAME* (Variable) 12,22
V 7	
V	
Version	22.25
identifying machine 24	. 32,37
numbering 33	32,37
numbers 32,35	.cshrc file A-1;13
VIDEOCOLOR (Function) 27	.login file $$ $$ $$ $$ $$ $$ $$ $$
VIDEORATE (Function) 27	
VIRTUALKEYBOARD D-2	/
Virtual memory saving 23,24,25	/ 31
saving with URAID 42,44	/install.sunosx A-3
VM functions 25	/usr/share/lde 1, 2, B-1
VMEM.PURE.STATE (Variable) 25	/ db1/ blid1e/ 1de 1, 2, 2 1
VMEMSIZE (Function) 23,25	<
VOLUMES (Function) D-1	
VOLUMESIZE (Function) D-1	< 33,35
VRAID 42,44	
·	>
W	> 31
WDIMEDAME (File Attribute) 20	. 01
WRITEDATE (File Attribute) 38	
X	
X Windows 16	
Medley window 17	
preparing to run Medley 13,16	
running Medley remotely 16	
starting 17 XNS Ethernet protocol 2, 8,13	
XNS Ethernet protocol 2, 8,13 enabling A-3	
Chapmie 110	
[
[] 31	