```
2-May-86 18:58:43 {PHYLUM}<LANNING>FILECACHE>FILECACHEMSGWINDOW.;5
File created:
 changes to:
         (VARS FILECACHEMSGWINDOWCOMS)
previous date:
         5-Mar-86 12:54:06 {PHYLUM}<LANNING>FILECACHE>FILECACHEMSGWINDOW.:4
 Read Table:
        OLD-INTERLISP-FILE
  Package:
        INTERLISP
    Format:
         XCCS
      (* * Copyright (c) 1986 by Xerox Corporation. All rights reserved.)
(RPAQQ FILECACHEMSGWINDOWCOMS
    ((* * Give the FileCacher a seperate window and Icon)
     (FILES FILECACHE (FROM LISPUSERS)
         ICONW)
     (BITMAPS FileCacheMessageIcon FileCacheMessageIconMask)
     [INITVARS (FILE-CACHE-MESSAGE-STREAM-REGION (with REGION (WINDOWPROP PROMPTWINDOW (QUOTE REGION))
                                     (CREATEREGION (PLUS LEFT WIDTH)
                                          BOTTOM WIDTH HEIGHT)))
         (FILE-CACHE-MESSAGE-STREAM-ICON-POSITION (with REGION FILE-CACHE-MESSAGE-STREAM-REGION
                                        (create POSITION XCOORD
                                                        LEFT YCOORD
                                            (MIN BOTTOM (DIFFERENCE SCREENHEIGHT
                                                         (BITMAPHEIGHT
                                                           FileCacheMessageIcon
     (VARS (*FILE-CACHE-MESSAGE-STREAM* (CREATEW FILE-CACHE-MESSAGE-STREAM-REGION "FileCache message window"
                                2)))
     (P (DSPTEXTURE BLACKSHADE *FILE-CACHE-MESSAGE-STREAM*)
       (DSPOPERATION (QUOTE INVERT)
           *FILE-CACHE-MESSAGE-STREAM*)
       (DSPSCROLL (OUOTE ON)
           *FILE-CACHE-MESSAGE-STREAM*)
       (DSPRESET *FILE-CACHE-MESSAGE-STREAM*)
       (WINDOWPROP *FILE-CACHE-MESSAGE-STREAM* (QUOTE ICON)
           (TITLEDICONW (create TITLEDICON ICON _ FileCacheMessageIcon MASK _ FileCacheMessageIconMask TITLEREG _ (QUOTE (12 15 40 40)))
                TITLEREG _ (QUOTE (12 15 40 40)))
"File cache msgs" NIL FILE-CACHE-MESSAGE-STREAM-ICON-POSITION T))
       (SHRINKW *FILE-CACHE-MESSAGE-STREAM*))))
      (* * Give the FileCacher a seperate window and Icon)
(FILESLOAD FILECACHE ({\sf FROM} LISPUSERS)
    ICONW)
(RPAQ FileCacheMessagelcon (READBITMAP))
(62 61 "AOOOOOOOOOOOOO" "AH@@@@@@@@FA@" "C@@@@@@@@@@@@D@H" "B@@@@@@@@L@H" "B@@@@@@@@@@@@
  "@0H0@@@@@@@@@B@" "@0H0@@@@@@@@@@" "@0H0@@@@@@@B@" "@@L@@@@@@@@@@." "@@L@@@@@@@@@@
  "F@@@@@@@@GEFA@" "D@@@@@@@@ABC@" "L@@@@@@@@A@FB@" "H@@@@@@@@@A@LF@" "H@@@@@@@@@ADHD@"
  "H0000000000AH0D0" "L000000000000H0H0" "L0000000000LA00" "N00000000000GF00" "CH00000000000AL00"
  "@OOOOOOOOOH@@")
(RPAQ FileCacheMessagelconMask (READBITMAP))
"@GOOOOOOOOOOL@" "@GOOOOOOOOOL@" "@COOOOOOOOOL@" "@COOOOOOOOOOL@" "@COOOOOOOOOL@"
  "@COOOOOOOOOL@" "@AOOOOOOOOL@" "@AOOOOOOOOOL@" "@AOOOOOOOOOL@" "@AOOOOOOOOO
  "@@GOOOOOOOO@" "@@GOOOOOOOO@" "@@GOOOOOOOO@" "@@GOOOOOOOO@" "@@GOOOOOOO
  "@@GOOOOOOOO@" "@@GOOOOOOOO@" "@@GOOOOOOOO@" "@@GOOOOOOOO@" "@@OOOOOOO
  "@ООООООООООН@@")
(RPAQ? FILE-CACHE-MESSAGE-STREAM-REGION (with region (Windowprop promptwindow (Quote region))
                               (CREATEREGION (PLUS LEFT WIDTH)
                                   BOTTOM WIDTH HEIGHT)))
```

(RPAQ? FILE-CACHE-MESSAGE-STREAM-ICON-POSITION [with region file-cache-message-stream-region

(PUTPROPS FILECACHEMSGWINDOW COPYRIGHT ("Xerox Corporation" 1986))

{MEDLEY}spusers>FileCacheMsgWindow.;1 28-Jun-2024 18:34:03 -- Listed on 30-Jun-2024 13:14:09 --

VARIABLE INDEX

FILE-CACHE-MESSAGE-STREAM-ICON-POSITION	FileCacheMessageIcon