```
13-Jul-88 16:20:03 {POGO:AISNORTH:XEROX}<LOOPSCORE>INTERNAL>LOOPSSITE.;2
 File created:
  changes to:
                (VARS LOOPSSITECOMS)
                (FNS MakeLoopsForm)
previous date:
                30-Oct-87 09:21:08 {POGO:AISNORTH:XEROX}<LOOPSCORE>INTERNAL>LOOPSSITE.;1
 Read Table:
                INTERLISP
    Package:
                INTERLISP
       Format:
                 XCCS
"; Copyright (c) 1985, 1986, 1987, 1988 by Xerox Corporation. All rights reserved.
(RPAQQ LOOPSSITECOMS
;;; This is the Xerox AI Systems LOOPSSITE file.
         (VARS (LOOPSDIRECTORY "{POGO:}<LOOPSCore>System>")
                (LOOPSLIBRARYDIRECTORY "{POGO:}<LOOPSCore>Library>")
(LOOPSUSERSDIRECTORY "{POGO:}<LOOPSCore>Users>")
(LOOPSUSERSRULESDIRECTORY "{POGO:}<LOOPSCore>Users>Rules>")
(LOOPSINTERNALDIRECTORY "{POGO:}<LOOPSCore>Internal>")
                (LoadLoopsForms NIL)
                (OptionalLispuserFiles NIL))
;;; Set up for Lafite reporting.
         (ADDVARS (LAFITESPECIALFORMS ("Loops Report" (FUNCTION MakeLoopsForm)
                                                   "A form to report a Loops bug or suggestion")))
         (VARS (LAFITEFORMSMENU NIL))
         (FNS MakeLoopsForm)
;;; Updating distributions
         [VARS (LOOPS-DISTRIBUTION-DIRECTORIES '("{PHYLUM}<LOOPS>LYRIC>SOURCES>" "{NB:}<LOOPS>LYRIC>SOURCES>"]
         (FNS UPDATE-LOOPS-DISTRIBUTION)))
;;; This is the Xerox AI Systems LOOPSSITE file.
(RPAQ LOOPSDIRECTORY "{POGO:}<LOOPSCore>System>")
(RPAQ LOOPSLIBRARYDIRECTORY "{POGO:}<LOOPSCore>Library>")
(RPAQ LOOPSUSERSDIRECTORY "{POGO:}<LOOPSCore>Users>")
(RPAQ LOOPSUSERSRULESDIRECTORY "{POGO:}<LOOPSCore>Users>Rules>")
(RPAQ LOOPSINTERNALDIRECTORY "{POGO:}<LOOPSCore>Internal>")
(RPAQQ LoadLoopsForms NIL)
(RPAQQ OptionalLispuserFiles NIL)
;;; Set up for Lafite reporting.
(ADDTOVAR LAFITESPECIALFORMS ("Loops Report" (FUNCTION MakeLoopsForm)
                                           "A form to report a Loops bug or suggestion"))
(RPAQQ LAFITEFORMSMENU NIL)
(DEFINEQ
(MakeLoopsForm
                                                                          ; Edited 13-Jul-88 16:17 by raf
     (DECLARE (GLOBALVARS MAKESYSDATE LoopsVersion LoopsDate))
     (RESETVAR MAKESYSDATE (CL:SOFTWARE-VERSION)
      (MAKEXXXSUPPORTFORM "Loops" "LoopsSupport.aisnorth" (CONCAT LoopsVersion " of " LoopsDate])
;;; Updating distributions
(RPAQQ LOOPS-DISTRIBUTION-DIRECTORIES ("{PHYLUM}<LOOPS>LYRIC>SOURCES>" "{NB:}<LOOPS>LYRIC>SOURCES>"))
(DEFINEO
```

(UPDATE-LOOPS-DISTRIBUTION

```
[LAMBDA NIL ; Edited 30-Oct-87 09:20 by smL (FOR TARGET-DIR IN LOOPS-DISTRIBUTION-DIRECTORIES BIND (SOURCE-DIR _ (PACKFILENAME.STRING 'NAME '* 'EXTENSION "dfasl" 'BODY LOOPSDIRECTORY))

DO (CL:FORMAT T "~%%Updating distribution on directory ~A" TARGET-DIR)

(COPYFILES SOURCE-DIR TARGET-DIR '(TERSE])

(PUTPROPS LOOPSSITE COPYRIGHT ("Xerox Corporation" 1985 1986 1987 1988))
```


FUNCTION INDEX				
MakeLoopsForm		UPDATE-LOOPS-DIST	JPDATE-LOOPS-DISTRIBUTION	
VARIABLE INDEX LAFITEFORMSMENU 1 LOOPSDIRECTORY 1 LOOPSUSERSRULESDIRECTORY 1 LAFITESPECIALFORMS 1 LOOPSINTERNALDIRECTORY 1 OptionalLispuserFiles 1 LoadLoopsForms 1 LOOPSLIBRARYDIRECTORY 1				
LoadLoopsForms	LOOPSLIBRARYDIRECTOR LOOPSUSERSDIRECTOR			