

File created: 4-Apr-2024 18:50:50 {DSK}<home>frank>il>ncmedley>lispusers>PLOTANDNC-PATCH.;2

previous date: 22-Jan-88 15:45:26 {DSK}<home>frank>il>ncmedley>lispusers>PLOTANDNC-PATCH.;1

Read Table: XCL

Package: INTERLISP

Format: XCCS

```
(RPAQQ PLOTANDNC-PATCHCOMS ( ;; define font read fns used by plot and notecards so system can read either kind
                                (FNS READFONT READ.FONTINTODESCRIPTOR)
                                (P ;; make sure these read fns are registered to avoid messages when reading
                                  (PUSHNEW HPRINTREADFNS 'READFONT)
                                  (PUSHNEW HPRINTREADFNS 'READ.FONTINTODESCRIPTOR) ) ) )
```

;; define font read fns used by plot and notecards so system can read either kind

(DEFINEQ

(**READFONT**

```
  (LAMBDA (STREAM) (* |jop:| "27-Aug-85 13:34")
    (PROG ((PROPLIST (READ STREAM)))
      (RETURN (FONTCREATE (LISTGET PROPLIST 'FAMILY)
                          (LISTGET PROPLIST 'SIZE)
                          (LISTGET PROPLIST 'FACE)
                          (LISTGET PROPLIST 'ROTATION)
                          (LISTGET PROPLIST 'DEVICE) ) ) ) )
```

(**READ.FONTINTODESCRIPTOR**

```
  (LAMBDA (STREAM) ; Edited 22-Jan-88 15:36 by thh:
    (APPLY 'FONTCREATE (READ STREAM) ) )
```

)

;; make sure these read fns are registered to avoid messages when reading

```
(PUSHNEW HPRINTREADFNS 'READFONT)
```

```
(PUSHNEW HPRINTREADFNS 'READ.FONTINTODESCRIPTOR)
```

FUNCTION INDEX

READ.FONTINTODESCRIPTOR1 READFONT1
