```
(RPAQQ XCL-COMPILERCOMS
        (;; The Xerox Common Lisp compiler
        (FILES XCLC-RUNTIME              ; Run-time support functions.
               XCLC-ENV-CTXT             ; Environments and contexts.

               XCLC-TREES                ; Program trees.

               XCLC-TOP-LEVEL            ; Entry points and top-level file processing.

               XCLC-ALPHA                ; Alphatization.

               XCLC-OPTIMIZERS           ; Internal optimizers.

               XCLC-ANALYZE              ; Program analysis.

               XCLC-META-EVAL            ; Meta-evaluation.

               XCLC-TRANSFORMS           ; Function-specific transformations.

               XCLC-DATABASE             ; Function-property database.

               XCLC-ANNOTATE             ; Tree annotation.

               XCLC-GENCODE              ; Code generation.

               XCLC-PEEPHOLE             ; Peephole optimization.
               )))
```

;; The Xerox Common Lisp compiler

```
(FILESLOAD XCLC-RUNTIME XCLC-ENV-CTXT XCLC-TREES XCLC-TOP-LEVEL XCLC-ALPHA XCLC-OPTIMIZERS XCLC-ANALYZE
        XCLC-META-EVAL XCLC-TRANSFORMS XCLC-DATABASE XCLC-ANNOTATE XCLC-GENCODE XCLC-PEEPHOLE)
```

```
(PUTPROPS XCL-COMPILER COPYRIGHT ("Venue & Xerox Corporation" 1986 1990))
```