```
22-Apr-86 12:53:24 {POGO:PARC:XEROX}<LOOPS>TESTER>LTLOAD.;2
 File created:
previous date:
               2-MAR-83 15:52:19 {POGO:PARC:XEROX}<LOOPS>TESTER>LTLOAD.;1
 Read Table:
              OLD-INTERLISP-FILE
   Package:
              INTERLISP
      Format:
                XCCS
          (* * Copyright (c) 1986 by Xerox Corporation. All rights reserved.)
(RPAQQ LTLOADCOMS ((CLASSES LOOPSTestClassLD)
                      (INSTANCES LD1 LD2 LD3 LD4)
                      (FNS MKL)
                      (VARS LTLOADINSTANCES LTLOADCOMS)))
(DEFCLASSES LOOPSTestClassLD)
(DEFCLASS LOOPSTestClassLD (MetaClass Class Edited:
                                    )
       (Supers NamedObject)
       (InstanceVariables (NLink NIL LinkVal NIL)
               (ULink NIL LinkVal NIL)
               (Checked NIL)
               (Key NIL)))
(DEFINST LOOPSTestClassLD (LD1 "O\R@@[P")
       (name #. ($A LD1 NIL RememberName))
       (NLink #. ($& LOOPSTestClassLD "O\R@@[ÌQ")
              LinkVal LD2)
       (ULink #. ($& LOOPSTestClassLD "O\R@@[ÌU")
              LinkVal LD1)
       (Checked NIL)
       (Key LD1))
(DEFINST LOOPSTestClassLD (LD2 "O\R@@[ÌQ")
       (name #. ($A LD2 NIL RememberName))
       (NLink #. ($& LOOPSTestClassLD "O\R@@[ÌR")
              LinkVal LD3)
       (ULink #. ($& LOOPSTestClassLD "O\R@@[ÌV")
              LinkVal LD2)
       (Checked NIL)
       (Key LD2))
(DEFINST LOOPSTestClassLD (LD3 "O\R@@[ÌR")
       (name #. ($A LD3 NIL RememberName))
       (NLink #. ($& LOOPSTestClassLD "O\R@@[ÌP")
              LinkVal LD1)
       (ULink #. ($& LOOPSTestClassLD "O\R@@[ÌW")
              LinkVal LD3)
       (Checked NIL)
       (Key LD3))
(DEFINST LOOPSTestClassLD (LD4 "O\R@@[ÌS")
       (name #. ($A LD4 NIL RememberName))
       (NLink #. ($& LOOPSTestClassLD "O\R@@[ÌP")
              LinkVal LD1)
       (ULink #. ($& LOOPSTestClassLD "O\R@@[\u00e1X")
              LinkVal LD4)
       (Checked NIL)
       (Key LD4))
(DEFINST LOOPSTestClassLD ("O\R@@[ÌU")
       (name #. ($A NIL NIL RememberName))
(NLink #. ($& LOOPSTestClassLD "O\R@@[ÌR")
              LinkVal LD3)
       (ULink #. ($& LOOPSTestClassLD "O\R@@[ÌW")
              LinkVal LD3)
       (Checked NIL)
       (Key LD1))
(DEFINST LOOPSTestClassLD ("O\R@@[ÌV")
       (name #. ($A NIL NIL RememberName))
       (NLink #. ($& LOOPSTestClassLD "O\R@@[IP")
              LinkVal LD1)
       (ULink #. ($& LOOPSTestClassLD "O\R@@[ÌU")
              LinkVal LD1)
       (Checked NIL)
       (Key LD2))
(DEFINST LOOPSTestClassLD ("O\R@@[ÌW")
       (name #. ($A NIL NIL RememberName))
       (NLink #. ($& LOOPSTestClassLD "O\R@@[ÌQ")
              LinkVal LD2)
```

(* sm: "19-OCT-82 16:28") (* used to create instances for LTLoadInstance. Stored on file LTLOAD)

```
{MEDLEY}<loops>test>from1.1>LTLOAD.;1
        (ULink #. ($& LOOPSTestClassLD "O\R@@[ÌV")
               LinkVal LD2)
        (Checked NIL)
        (Key LD3))
(DEFINST LOOPSTestClassLD ("O\R@@[\u00e1X")
       (name #. ($A NIL NIL RememberName))
(NLink #. ($& LOOPSTestClassLD "O\R@@[ÌQ")
               LinkVal LD2)
        (ULink #. (%& LOOPSTestClassLD "O\R@@[ÌY")
LinkVal LD41)
        (Checked NIL)
        (Key LD4))
(DEFINST LOOPSTestClassLD ("O\R@@[ÌY")
        (name #. ($A NIL NIL RememberName))
(NLink #. ($& LOOPSTestClassLD "O\R@@[ÌR")
               LinkVal LD3)
        (ULink #. ($& LOOPSTestClassLD "O\R@@[ÌV")
LinkVal LD2)
        (Checked NIL)
        (Key LD41))
(DEFINEO
(MKL
  [LAMBDA (self)
                                                                         (* sm: "19-OCT-82 14:32")
    (PROG (U N)
           [COND
              ((@ self ULink LinkVal))
              (T (SETQ U (@ ULink))
                  (COND
                     (U (PutValue self (QUOTE ULink)
                                 (GetValue U (QUOTE Key))
                                 (QUOTE LinkVal))
                         (MKL U]
           [COND
              ((@ self NLink LinkVal))
              (T (SETQ N (@ NLink))
                  (COND
                     (N (PutValue self (QUOTE NLink)
                                (GetValue N (QUOTE Key))
                                 (QUOTE LinkVal))
                         (MKL N]
           (RETURN self])
(RPAQQ LTLOADINSTANCES (LD1 LD2 LD3 LD4))
(RPAQQ LTLOADCOMS ((CLASSES LOOPSTestClassLD)
                       (INSTANCES LD1 LD2 LD3 LD4)
                       (FNS MKL)
                       (VARS LTLOADINSTANCES LTLOADCOMS)))
(PUTPROPS LTLOAD COPYRIGHT ("Xerox Corporation" 1986))
```

{MEDLEY}<loops>test>from1.1>LTLOAD.;1 30-Jun-2024 08:54:28 -- Listed on 30-Jun-2024 09:29:14 --

MKL	FUNCTION INDEX2
VARIABLE INDEX	
LTLOADINSTANCES	2