```
18-Dec-86 19:03:25 {ERIS}<LISPCORE>INTERNAL>LIBRARY>WHOCALLS.;2
 File created:
  changes to:
               (FNS DISTRIBUTE.CALLINFO DISTRIBUTE-CALL-INFO-FOR-SYMBOL)
               (VARS WHOCALLSCOMS)
                7-Nov-86 02:47:11 {ERIS}<LISPUSERS>LISPCORE>WHOCALLS.;2
previous date:
 Read Table:
               XCT.
   Package:
               INTERLISP
      Format:
                XCCS
; Copyright (c) 1986 by Xerox Corporation. All rights reserved.
(RPAQQ WHOCALLSCOMS ((FNS WHOCALLS WHOCALLS1 DISTRIBUTE.CALLINFO DISTRIBUTE-CALL-INFO-FOR-SYMBOL)
                          (PROP PROPTYPE CALLEDBY USEDFREEBY USEDGLOBALBY BOUNDBY)))
(DEFINEQ
(WHOCALLS
  (LAMBDA (CALLEE USAGE)
(DECLARE (SPECVARS CALLEE USAGE CALLTYPE VAL))
                                                                      (* |bvm:| " 1-Oct-86 14:05")
    (PROG ((CALLTYPE (|if| (LISTP USAGE)
                           |then|
                                                                       some subset of (BOUND USEDFREE GLOBALS)
                                  (SETQ USAGE (|for| TYPE |in| USAGE |collect| (OR (MISSPELLED? TYPE 70
                                                                                         (BOUND USEDFREE GLOBALS))
                                                                                 (\\ILLEGAL.ARG TYPE))))
                                 'VARAPPLY
                         |else| (SELECTO USAGE
                                    ((USES VAR VARS BOUND USEDFREE GLOBALS)
                                         (SETQ USAGE 'USES)
                                         'VARAPPLY)
                                    ((BOUND USEDFREE GLOBALS)
                                         (SETQ USAGE (LIST USAGE))
                                        'VARAPPLY)
                                    ((NIL CALLS)
                                        'FNAPPLY)
                                    (\\ILLEGAL.ARG USAGE))))
           (MAPATOMS (FUNCTION WHOCALLS1))
           (RETURN VAL))))
(WHOCALLS1
  (LAMBDA (FN)
(DECLARE (USEDFREE CALLEE USAGE CALLTYPE VAL))
                                                                      (* |bvm:| " 1-Oct-86 14:05")
    ;; If FN uses CALLEE in the CALLTYPE manner, add FN to the list VAL. This is separate fn because of the RETFROM.
    (COND
        ((CCODEP FN)
         (CALLSCCODE FN CALLTYPE (FUNCTION (LAMBDA (CALLED FLG)
                                                (COND
                                                    ((AND (OR (NLISTP USAGE)
                                                               (MEMB FLG USAGE))
                                                          (COND
                                                             ((LISTP CALLEE)
                                                              (MEMB CALLED CALLEE))
                                                             (T (EQ CALLED CALLEE))))
                                                     (|printout| T FN ", ")
                                                     (|push| VAL FN)
                                                     (RETFROM 'WHOCALLS1))))))
         (BLOCK)))))
(DISTRIBUTE.CALLINFO
                                                                      ; Edited 18-Dec-86 19:03 by Pavel
  (LAMBDA NIL
    (ADD.PROCESS ' (MAPATOMS 'DISTRIBUTE-CALL-INFO-FOR-SYMBOL)
            'NAME
            'DISTRIBUTE-CALL-INFO)))
(DISTRIBUTE-CALL-INFO-FOR-SYMBOL
                                                                      ; Edited 18-Dec-86 19:00 by Pavel
  (LAMBDA (X)
    (BLOCK)
    (AND (CCODEP X)
          (PROG ((Y (CALLSCCODE X)))
                 (|for| Z |in| (CADR Y) |do| (|pushnew| (GETPROP Z 'CALLEDBY)
                 (|for| Z |in| (CADDR Y) |do| (|pushnew| (GETPROP Z 'BOUNDBY)
                 (|for| Z |in| (CADDDR Y) |do| (|pushnew| (GETPROP Z 'USEDFREEBY)
                (|for| Z |in| (CAR (CDDDDR Y)) |do| (|pushnew| (GETPROP Z 'USEDGLOBALBY)
                                                          X))))))
```

)

(PUTPROPS CALLEDBY PROPTYPE IGNORE)

(PUTPROPS **USEDFREEBY PROPTYPE** IGNORE)

(PUTPROPS USEDGLOBALBY PROPTYPE IGNORE)

(PUTPROPS **BOUNDBY PROPTYPE** IGNORE)

(PUTPROPS WHOCALLS COPYRIGHT ("Xerox Corporation" 1986))

## {MEDLEY}spusers>WHOCALLS.;1 28-Jun-2024 18:34:03 -- Listed on 30-Jun-2024 13:15:10 --

FUNCTION INDEX	
DISTRIBUTE-CALL-INFO-FOR-SYMBOL	WHOCALLS
PROPERTY INDEX	
BOUNDBY2 CALLEDBY2	USEDFREEBY