File created: 16-May-90 14:56:15 **{DSK}<usr>local>lde>lispcore>sources>CMLWALK.;2**

changes to: (VARS CMLWALKCOMS)

previous date: 17-Jun-87 17:43:58 {DSK}<usr>local>lde>lispcore>sources>CMLWALK.;1

Read Table: INTERLISP

Package: INTERLISP

Format: XCCS

;;


```
(RPAQQ CMLWALKCOMS
       [(FUNCTIONS XCL:ONCE-ONLY)
                                                                    ; not a wonderful place for it, but CMLMACROS comes too eraly
                                                                    ; in the loadup.
        (VARIABLES *WALK-FUNCTION* *WALK-FORM* *DECLARATIONS* *LEXICAL-VARIABLES* *ENVIRONMENT* *WALK-COPY*)
        (FUNCTIONS WITH-NEW-CONTOUR NOTE-LEXICAL-BINDING NOTE-DECLARATION)
        (FUNCTIONS VARIABLE-SPECIAL-P VARIABLE-LEXICAL-P GET-WALKER-TEMPLATE)
        (FUNCTIONS WALK-FORM)
        (FNS WALK-FORM-INTERNAL WALK-TEMPLATE WALK-TEMPLATE-HANDLE-REPEAT WALK-TEMPLATE-HANDLE-REPEAT-1
             WALK-LIST WALK-RECONS)
        (FUNCTIONS WALK-RELIST*)
        (FNS WALK-DECLARATIONS WALK-ARGLIST WALK-LAMBDA)
        (COMS (PROP WALKER-TEMPLATE CL:COMPILER-LET)
              (FNS WALK-COMPILER-LET)
              (PROP WALKER-TEMPLATE DECLARE)
              (FNS WALK-UNEXPECTED-DECLARE)
              (PROP WALKER-TEMPLATE LET PROG LET* PROG*)
              (FNS WALK-LET WALK-LET* WALK-LET/LET*)
              (PROP WALKER-TEMPLATE CL:TAGBODY)
              (FNS WALK-TAGBODY)
              (PROP WALKER-TEMPLATE FUNCTION CL:FUNCTION GO CL:IF CL:MULTIPLE-VALUE-CALL CL:MULTIPLE-VALUE-PROG1
                    PROGN CL:PROGV QUOTE CL:RETURN-FROM RETURN CL:SETQ CL:BLOCK CL:CATCH CL:EVAL-WHEN THE
                    CL:THROW CL:UNWIND-PROTECT LOAD-TIME-EVAL COND CL:UNWIND-PROTECT SETQ AND OR))
        (COMS ;; for Interlisp
              (PROP WALKER-TEMPLATE RPAQ? RPAQ XNLSETQ ERSETQ NLSETQ RESETVARS))
        (PROP FILETYPE CMLWALK)
        (DECLARE%: DONTEVAL@LOAD DOEVAL@COMPILE DONTCOPY COMPILERVARS
               (ADDVARS (NLAMA)
                        (NLAML)
                        (LAMA WALK-TAGBODY WALK-LET/LET* WALK-LET* WALK-LET WALK-UNEXPECTED-DECLARE
                              WALK-COMPILER-LET WALK-LAMBDA WALK-ARGLIST WALK-DECLARATIONS WALK-RECONS
                              WALK-TEMPLATE-HANDLE-REPEAT-1 WALK-TEMPLATE-HANDLE-REPEAT WALK-TEMPLATE
                              WALK-FORM-INTERNAL])

(DEFMACRO XCL:ONCE-ONLY (XCL::VARS &BODY XCL::BODY)

;;; ONCE-ONLY assures that the forms given as vars are evaluated in the proper order, once only. Used in the body of macro definitions. Taken from
;;; Zeta Lisp.

   [LET* [(XCL::GENSYM-VAR (CL:GENSYM))
          (XCL::RUN-TIME-VARS (CL:GENSYM))
          (XCL::RUN-TIME-VALS (CL:GENSYM))
          (XCL::EXPAND-TIME-VAL-FORMS (FOR XCL::VAR IN XCL::VARS
                                             COLLECT `(CL:IF (OR (CL:SYMBOLP ,XCL::VAR)
                                                                 (CL:CONSTANTP ,XCL::VAR))
                                                             ,XCL::VAR
                                                             (LET ((,XCL::GENSYM-VAR (CL:GENSYM)))
                                                                  (CL:PUSH ,XCL::GENSYM-VAR ,XCL::RUN-TIME-VARS)
                                                                  (CL:PUSH ,XCL::VAR ,XCL::RUN-TIME-VALS)
                                                                  ,XCL::GENSYM-VAR))]
          `(LET* [,XCL::RUN-TIME-VARS ,XCL::RUN-TIME-VALS
                  (XCL::WRAPPED-BODY (LET ,(FOR XCL::VAR IN XCL::VARS AS XCL::EXPAND-TIME-VAL-FORM
                                              IN XCL::EXPAND-TIME-VAL-FORMS COLLECT (LIST XCL::VAR
                                                                                          XCL::EXPAND-TIME-VAL-FORM
                                                                                          ))
                                          ,@XCL::BODY]
                 `(LET ,(FOR XCL::RUN-TIME-VAR IN (CL:REVERSE XCL::RUN-TIME-VARS) AS XCL::RUN-TIME-VAL
                             IN (CL:REVERSE XCL::RUN-TIME-VALS) COLLECT (LIST XCL::RUN-TIME-VAR XCL::RUN-TIME-VAL)
                             )
                       ,XCL::WRAPPED-BODY])
```

;; not a wonderful place for it, but CMLMACROS comes too eraly in the loadup.

```
(CL:DEFVAR *WALK-FUNCTION* NIL
   "the function being called on each sub-form in the code-walker")

(CL:DEFVAR *WALK-FORM*
```

```
   "When the first argument to the IF template in the code-walker is a list, it will be evaluated with
   *walk-form* bound to the form currently being walked.")


(CL:DEFVAR *DECLARATIONS* "a list of the declarations currently in effect while codewalking")

(CL:DEFVAR *LEXICAL-VARIABLES* NIL                    ; used in walker to hold list of lexical variables available

   )

(CL:DEFVAR *ENVIRONMENT* "while codewalking, this is the lexical environment as far as macros are
   concerned")

(CL:DEFVAR *WALK-COPY* "while walking, this is true if we are making a copy of the expresion being walked")

(DEFMACRO WITH-NEW-CONTOUR (&BODY BODY)
   ;; WITH-NEW-CONTOUR is used to enter a new lexical binding contour which inherits from the exisiting one.  Using WITH-NEW-CONTOUR is often
   ;; overkill: It would suffice for the the walker to rebind *LEXICAL-VARIABLES* and *DECLARATIONS* when walking LET and rebind
   ;; *ENVIRONMENT* and *DECLARATIONS* when walking MACROLET etc.  WITH-NEW-CONTOUR is much more convenient and just as correct.
   ;; *
   `(LET ((*DECLARATIONS* NIL)
          (*LEXICAL-VARIABLES* *LEXICAL-VARIABLES*)
          (*ENVIRONMENT* *ENVIRONMENT*))
         ,@BODY))

(DEFMACRO NOTE-LEXICAL-BINDING (THING)
   `(CL:PUSH ,THING *LEXICAL-VARIABLES*))

(DEFMACRO NOTE-DECLARATION (CL:DECLARATION)
   `(CL:PUSH ,CL:DECLARATION *DECLARATIONS*))

(CL:DEFUN VARIABLE-SPECIAL-P (VAR)
                                                          (* lmm "27-May-86 15:42")
   (OR (for DECL in *DECLARATIONS* do (AND (EQ (CAR DECL)
                                               'CL:SPECIAL)
                                           (FMEMB VAR (CDR DECL))
                                           (RETURN T)))
       (VARIABLE-GLOBALLY-SPECIAL-P VAR)))

(CL:DEFUN VARIABLE-LEXICAL-P (VAR)
                                                          (* lmm "11-Apr-86 10:59")
   (AND (NOT (VARIABLE-SPECIAL-P VAR))
        (CL:MEMBER VAR *LEXICAL-VARIABLES* :TEST (FUNCTION EQ))))

(CL:DEFUN GET-WALKER-TEMPLATE (X)
                                                          (* lmm "24-May-86 14:48")
   (CL:IF (NOT (CL:SYMBOLP X))
       '(CL:LAMBDA :REPEAT (:EVAL))
       (GET X 'WALKER-TEMPLATE)))


(CL:DEFUN WALK-FORM (FORM &KEY ((:DECLARATIONS *DECLARATIONS*)
                                NIL)
                               ((:LEXICAL-VARIABLES *LEXICAL-VARIABLES*)
                                NIL)
                               ((:ENVIRONMENT *ENVIRONMENT*)
                                NIL)
                               ((:WALK-FUNCTION *WALK-FUNCTION*)
                                (FUNCTION (CL:LAMBDA (X IGNORE)
                                                     IGNORE X)))
                               ((:COPY *WALK-COPY*)
                                T))
   "Walk FORM, expanding all macros, calling :WALK-FUNCTION on each subfof :COPY is true (default), will return
   the expansion"
   (WALK-FORM-INTERNAL FORM ':EVAL))

(DEFINEQ

(WALK-FORM-INTERNAL
  [CL:LAMBDA (FORM CONTEXT &AUX FN TEMPLATE WALK-NO-MORE-P NEWFORM)
                                                          (* lmm "24-May-86 20:28")
         ;; WALK-FORM-INTERNAL is the main driving function for the code walker.  It takes a form and the current context and walks the form
         ;; calling itself or the appropriate template recursively.
         (CL:MULTIPLE-VALUE-SETQ (NEWFORM WALK-NO-MORE-P)
                (CL:FUNCALL *WALK-FUNCTION* FORM CONTEXT))
         (COND
```

```
            (WALK-NO-MORE-P NEWFORM)
            ((NOT (EQ FORM NEWFORM))
             (WALK-FORM-INTERNAL NEWFORM CONTEXT))
            ((NOT (CL:CONSP FORM))
             FORM)
            ((NOT (CL:SYMBOLP (CAR FORM)))
             (WALK-TEMPLATE FORM '(:CALL :REPEAT (:EVAL))
                    CONTEXT))
            ((SETQ TEMPLATE (GET-WALKER-TEMPLATE (CAR FORM)))
             (CL:IF (CL:SYMBOLP TEMPLATE)
                 (CL:FUNCALL TEMPLATE FORM CONTEXT)
                 (WALK-TEMPLATE FORM TEMPLATE CONTEXT)))
            ((NEQ FORM (SETQ FORM (CL:MACROEXPAND-1 FORM *ENVIRONMENT*)))
             (WALK-FORM-INTERNAL FORM CONTEXT))
            (T ;; Otherwise, walk the form as if its just a standard function call using a template for standard function call.
               (WALK-TEMPLATE FORM '(:CALL :REPEAT (:EVAL))
                      CONTEXT])
```

(WALK-TEMPLATE

```
  [CL:LAMBDA (FORM TEMPLATE CONTEXT)                                    (* lmm "24-May-86 16:43")
          (CL:IF (CL:ATOM TEMPLATE)
              (CL:ECASE TEMPLATE
                  ((CALL :CALL) (if (CL:CONSP FORM)
                                    then (WALK-LAMBDA FORM NIL)
                                  else FORM))
                  ((QUOTE NIL PPE :ERROR) FORM)
                  ((:EVAL EVAL :FUNCTION FUNCTION :TEST TEST :EFFECT EFFECT :RETURN RETURN) (WALK-FORM-INTERNAL
                                                                                             FORM
                                                                                             ':EVAL))
                  ((SET :SET) (WALK-FORM-INTERNAL FORM ':SET))
                  (CL:LAMBDA (WALK-LAMBDA FORM CONTEXT)))
              (CASE (CAR TEMPLATE)
                  (CL:IF (LET ((*WALK-FORM* FORM))
                              (WALK-TEMPLATE FORM (COND
                                                     ((CL:IF (LISTP (CL:SECOND TEMPLATE))
                                                          (CL:EVAL (CL:SECOND TEMPLATE))
                                                          (CL:FUNCALL (CL:SECOND TEMPLATE)
                                                                 FORM))
                                                      (CL:THIRD TEMPLATE))
                                                     (T (CL:FOURTH TEMPLATE)))
                                                  CONTEXT)))
                  ((REPEAT :REPEAT) (WALK-TEMPLATE-HANDLE-REPEAT FORM (CDR TEMPLATE)
                                            (CL:NTHCDR (- (CL:LENGTH FORM)
                                                          (CL:LENGTH (CDDR TEMPLATE)))
                                                   FORM)
                                            CONTEXT))
                  (T [COND
                        ((CL:ATOM FORM)
                         FORM)
                        (T (WALK-RECONS FORM (WALK-TEMPLATE (CAR FORM)
                                                            (CAR TEMPLATE)
                                                            CONTEXT)
                                        (WALK-TEMPLATE (CDR FORM)
                                               (CDR TEMPLATE)
                                               CONTEXT])))])
```

(WALK-TEMPLATE-HANDLE-REPEAT

```
  (CL:LAMBDA (FORM TEMPLATE STOP-FORM CONTEXT)                          (* lmm "11-Apr-86 12:05")
          (CL:IF (EQ FORM STOP-FORM)
              (WALK-TEMPLATE FORM (CDR TEMPLATE)
                     CONTEXT)
              (WALK-TEMPLATE-HANDLE-REPEAT-1 FORM TEMPLATE (CAR TEMPLATE)
                     STOP-FORM CONTEXT))))
```

(WALK-TEMPLATE-HANDLE-REPEAT-1

```
  [CL:LAMBDA (FORM TEMPLATE REPEAT-TEMPLATE STOP-FORM CONTEXT)          (* lmm "24-May-86 16:43")
          (COND
             ((NULL FORM)
              NIL)
             ((EQ FORM STOP-FORM)
              (CL:IF (NULL REPEAT-TEMPLATE)
                  (WALK-TEMPLATE STOP-FORM (CDR TEMPLATE)
                         CONTEXT)
                  (CL:ERROR "While handling repeat:
                                       ~%%~Ran into stop while still in repeat template.")))
             ((NULL REPEAT-TEMPLATE)
              (WALK-TEMPLATE-HANDLE-REPEAT-1 FORM TEMPLATE (CAR TEMPLATE)
                     STOP-FORM CONTEXT))
             (T (WALK-RECONS FORM (WALK-TEMPLATE (CAR FORM)
                                        (CAR REPEAT-TEMPLATE)
                                        CONTEXT)
                        (WALK-TEMPLATE-HANDLE-REPEAT-1 (CDR FORM)
                               TEMPLATE
```

```
                            (CDR REPEAT-TEMPLATE)
                            STOP-FORM CONTEXT])
```

(WALK-LIST

```
  [LAMBDA (LIST FN)                                                    (* lmm "24-May-86 16:43")
                                                                       (* copy list walking each element)
    (CL:IF LIST
        (WALK-RECONS LIST (CL:FUNCALL FN (CAR LIST))
               (WALK-LIST (CDR LIST)
                      FN)))])
```

(WALK-RECONS

```
  (CL:LAMBDA (X CAR CDR)                                               (* lmm "24-May-86 16:43")
         (CL:IF *WALK-COPY*
             (CL:IF (OR (NOT (EQ (CAR X)
                                 CAR))
                        (NOT (EQ (CDR X)
                                 CDR)))
                 (CONS CAR CDR)
                 X)
             NIL)))

)


(DEFMACRO WALK-RELIST* (X FIRST &REST CL:REST)
   (CL:IF CL:REST
       `(WALK-RECONS ,X ,FIRST (WALK-RELIST* (CDR ,X)
                                             ,@CL:REST))
       FIRST))

(DEFINEQ
```

(WALK-DECLARATIONS

```
  [CL:LAMBDA (BODY FN &OPTIONAL DOC-STRING-P DECLARATIONS &AUX (FORM (CAR BODY)))
                                                                       (* lmm "18-Jun-86 14:35")
                                                                       (* skips over declarations)
         (COND
            ((AND (STRINGP FORM)                                       (* might be a doc string *)
                  (CDR BODY)                                           (* isn't the returned value *)
                  (NULL DOC-STRING-P)                                  (* no doc string yet *)
                  (NULL DECLARATIONS))                                 (* no declarations yet *)
             (WALK-RECONS BODY FORM (WALK-DECLARATIONS (CDR BODY)
                                                       FN T)))
            ((AND (LISTP FORM)
                  (EQ (CAR FORM)
                      'DECLARE))                                       (* Got a real declaration. Record it, look for more.
                                                                       *)
             (CL:DOLIST (CL:DECLARATION (CDR FORM))
                 (NOTE-DECLARATION CL:DECLARATION)
                 (CL:PUSH CL:DECLARATION DECLARATIONS))
             (WALK-RECONS BODY FORM (WALK-DECLARATIONS (CDR BODY)
                                                       FN DOC-STRING-P DECLARATIONS)))
            ([AND (CL:CONSP FORM)
                  (NULL (GET-WALKER-TEMPLATE (CAR FORM)))
                  (NOT (EQ FORM (SETQ FORM (CL:MACROEXPAND-1 FORM *ENVIRONMENT*]

          (* * When we macroexpanded this form we got something else back.
          Maybe this is a macro which expanded into a declare? Recurse to find out.)

             (WALK-DECLARATIONS (CONS FORM (CDR BODY))
                    FN DOC-STRING-P DECLARATIONS))
            (T

          (* Now that we have walked and recorded the declarations, call the function our caller provided to expand the body.
          We call that function rather than passing the real-body back, because we are RECONSING up the new body.)

               (CL:FUNCALL FN BODY])
```

(WALK-ARGLIST

```
  [CL:LAMBDA (ARGLIST CONTEXT &OPTIONAL DESTRUCTURINGP &AUX ARG) (* lmm "24-May-86 16:44")
         (COND
            ((NULL ARGLIST)
             NIL)
            [(CL:SYMBOLP (CL:SETQ ARG (CAR ARGLIST)))
             (OR (CL:MEMBER ARG CL:LAMBDA-LIST-KEYWORDS :TEST (FUNCTION EQ))
                 (NOTE-LEXICAL-BINDING ARG))
             (WALK-RECONS ARGLIST ARG (WALK-ARGLIST (CDR ARGLIST)
                                                    CONTEXT
                                                    (AND DESTRUCTURINGP (NOT (CL:MEMBER ARG CL:LAMBDA-LIST-KEYWORDS
                                                                                        :TEST (FUNCTION EQ]
            [(CL:CONSP ARG)
             (PROG1 (CL:IF DESTRUCTURINGP
                           (WALK-ARGLIST ARG CONTEXT DESTRUCTURINGP)
```

```
                        (WALK-RECONS ARGLIST (WALK-RELIST* ARG (CAR ARG)
                                                           (WALK-FORM-INTERNAL (CADR ARG)
                                                                  ':EVAL)
                                                           (CDDR ARG))
                                     (WALK-ARGLIST (CDR ARGLIST)
                                                   CONTEXT NIL)))
                    (CL:IF (CL:SYMBOLP (CAR ARG))
                        (NOTE-LEXICAL-BINDING (CAR ARG))
                        (NOTE-LEXICAL-BINDING (CADAR ARG)))
                    (OR (NULL (CDDR ARG))
                        (NOT (CL:SYMBOLP (CADDR ARG)))
                        (NOTE-LEXICAL-BINDING ARG)))]
               (T (CL:ERROR "Can't understand something in the arglist ~S" ARGLIST])
```

(WALK-LAMBDA

```
  [CL:LAMBDA (FORM CONTEXT)                                          (* lmm "24-May-86 16:44")
          (WITH-NEW-CONTOUR (LET* [(ARGLIST (CADR FORM))
                                   (BODY (CDDR FORM))
                                   (WALKED-ARGLIST NIL)
                                   (WALKED-BODY (WALK-DECLARATIONS BODY (FUNCTION (CL:LAMBDA
                                                                                  (REAL-BODY)
                                                                                  (CL:SETQ WALKED-ARGLIST
                                                                                         (WALK-ARGLIST
                                                                                                ARGLIST
                                                                                                CONTEXT))
                                                                                  (WALK-TEMPLATE
                                                                                   REAL-BODY
                                                                                   '(:REPEAT (:EVAL))
                                                                                   CONTEXT]
                                                  (WALK-RELIST* FORM (CAR FORM)
                                                        WALKED-ARGLIST WALKED-BODY])

)

(PUTPROPS CL:COMPILER-LET WALKER-TEMPLATE WALK-COMPILER-LET)

(DEFINEQ
```

(WALK-COMPILER-LET

```
  [CL:LAMBDA (FORM CONTEXT)                                          (* gbn " 7-Aug-86 18:21")
                                                                     ; bind the variables, but then return the COMPILER-LET
          (LET [(VARS (CL:MAPCAR [FUNCTION (LAMBDA (X)
                                            (CL:IF (CL:CONSP X)
                                                (CAR X)
                                               X)]
                                 (CADR FORM)))
                (VALS (CL:MAPCAR (FUNCTION (CL:LAMBDA (X)
                                              (CL:IF (CL:CONSP X)
                                                  (CL:EVAL (CADR X))
                                                 NIL)))
                                 (CADR FORM]
               (CL:PROGV VARS VALS
                   (WALK-TEMPLATE FORM '(NIL NIL :REPEAT (:EVAL)
                                                 :RETURN)
                          CONTEXT))])

)

(PUTPROPS DECLARE WALKER-TEMPLATE WALK-UNEXPECTED-DECLARE)

(DEFINEQ
```

(WALK-UNEXPECTED-DECLARE

```
  (CL:LAMBDA (FORM CONTEXT)                                          (* lmm "24-May-86 22:27")
          (DECLARE (IGNORE CONTEXT))
          (CL:WARN "Encountered declare ~S in a place where a declare was not expected." FORM)
          FORM))

)

(PUTPROPS LET WALKER-TEMPLATE WALK-LET)

(PUTPROPS PROG WALKER-TEMPLATE WALK-LET)

(PUTPROPS LET* WALKER-TEMPLATE WALK-LET*)

(PUTPROPS PROG* WALKER-TEMPLATE WALK-LET*)

(DEFINEQ
```

(WALK-LET

```
  (CL:LAMBDA (FORM CONTEXT)
          (WALK-LET/LET* FORM CONTEXT NIL)))
```

(WALK-LET*

```
  (CL:LAMBDA (FORM CONTEXT)
         (WALK-LET/LET* FORM CONTEXT T)))

(WALK-LET/LET*
  [CL:LAMBDA
   (FORM CONTEXT SEQUENTIALP)                                    (* lmm "24-May-86 16:44")
   (LET ((OLD-DECLARATIONS *DECLARATIONS*)
         (OLD-LEXICAL-VARIABLES *LEXICAL-VARIABLES*))
        (WITH-NEW-CONTOUR
         (LET* [(LET/LET* (CAR FORM))
                (BINDINGS (CADR FORM))
                (BODY (CDDR FORM))
                WALKED-BINDINGS
                (WALKED-BODY (WALK-DECLARATIONS
                              BODY
                              (FUNCTION (CL:LAMBDA
                                         (REAL-BODY)
                                         [CL:SETQ WALKED-BINDINGS
                                                  (WALK-LIST BINDINGS
                                                             (FUNCTION (LAMBDA (BINDING)
                                                                       (CL:IF (CL:SYMBOLP BINDING)
                                                                              (PROG1 BINDING (NOTE-LEXICAL-BINDING
                                                                                              BINDING))
                                                                              (PROG1
                                                                                  (LET ((*DECLARATIONS*
                                                                                             OLD-DECLARATIONS)
                                                                                        (*LEXICAL-VARIABLES*
                                                                                         (CL:IF SEQUENTIALP
                                                                                             *LEXICAL-VARIABLES*
                                                                                             OLD-LEXICAL-VARIABLES)))
                                                                                       (WALK-RELIST*
                                                                                        BINDING
                                                                                        (CAR BINDING)
                                                                                        (WALK-FORM-INTERNAL
                                                                                         (CADR BINDING)
                                                                                         CONTEXT)
                                                                                        (CDDR BINDING)))
                                                                                  (NOTE-LEXICAL-BINDING (CAR BINDING)))
)]
                                         (WALK-TEMPLATE REAL-BODY '(:REPEAT (:EVAL))
                                                        CONTEXT]
                              (WALK-RELIST* FORM LET/LET* WALKED-BINDINGS WALKED-BODY])

)

(PUTPROPS CL:TAGBODY WALKER-TEMPLATE WALK-TAGBODY)

(DEFINEQ

(WALK-TAGBODY
  [CL:LAMBDA (FORM CONTEXT)                                      (* lmm "24-May-86 16:44")
         (WALK-RECONS FORM (CAR FORM)
                (WALK-LIST (CDR FORM)
                       (FUNCTION (LAMBDA (X)
                                  (WALK-FORM-INTERNAL X (CL:IF (CL:SYMBOLP X)
                                                               'QUOTE
                                                               CONTEXT)])

)

(PUTPROPS FUNCTION WALKER-TEMPLATE (NIL :CALL))

(PUTPROPS CL:FUNCTION WALKER-TEMPLATE (NIL :CALL))

(PUTPROPS GO WALKER-TEMPLATE (NIL NIL))

(PUTPROPS CL:IF WALKER-TEMPLATE (NIL :TEST :RETURN :RETURN))

(PUTPROPS CL:MULTIPLE-VALUE-CALL WALKER-TEMPLATE (NIL :EVAL :REPEAT (:EVAL)))

(PUTPROPS CL:MULTIPLE-VALUE-PROG1 WALKER-TEMPLATE (NIL :RETURN :REPEAT (:EVAL)))

(PUTPROPS PROGN WALKER-TEMPLATE (NIL :REPEAT (:EVAL)))

(PUTPROPS CL:PROGV WALKER-TEMPLATE (NIL :EVAL :EVAL :REPEAT (:EVAL)))

(PUTPROPS QUOTE WALKER-TEMPLATE (NIL QUOTE))

(PUTPROPS CL:RETURN-FROM WALKER-TEMPLATE (NIL NIL :EVAL))

(PUTPROPS RETURN WALKER-TEMPLATE (NIL :EVAL))

(PUTPROPS CL:SETQ WALKER-TEMPLATE (NIL :REPEAT (:SET :EVAL)))

(PUTPROPS CL:BLOCK WALKER-TEMPLATE (NIL NIL :REPEAT (:EVAL)))
```

```
(PUTPROPS CL:CATCH WALKER-TEMPLATE (NIL :EVAL :REPEAT (:EVAL)))

(PUTPROPS CL:EVAL-WHEN WALKER-TEMPLATE (NIL NIL :REPEAT (:EVAL)))

(PUTPROPS THE WALKER-TEMPLATE (NIL NIL :EVAL))

(PUTPROPS CL:THROW WALKER-TEMPLATE (NIL :EVAL :EVAL))

(PUTPROPS CL:UNWIND-PROTECT WALKER-TEMPLATE (NIL :EVAL :REPEAT (:EVAL)))

(PUTPROPS LOAD-TIME-EVAL WALKER-TEMPLATE (NIL :EVAL))

(PUTPROPS COND WALKER-TEMPLATE [NIL :REPEAT ((:REPEAT (:EVAL])

(PUTPROPS CL:UNWIND-PROTECT WALKER-TEMPLATE (NIL :EVAL :REPEAT (:EVAL)))

(PUTPROPS SETQ WALKER-TEMPLATE (NIL :SET :EVAL))

(PUTPROPS AND WALKER-TEMPLATE (NIL :REPEAT (:EVAL)))

(PUTPROPS OR WALKER-TEMPLATE (NIL :REPEAT (:EVAL)))

;; for Interlisp

(PUTPROPS RPAQ? WALKER-TEMPLATE (NIL :SET :EVAL))

(PUTPROPS RPAQ WALKER-TEMPLATE (NIL :SET :EVAL))

(PUTPROPS XNLSETQ WALKER-TEMPLATE (NIL :REPEAT (:EVAL)))

(PUTPROPS ERSETQ WALKER-TEMPLATE (NIL :REPEAT (:EVAL)))

(PUTPROPS NLSETQ WALKER-TEMPLATE (NIL :REPEAT (:EVAL)))

(PUTPROPS RESETVARS WALKER-TEMPLATE WALK-LET)

(PUTPROPS CMLWALK FILETYPE :COMPILE-FILE)

(DECLARE%: DONTEVAL@LOAD DOEVAL@COMPILE DONTCOPY COMPILERVARS

(ADDTOVAR NLAMA )

(ADDTOVAR NLAML )

(ADDTOVAR LAMA WALK-TAGBODY WALK-LET/LET* WALK-LET* WALK-LET WALK-UNEXPECTED-DECLARE WALK-COMPILER-LET
                    WALK-LAMBDA WALK-ARGLIST WALK-DECLARATIONS WALK-RECONS WALK-TEMPLATE-HANDLE-REPEAT-1
                    WALK-TEMPLATE-HANDLE-REPEAT WALK-TEMPLATE WALK-FORM-INTERNAL)
)

(RPAQQ CMLWALKCOMS
       [(FUNCTIONS XCL:ONCE-ONLY)
                                                                    ; not a wonderful place for it, but CMLMACROS comes too eraly
                                                                    ; in the loadup.
        (VARIABLES *WALK-FUNCTION* *WALK-FORM* *DECLARATIONS* *LEXICAL-VARIABLES* *ENVIRONMENT* *WALK-COPY*)
        (FUNCTIONS WITH-NEW-CONTOUR NOTE-LEXICAL-BINDING NOTE-DECLARATION)
        (FUNCTIONS VARIABLE-SPECIAL-P VARIABLE-LEXICAL-P GET-WALKER-TEMPLATE)
        (FUNCTIONS WALK-FORM)
        (FNS WALK-FORM-INTERNAL WALK-TEMPLATE WALK-TEMPLATE-HANDLE-REPEAT WALK-TEMPLATE-HANDLE-REPEAT-1
             WALK-LIST WALK-RECONS)
        (FUNCTIONS WALK-RELIST*)
        (FNS WALK-DECLARATIONS WALK-ARGLIST WALK-LAMBDA)
        (COMS (PROP WALKER-TEMPLATE CL:COMPILER-LET)
              (FNS WALK-COMPILER-LET)
              (PROP WALKER-TEMPLATE DECLARE)
              (FNS WALK-UNEXPECTED-DECLARE)
              (PROP WALKER-TEMPLATE LET PROG LET* PROG*)
              (FNS WALK-LET WALK-LET* WALK-LET/LET*)
              (PROP WALKER-TEMPLATE CL:TAGBODY)
              (FNS WALK-TAGBODY)
              (PROP WALKER-TEMPLATE FUNCTION CL:FUNCTION GO CL:IF CL:MULTIPLE-VALUE-CALL CL:MULTIPLE-VALUE-PROG1
                    PROGN CL:PROGV QUOTE CL:RETURN-FROM RETURN CL:SETQ CL:BLOCK CL:CATCH CL:EVAL-WHEN THE
                    CL:THROW CL:UNWIND-PROTECT LOAD-TIME-EVAL COND CL:UNWIND-PROTECT SETQ AND OR))
        (COMS ;; for Interlisp
              (PROP WALKER-TEMPLATE RPAQ? RPAQ XNLSETQ ERSETQ NLSETQ RESETVARS))
        (PROP FILETYPE CMLWALK)
        (DECLARE%: DONTEVAL@LOAD DOEVAL@COMPILE DONTCOPY COMPILERVARS
               (ADDVARS (NLAMA)
                      (NLAML)
                      (LAMA WALK-TAGBODY WALK-LET/LET* WALK-LET* WALK-LET WALK-UNEXPECTED-DECLARE
                            WALK-COMPILER-LET WALK-LAMBDA WALK-ARGLIST WALK-DECLARATIONS WALK-RECONS
                            WALK-TEMPLATE-HANDLE-REPEAT-1 WALK-TEMPLATE-HANDLE-REPEAT])

(DECLARE%: DONTEVAL@LOAD DOEVAL@COMPILE DONTCOPY COMPILERVARS

(ADDTOVAR NLAMA )
```

```
(ADDTOVAR NLAML )

(ADDTOVAR LAMA WALK-TAGBODY WALK-LET/LET* WALK-LET* WALK-LET WALK-UNEXPECTED-DECLARE WALK-COMPILER-LET
                    WALK-LAMBDA WALK-ARGLIST WALK-DECLARATIONS WALK-RECONS WALK-TEMPLATE-HANDLE-REPEAT-1
                    WALK-TEMPLATE-HANDLE-REPEAT)
)

(PUTPROPS CMLWALK COPYRIGHT ("Venue & Xerox Corporation" 1986 1987 1990))
```

FUNCTION INDEX

PROPERTY INDEX

VARIABLE INDEX

MACRO INDEX