```
previous date:
              17-Aug-90 12:31:56 {DSK}<Users>arunwelch>SKYDRIVE>DOCUMENTS>UNIX>LISP>LDE>ROOMS>MEDLEY-35>ROOMS-B
IOS.;1
 Read Table:
              XCL
    Package:
              ROOMS
      Format:
                XCCS
; Copyright (c) 1988, 1990, 2020 by Venue & Xerox Corporation. All rights reserved.
(IL:RPAQQ IL:ROOMS-BIOSCOMS
           (;; button image objects
            (IL:FILES (IL:SYSLOAD)
                   IL: ROOMS-BUTTONS)
            (FILE-ENVIRONMENTS IL:ROOMS-BIOS)
            (IL:P (EXPORT '(MAKE-BIO *BIO-SELECTION-BORDER*)
"ROOMS"))
            (IL: VARIABLES *BIO-SELECTION-BORDER*)
            (IL:FUNCTIONS MAKE-BIO BIO-BUTTON BIO-COPYFN BIO-IMAGEBOXFN BIO-PUTFN IL:BIO-GETFN BIO-DISPLAYFN
                   BIO-BUTTONEVENTINFN BIO-BUTTONEVENTINFN-INTERNAL)
            (IL:VARIABLES *BIO-IMAGEFNS*)))
;; button image objects
(IL:FILESLOAD (IL:SYSLOAD)
       IL: ROOMS-BUTTONS)
(DEFINE-FILE-ENVIRONMENT IL:ROOMS-BIOS : COMPILER : COMPILE-FILE
   :PACKAGE "ROOMS"
   :READTABLE "XCL")
(EXPORT '(MAKE-BIO *BIO-SELECTION-BORDER*)
       "ROOMS")
(DEFGLOBALVAR *BIO-SELECTION-BORDER* 4
   "Width of mouse-insensitive strip around outside edge of button image objects")
(DEFUN MAKE-BIO (BUTTON)
   (CHECK-TYPE BUTTON BUTTON)
   (IL: IMAGEOBJCREATE BUTTON *BIO-IMAGEFNS*))
(DEFMACRO BIO-BUTTON (BIO)
    '(IL:IMAGEOBJPROP ,BIO 'IL:OBJECTDATUM))
(DEFUN BIO-COPYFN (BIO SOURCE DESTINATION)
   (MAKE-BIO (COPY-BUTTON (BIO-BUTTON BIO))))
(DEFUN BIO-IMAGEBOXFN (BIO IMAGE-STREAM CURRENT-X RIGHT-MARGIN)
   (LET ((BUTTON (BIO-BUTTON BIO))
          (SCALE (IL:DSPSCALE NIL IMAGE-STREAM)))
         (UPDATE-BUTTON BUTTON)
        (IL:|create| IL:IMAGEBOX
                \dot{\text{Li}}: \text{XSIZE IL:} \quad (* \quad (\text{BUTTON-WIDTH BUTTON})
                                  SCALE)
                IL:YSIZE IL:_ (* (BUTTON-HEIGHT BUTTON)
                                  SCALE)
                IL:YDESC IL:_ (* (IL:FONTDESCENT (TEXT-FONT (BUTTON-TEXT BUTTON)))
                                  SCALE)
                IL:XKERN IL:_ 0)))
(DEFUN BIO-PUTFN (BIO FILE-STREAM)
   (LET ((*PRINT-PRETTY* NIL)
          (*PRINT-ARRAY* T)
          (*PRINT-STRUCTURE* T)
          (*PACKAGE* (FIND-PACKAGE "USER"))
         (*PRINT-BASE* 10)
          (*READTABLE* (IL:FIND-READTABLE "LISP")))
        (PRINT (EXTERNALIZE-BUTTON (BIO-BUTTON BIO))
                FILE-STREAM)))
(DEFUN IL:BIO-GETFN (FILE-STREAM)
   ;; TEdit presumes GETFNS are in package IL. sigh.
   (MAKE-BIO (APPLY #'MAKE-BUTTON (LET ((*PACKAGE* (FIND-PACKAGE "USER"))
```

```
(*READ-BASE* 10)
(*READTABLE* (IL:FIND-READTABLE "LISP")))
                                            (READ FILE-STREAM)))))
(DEFUN BIO-DISPLAYFN (BIO IMAGE-STREAM IMAGE-STREAM-TYPE HOST-STREAM)
   (LET ((BUTTON (BIO-BUTTON BIO)))
         (UPDATE-BUTTON BUTTON)
         (LET* ((WIDTH (BUTTON-WIDTH BUTTON))
                 (HEIGHT (BUTTON-HEIGHT BUTTON))
                 (SCRATCH (IL:DSPCREATE (IL:BITMAPCREATE WIDTH HEIGHT))))
               ;; this rather crude approach solves lots of scaling & offset problems
               (DISPLAY-BUTTON BUTTON SCRATCH : NO-UPDATE T : WIDTH WIDTH : HEIGHT HEIGHT)
               (IL:BITBLT SCRATCH 0 0 IMAGE-STREAM (IL:DSPXPOSITION NIL IMAGE-STREAM)
                       :; adjust for descent
                       (- (IL:DSPYPOSITION NIL IMAGE-STREAM)
                           (* (IL:FONTDESCENT (TEXT-FONT (BUTTON-TEXT BUTTON)))
(IL:DSPSCALE NIL IMAGE-STREAM)))))))
(DEFUN BIO-BUTTONEVENTINFN (BIO DSP)
   (LET ((BUTTON (BIO-BUTTON BIO)))
         (IF (UPDATE-BUTTON BUTTON)
             'IL:CHANGED
             (LET ((X-OFFSET (IL:DSPXOFFSET NIL DSP))
                    (Y-OFFSET (IL:DSPYOFFSET NIL DSP))
                    (CLIPPING-REGION (IL:DSPCLIPPINGREGION NIL DSP)))
                   ;; applications don't always adjust coordinates so we're at 0,0 but they are good about setting the clipping region. we move 0.0 to
                  ;; the bottom-left of the clipping region.
                   (UNWIND-PROTECT
                       (PROGN (IL:DSPXOFFSET (+ X-OFFSET (REGION-LEFT CLIPPING-REGION))
                                       DSP)
                               (IL:DSPYOFFSET (+ Y-OFFSET (REGION-BOTTOM CLIPPING-REGION))
                               (IL:DSPCLIPPINGREGION (IL:CREATEREGION 0 0 (REGION-WIDTH CLIPPING-REGION)
                                                                (REGION-HEIGHT CLIPPING-REGION))
                               (WHEN (AND (IL:LASTMOUSESTATE (OR IL:LEFT IL:MIDDLE))
(IL:INSIDEP (MAKE-REGION :LEFT *BIO-SELECTION-BORDER* :BOTTOM
                                                                 *BIO-SELECTION-BORDER* :WIDTH (- (BUTTON-WIDTH BUTTON)
                                                                                                      *BIO-SELECTION-BORDER*
                                                                                                         2))
                                                                 :HEIGHT
                                                                 (- (BUTTON-HEIGHT BUTTON)
                                                                     (* *BIO-SELECTION-BORDER* 2)))
                                                   (IL:LASTMOUSEX DSP)
                                                    (IL:LASTMOUSEY DSP)))
                                      (BIO-BUTTONEVENTINFN-INTERNAL BIO DSP)))
                       (IL:DSPXOFFSET X-OFFSET DSP)
(IL:DSPYOFFSET Y-OFFSET DSP)
                       (IL:DSPCLIPPINGREGION CLIPPING-REGION DSP))))))
(DEFUN BIO-BUTTONEVENTINFN-INTERNAL (BIO DSP)
   (LET ((BUTTON (BIO-BUTTON BIO)))
         (IF (AND (IL:LASTMOUSESTATE (IL:ONLY IL:MIDDLE))
             (NOT (BUTTON-PROP BUTTON :PROTECTED?)))
(CASE (MENU '(("Edit Button" :EDIT "Edit this button")
                             ("Copy to Screen" :COPY "Copy this button to the screen ")))
                  (:EDIT (LET ((NEW-BUTTON (EDIT-BUTTON BUTTON)))
                               (UNLESS (EQ NEW-BUTTON BUTTON)
                                    (IL:IMAGEOBJPROP BIO 'IL:OBJECTDATUM NEW-BUTTON)
                                    'IL: CHANGED)))
                  (:COPY
                     (MAKE-BUTTON-WINDOW (COPY-BUTTON BUTTON))
             (WHEN (AND (BUTTON-TRACK-MOUSE BUTTON DSP)
                          (UPDATE-BUTTON BUTTON))
                 :; button's action caused it to need redisplay
                 'IL: CHANGED))))
(DEFGLOBALPARAMETER *BIO-IMAGEFNS* (IL: IMAGEFNSCREATE 'BIO-DISPLAYFN 'BIO-IMAGEBOXFN 'BIO-PUTFN
                                                   'IL:BIO-GETFN 'BIO-COPYFN 'BIO-BUTTONEVENTINFN))
(IL:PUTPROPS IL:ROOMS-BIOS IL:COPYRIGHT ("Venue & Xerox Corporation" 1988 1990 2020))
```

{MEDLEY}<rooms>ROOMS-BIOS.;1 28-Jun-2024 18:34:03 -- Listed on 30-Jun-2024 13:15:14 --

	FUNCTION INDEX	
	BIO-DISPLAYFN .2 IL:BIO-GETFN .1 BIO-IMAGEBOXFN .1	
VARIABLE INDEX		
*BIO-IMAGEFNS*2	*BIO-SELECTION-BORDER*1	
MACRO INDEX		
BIO-BUTTON1		
	FILE-ENVIRONMENT INDEX	
IL:ROOMS-BIOS1		