```
2-May-88 13:47:17 {ERINYES}<LISPUSERS>MEDLEY>HEADLINE.;2
 File created:
  changes to:
               (FNS CLOSE. HEADLINES BANNER. MAKE)
previous date:
               1-Apr-86 15:45:51 {ERINYES}<LISP>KOTO>LISPUSERS>HEADLINE.;1
 Read Table:
              INTERLISP
    Package:
              INTERLISP
      Format:
                XCCS
;; Copyright (c) 1985, 1986, 1988 by Xerox Corporation. All rights reserved.
(RPAQQ HEADLINECOMS ((FNS BANNER BANNER.ARRAY BANNER.MAKE BILLBOARD CLOSE.HEADLINES HEADLINE
                             HEADLINE.ABSTRACTER HEADLINE.ARRAY HEADLINE.MAKE HEADLINE.RECOGNIZER
                             HEADLINE.RECONSTITUTER)))
(DEFINEO
(BANNER
  [LAMBDA (PHRASE FONT POSITION ALIGNMENT)
                                                                     (* DAHJr " 4-Mar-86 11:09")
    (PROG (TITLE FNT REFERENCE.POINT XALIGNMENT YALIGNMENT W)
           [SETQ TITLE (COND
                           ((NULL PHRASE)
                            "The British are coming")
                           (T (MKSTRING PHRASE]
           [SETQ FNT (OR FONT '(TIMESROMAND 36]
           [SETQ REFERENCE.POINT (OR POSITION (PROGN (GETMOUSESTATE)
                                                        (create POSITION
                                                               {\tt XCOORD} _ LASTMOUSEX
                                                               YCOORD _ LASTMOUSEY]
          [SETQ XALIGNMENT (COND
                                (ALIGNMENT (COND
                                               ((LISTP ALIGNMENT)
                                                (CAR ALIGNMENT))
                                               (T ALIGNMENT)))
                                (T 'CENTER]
           [SETQ YALIGNMENT (COND
                                (ALIGNMENT (COND
                                               ((LISTP ALIGNMENT)
                                                (CDR ALIGNMENT))
                                               (T ALIGNMENT)))
                                (T 'CENTER]
           (SETO W (BANNER.MAKE TITLE FNT REFERENCE.POINT (CONS XALIGNMENT YALIGNMENT)))
           (COND
              ((NULL POSITION)
               (MOVEW W1)
(BANNER.ARRAY
                                                                     (* DAHJr " 1-Apr-86 15:34")
  [LAMBDA (TITLES ALIGNMENT SEPARATION POSITION)
                                                                      * edited%: " 5-AUG-82 10:42")
    (PROG ((X (COND
                  (POSITION (FETCH (POSITION XCOORD) OF POSITION))
                  (T 50)))
            (ALIGN (OR ALIGNMENT 'CENTER))
            (SEP (OR SEPARATION 70)))
           (for TITLE in TITLES do (BANNER (CAR TITLE)
                                           (CADR TITLE)
                                           [create POSITION
                                                  XCOORD _ X
                                                  YCOORD _ (COND
                                                               (POSITION (fetch (POSITION XCOORD) of POSITION))
                                                               (T (SELECTQ ALIGN
                                                                       (BOTTOM 30)
                                                                       (CENTER 400)
                                                                       (TOP 750)
                                                                       (SHOULDNT]
                                           (CONS 'LEFT ALIGN))
                                   (SETQ X (IPLUS X SEP)))
      NIL])
(BANNER.MAKE
  [LAMBDA (TITLE FONT REFERENCE.POINT ALIGNMENT)
                                                                     (* DAHJr " 4-Mar-86 11:04")
    (PROG (W FNTDESC FONT.HEIGHT REGION DSP BOUNDARY BORDER INFO MAX.WIDTH CHAR WIDTH HEIGHT XALIGNMENT
           YALIGNMENT LEFT BOTTOM OFF.SCREEN PLEFT PBOTTOM)
(SETQ FNTDESC (FONTCREATE FONT))
           (SETQ FONT.HEIGHT (FONTHEIGHT FNTDESC))
           (SETO BORDER 4)
           (SETQ BOUNDARY 4)
           [SETQ INFO (for I to (NCHARS TITLE) collect (CONS (SETQ CHAR (NTHCHAR TITLE I))
                                                             (STRINGWIDTH CHAR FNTDESC]
           (SETQ MAX.WIDTH (OR (CDR (for ELEM in INFO largest (CDR ELEM)))
```

```
(SETQ WIDTH (IPLUS BORDER BORDER BOUNDARY BOUNDARY MAX.WIDTH))
          (SETQ HEIGHT (IPLUS BORDER BORDER BOUNDARY BOUNDARY (ITIMES (LENGTH INFO)
                                                                          FONT.HEIGHT)))
          (SETQ XALIGNMENT (CAR ALIGNMENT))
(SETQ YALIGNMENT (CDR ALIGNMENT))
          (SETQ LEFT (SELECTQ XALIGNMENT
                           ((LEFT BOTTOM LOW)
                                (fetch (POSITION XCOORD) of REFERENCE.POINT))
                           ((CENTER MIDDLE)
                                (IDIFFERENCE (fetch (POSITION XCOORD) of REFERENCE.POINT)
                                       (IQUOTIENT WIDTH 2)))
                           ((RIGHT TOP HIGH)
                                (IDIFFERENCE (fetch (POSITION XCOORD) of REFERENCE.POINT)
                                       WIDTH))
                           (SHOULDNT)))
          (SETQ BOTTOM (SELECTQ YALIGNMENT
                             ((LEFT BOTTOM LOW)
                                  (fetch (POSITION YCOORD) of REFERENCE.POINT))
                             ((CENTER MIDDLE)
                                  (IDIFFERENCE (fetch (POSITION YCOORD) of REFERENCE.POINT)
                                          (IQUOTIENT HEIGHT 2)))
                             ((RIGHT TOP HIGH)
                                  (IDIFFERENCE (fetch (POSITION YCOORD) of REFERENCE.POINT)
                                         HEIGHT))
          (SHOULDNT)))
[SETQ PLEFT (MAX 0 (MIN LEFT (IDIFFERENCE SCREENWIDTH WIDTH]
          [SETQ PBOTTOM (MAX 0 (MIN BOTTOM (IDIFFERENCE SCREENHEIGHT HEIGHT]
          (SETQ REGION (create REGION
                               LEFT _ PLEFT
                                BOTTOM _ PBOTTOM
                                WIDTH _ WIDTH
                                HEIGHT
                                       HEIGHT))
          (SETQ W (CREATEW REGION NIL BORDER))
           (WINDOWPROP W 'HEADLINE.TYPE 'BANNER)
          (WINDOWPROP W 'HEADLINE.FONT FONT)
          (WINDOWPROP W 'HEADLINE.TITLE TITLE)
          (WINDOWPROP W 'HEADLINE.ALIGNMENT ALIGNMENT)
          (WINDOWPROP W 'BUTTONEVENTFN (FUNCTION MOVEW))
          (WINDOWPROP W 'RESHAPEFN 'DON'T)
          (SETQ DSP (WINDOWPROP W 'DSP))
          (DSPFONT FNTDESC DSP)
          (for ELEM in INFO as I from (SUB1 (LENGTH INFO)) by -1
             do (MOVETO (IPLUS BOUNDARY (IQUOTIENT (IDIFFERENCE MAX.WIDTH (CDR ELEM))
                                                  2))
                        (IPLUS BOUNDARY (ITIMES I FONT.HEIGHT)
                                (FONTDESCENT FNTDESC))
                        W)
                 (PRIN3 (CAR ELEM)
                        W))
          (RETURN W])
(BILLBOARD
                                                                      * DAHJr " 1-Apr-86 15:45")
* edited%: " 5-AUG-82 10:42")
  [LAMBDA (TITLES ALIGNMENT SEPARATION POSITION)
    (HEADLINE.ARRAY TITLES ALIGNMENT SEPARATION POSITION1)
(CLOSE.HEADLINES
  [LAMBDA NIL
                                                                     ; Edited 2-May-88 13:47 by Briggs
    :; changed ACTIVEWINDOWS to OPENWINDOWS for Lyric & beyond
    (for window in (OPENWINDOWS) do (COND
                                        ((WINDOWPROP WINDOW 'HEADLINE.TYPE)
                                         (CLOSEW WINDOW])
(HEADLINE
  [LAMBDA (PHRASE FONT POSITION ALIGNMENT)
                                                                     (* DAHJr " 4-Mar-86 11:10")
    (PROG (TITLE FNT FNTDESC REFERENCE.POINT XALIGNMENT YALIGNMENT W)
          [SETQ TITLE (COND
                           ((NULL PHRASE)
                            "The British are coming")
                           (T (MKSTRING PHRASE]
          [SETQ FNT (OR FONT '(TIMESROMAND 36]
          [SETQ REFERENCE.POINT (OR POSITION (PROGN (GETMOUSESTATE)
                                                        (create POSITION
                                                               XCOORD _ LASTMOUSEX
                                                               YCOORD _ LASTMOUSEY]
          [SETQ XALIGNMENT (COND
                                (ALIGNMENT (COND
                                               ((LISTP ALIGNMENT)
                                                (CAR ALIGNMENT))
                                               (T ALIGNMENT)))
                                (T 'CENTER1
          [SETO YALIGNMENT (COND
```

```
(ALIGNMENT (COND
                                                ((LISTP ALIGNMENT)
                                                 (CDR ALIGNMENT))
                                                (T ALIGNMENT)))
                                 (T 'CENTER]
           (SETQ W (HEADLINE.MAKE TITLE FNT REFERENCE.POINT (CONS XALIGNMENT YALIGNMENT)))
              ((NULL POSITION)
               (MOVEW W])
(HEADLINE.ABSTRACTER
 [LAMBDA (WINDOW) (LIST (WINDOWPROP WINDOW 'HEADLINE.TYPE)
                                                                      (* DAHJr " 4-Mar-86 11:15")
           (WINDOWPROP WINDOW 'HEADLINE.TITLE)
           (WINDOWPROP WINDOW 'HEADLINE.FONT)
           (WINDOWPROP WINDOW 'HEADLINE.ALIGNMENT])
(HEADLINE.ARRAY
  [LAMBDA (TITLES ALIGNMENT SEPARATION POSITION)
                                                                      (* edited%: " 5-AUG-82 10:42")
    (PROG ((Y (COND
                  (POSITION (FETCH (POSITION YCOORD) OF POSITION))
                  (T 670)))
            (ALIGN (OR ALIGNMENT 'CENTER))
            (SEP (OR SEPARATION 70)))
           (for TITLE in TITLES do (HEADLINE (CAR TITLE)
                                           (CADR TITLE)
                                           (create POSITION
                                                  XCOORD _ [COND
                                                                (POSITION (fetch (POSITION XCOORD) of POSITION))
                                                                (T (SELECTQ ALIGN (LEFT 30)
                                                                        (CENTER 500)
                                                                        (RIGHT 1000)
                                                                        (SHOULDNT]
                                                  YCOORD
                                           (CONS ALIGN 'BOTTOM))
                                    (SETQ Y (IDIFFERENCE Y SEP)))
      NIL])
(HEADLINE.MAKE
                                                                      (* DAHJr " 4-Mar-86 11:04")
  [LAMBDA (TITLE FONT REFERENCE.POINT ALIGNMENT)
    (PROG (FNTDESC BOUNDARY BORDER XALIGNMENT YALIGNMENT WIDTH HEIGHT LEFT BOTTOM REGION W DSP)
           (SETQ FNTDESC (FONTCREATE FONT))
           (SETQ BORDER 4)
           (SETQ BOUNDARY 4)
          (SETQ XALIGNMENT (CAR ALIGNMENT))
(SETQ YALIGNMENT (CDR ALIGNMENT))
           (SETQ WIDTH (IPLUS BORDER BORDER BOUNDARY BOUNDARY (STRINGWIDTH TITLE FNTDESC)))
           (SETQ HEIGHT (IPLUS BORDER BORDER BOUNDARY BOUNDARY (FONTHEIGHT FNTDESC)))
           (SETQ LEFT (SELECTQ XALIGNMENT
                           ((LEFT BOTTOM LOW)
                                (fetch (POSITION XCOORD) of REFERENCE.POINT))
                           ((CENTER MIDDLE)
                                (IDIFFERENCE (fetch (POSITION XCOORD) of REFERENCE.POINT)
                                        (IQUOTIENT WIDTH 2)))
                           ((RIGHT TOP HIGH)
                                (IDIFFERENCE (fetch (POSITION XCOORD) of REFERENCE.POINT)
                                       WIDTH))
                           (SHOULDNT)))
           (SETQ BOTTOM (SELECTQ YALIGNMENT
                              ((LEFT BOTTOM LOW)
                                   (fetch (POSITION YCOORD) of REFERENCE.POINT))
                              ((CENTER MIDDLE)
                                   (IDIFFERENCE (fetch (POSITION YCOORD) of REFERENCE.POINT)
                                          (IQUOTIENT HEIGHT 2)))
                              ((RIGHT TOP HIGH)
                                   (IDIFFERENCE (fetch (POSITION YCOORD) of REFERENCE.POINT)
                                          HEIGHT))
                              (SHOULDNT)))
           (SETQ REGION (create REGION
                                       (MAX 0 (MIN LEFT (IDIFFERENCE SCREENWIDTH WIDTH)))
                                BOTTOM _ (MAX 0 (MIN BOTTOM (IDIFFERENCE SCREENHEIGHT HEIGHT))) WIDTH _ WIDTH HEIGHT _ HEIGHT))
           (SETQ W (CREATEW REGION NIL BORDER))
           (WINDOWPROP W 'HEADLINE.TYPE 'HEADLINE)
          (WINDOWPROP W 'HEADLINE.FONT FONT)
(WINDOWPROP W 'HEADLINE.TITLE TITLE)
           (WINDOWPROP W 'HEADLINE.ALIGNMENT ALIGNMENT)
           (WINDOWPROP W 'BUTTONEVENTFN (FUNCTION MOVEW))
           (WINDOWPROP W 'RESHAPEFN 'DON'T)
           (SETQ DSP (WINDOWPROP W 'DSP))
           (DSPFONT FNTDESC DSP)
           (MOVETO BOUNDARY (IPLUS BOUNDARY (FONTDESCENT FNTDESC))
```

(* DAHJr " 4-Mar-86 11:19")

```
W)
(PRIN3 TITLE W)
                  (RETURN W])
(HEADLINE.RECOGNIZER
   [LAMBDA (WINDOW) (WINDOWPROP WINDOW 'HEADLINE.TYPE])
(HEADLINE.RECONSTITUTER
    [LAMBDA (DESCRIPTION)
       (SELECTQ (CAR DESCRIPTION)
              ECTQ (CAR DESCRIPTION)
(HEADLINE (HEADLINE.MAKE (CADR DESCRIPTION)
(CADDR DESCRIPTION)
(CONS 0 0)
(CADDR DESCRIPTION)))
(BANNER (BANNER.MAKE (CADR DESCRIPTION)
(CADDR DESCRIPTION)
(CONS 0 0)
(CADDR DESCRIPTION)))
```

NIL])

)

(PUTPROPS **HEADLINE COPYRIGHT** ("Xerox Corporation" 1985 1986 1988))

{MEDLEY}<lispusers>HEADLINE.;1 28-Jun-2024 18:34:03 -- Listed on 30-Jun-2024 13:14:17 --

FUNCTION INDEX

BANNER1	BILLBOARD2	HEADLINE.ABSTRACTER3	HEADLINE.RECOGNIZER4
BANNER.ARRAY1	CLOSE.HEADLINES2	HEADLINE.ARRAY3	HEADLINE.RECONSTITUTER4
BANNER.MAKE1	HEADLINE2	HEADLINE.MAKE3	