```
21-Apr-86 15:50:35 {POGO:PARC:XEROX}<LOOPS>TESTER>LTDUMP.;2
 File created:
 Read Table:
                OLD-INTERLISP-FILE
   Package:
                TNTERLISP
       Format:
                 XCCS
           (* * Copyright (c) 1986 by Xerox Corporation. All rights reserved.)
(RPAQQ LTDUMPCOMS ((CLASSES LOOPSTestClassLD)
                         (INSTANCES LD1 LD2 LD3 LD4)
                        (FNS MKL)
                        (VARS LTLOADINSTANCES LTLOADCOMS)))
(DEFCLASSES LOOPSTestClassLD)
(DEFCLASS LOOPSTestClassLD (MetaClass Class Edited:
        (Supers NamedObject)
        (InstanceVariables (NLink NIL LinkVal NIL)
                (ULink NIL LinkVal NIL)
                (Checked NIL)
                (Key NIL)))
(DEFINST LOOPSTestClassLD (LD1 "O\R@@[IP")
        (name #. ($A LD1 NIL RememberName))
(NLink #. ($& LOOPSTestClassLD "O\R@@[ÌQ")
               LinkVal LD2)
        (ULink #. ($& LOOPSTestClassLD "O\R@@[ÌU")
LinkVal LD1)
        (Checked NIL)
        (Key LD1))
(DEFINST LOOPSTestClassLD (LD2 "O\R@@[ÌQ")
        (name #. ($A LD2 NIL RememberName))
(NLink #. ($& LOOPSTestClassLD "O\R@@[ÌR")
               LinkVal LD3)
        (ULink #. ($& LOOPSTestClassLD "O\R@@[ÌV")
               LinkVal LD2)
        (Checked NIL)
        (Key LD2))
(DEFINST LOOPSTestClassLD (LD3 "O\R@@[ÌR")
        (name #. ($A LD3 NIL RememberName))
(NLink #. ($& LOOPSTestClassLD "O\R@@[P")
               LinkVal LD1)
        (ULink #. ($& LOOPSTestClassLD "O\R@@[ÌW")
               LinkVal LD3)
        (Checked NIL)
        (Key LD3))
(DEFINST LOOPSTestClassLD (LD4 "O\R@@[ÌS")
        (name #. ($A LD4 NIL RememberName))
(NLink #. ($& LOOPSTestClassLD "O\R@@[ÌP")
               LinkVal LD1)
        (ULink #. ($& LOOPSTestClassLD "O\R@@[ÌX")
               LinkVal LD4)
        (Checked NIL)
        (Key LD4))
(DEFINST LOOPSTestClassLD ("O\R@@[ÌU")
        (name #. ($A NIL NIL RememberName))
(NLink #. ($& LOOPSTestClassLD "O\R@@[ÌR")
                LinkVal LD3)
        (ULink #. ($& LOOPSTestClassLD "O\R@@[ÌW")
               LinkVal LD3)
        (Checked NIL)
        (Key LD1))
(DEFINST LOOPSTestClassLD ("O\R@@[ÌV")
        (name #. ($A NIL NIL RememberName))
(NLink #. ($& LOOPSTestClassLD "O\R@@[ÌP")
               LinkVal LD1)
        (ULink #. ($& LOOPSTestClassLD "O\R@@[ÌU")
               LinkVal LD1)
        (Checked NIL)
        (Key LD2))
(DEFINST LOOPSTestClassLD ("O\R@@[ÌW")
        (name #. ($A NIL NIL RememberName))
        (NLink #. ($& LOOPSTestClassLD "O\R@@[ÌQ")
               LinkVal LD2)
        (ULink #. ($& LOOPSTestClassLD "O\R@@[ÌV")
                LinkVal LD2)
```

(* sm: "19-OCT-82 16:28") * used to create instances for LTLoadInstance. Stored on file LTLOAD)

```
(Checked NIL)
       (Key LD3))
LinkVal LD2)
       (ULink #. ($& LOOPSTestClassLD "O\R@@[ÌY")
            LinkVal LD41)
       (Checked NIL)
       (Key LD4))
(NLINK #. ($& LOOFSTESTCHASSLD 5.5.5)

LinkVal LD3)

(ULink #. ($& LOOPSTESTCHASSLD "O\R@@[ÌV")

LinkVal LD2)
       (Checked NIL)
(Key LD41))
(DEFINEQ
(RPAQQ LTLOADINSTANCES (LD1 LD2 LD3 LD4))
(RPAQQ LTLOADCOMS ((CLASSES LOOPSTestClassLD)
                    (INSTANCES LD1 LD2 LD3 LD4)
                    (FNS MKL)
                    (VARS LTLOADINSTANCES LTLOADCOMS)))
(PUTPROPS LTDUMP COPYRIGHT ("Xerox Corporation" 1986))
```


VARIABLE INDEX	
LTLOADCOMS2	LTLOADINSTANCES2