```
18-Jul-2023 12:27:33 {DSK}<home>frank>il>medley>gmedley>lispusers>EVALOBJ.;2
 File created:
  changes to:
               (VARS EVALOBJCOMS)
previous date:
               11-May-2018 08:22:13 {DSK}<home>frank>il>medley>gmedley>lispusers>EVALOBJ.;1
 Read Table:
               INTERLISP
    Package:
               INTERLISP
      Format:
                XCCS
(RPAQQ EVALOBJCOMS
        [(FILES IMOBJAPPLICATION)
         (DECLARE%: DOEVAL@LOAD DONTCOPY (FILES (FROM LOADUPS)
                                                   EXPORTS.ALL))
         (FNS EVALOBJ.BUTTONEVENTINFN EVALOBJ.DISPLAYFN EVALOBJ.IMAGEBOXFN EVALOBJ.COPYFN EVALOBJ.CREATE
              EVALOBJ.GETFN EVALOBJ.PUTFN)
         (FNS PARAMS TEXTSTREAMPARAM)
         [COMS (FNS EVALOBJ.DISMANTLEFN EVALOBJ.SELTOOBJ)
               (P (AND (GETD 'ADDTOIMOBJAPPLICATIONMENU)
                        (ADDTOIMOBJAPPLICATIONMENU '(Eval% form 'EVALOBJ.SELTOOBJ "Converts current selection to
                                                              an evaluation object"
                                                              (SUBITEMS [ | Eval at Create/Load
                                                                          (FUNCTION (LAMBDA (TEXTSTREAM SELECTION)
                                                                                            (EVALOBJ.SELTOOBJ
                                                                                             TEXTSTREAM SELECTION
                                                                                             'CREATE/LOAD]
                                                                      (|Eval at Hardcopy| (FUNCTION
                                                                                            (LAMBDA (TEXTSTREAM
                                                                                                            SELECTION)
                                                                                                    (EVALOBJ.SELTOOBJ
                                                                                                     TEXTSTREAM
                                                                                                     SELECTION
                                                                                                     'HARDCOPY1
         [INITVARS (EVALOBJ.IMAGEFNS (IMAGEFNSCREATE 'EVALOBJ.DISPLAYFN 'EVALOBJ.IMAGEBOXFN 'EVALOBJ.PUTFN
                                               ' EVALOBIL GETEN
                                               EVALOBJ. COPYFN
                                              'EVALOBJ.BUTTONEVENTINFN NIL NIL NIL NIL NIL NIL '(LAMBDA (OBJ)
         (GLOBALVARS EVALOBJ. IMAGEFNS)
         (DECLARE%: DONTEVAL@LOAD DOEVAL@COMPILE DONTCOPY COMPILERVARS (ADDVARS (NLAMA PARAMS)
                                                                                    (NLAML)
                                                                                    (LAMA])
(FILESLOAD IMOBJAPPLICATION)
(DECLARE%: DOEVAL@LOAD DONTCOPY
(FILESLOAD (FROM LOADUPS)
       EXPORTS.ALL)
(DEFINEO
(EVALOBJ.BUTTONEVENTINFN
                                                                      ; Edited 19-Aug-97 14:03 by rmk: (* jtm%: " 5-Aug-88 15:40")
  [LAMBDA (OBJ STREAM)
                                                                      ; the user has pressed a button inside the eval OBJ
    (CL:WHEN [MENU (CREATE MENU
                            ITEMS _ '((|Edit evaulation form | T " Opens a window to edit the evaluation form"]
::: SEDIT always forks a process. We hang in that process until it closes (CLOSE-ON-COMPLETION)
         (ALLOW.BUTTON.EVENTS)
         [IMAGEOBJPROP OBJ 'OBJECTDATUM (LET
                                               ((*READTABLE* FILERDTBL))
                                                (DECLARE (SPECVARS *READTABLE*))
                                                (EDITE (COPY (IMAGEOBJPROP OBJ 'OBJECTDATUM))
                                                       NIL
                                                       'Evaluation% Form NIL NIL '(:CLOSE-ON-COMPLETION)
         (IMAGEOBJPROP OBJ 'EVALUATED NIL)
        'CHANGED) ])
(EVALOBJ.DISPLAYFN
                                                                      ; Edited 19-Aug-97 13:46 by rmk: (* fsg "17-Sep-87 11:14")
  [LAMBDA (OBJ IMAGESTREAM)
    ;; Display an Eval imageobject. If the stream-type is display, then shows the form. Otherwise the stream-type is hardcopy and the form is
    :: executed.
    (DECLARE (SPECVARS OBJ IMAGESTREAM)
            (USEDFREE TEXTSTREAM))
    (SELECTQ (IMAGESTREAMTYPE IMAGESTREAM)
         (DISPLAY (LET ((FONT (DSPFONT '(TERMINAL 10)
                                       IMAGESTREAM)))
                         (PRIN3 "{Eval: " IMAGESTREAM)
                         (PRIN4 (IMAGEOBJPROP OBJ 'OBJECTDATUM)
                                IMAGESTREAM)
```

```
(PRIN3 "}" IMAGESTREAM)
                         (DSPFONT FONT IMAGESTREAM)))
         (CL:WHEN (EQMEMB (IMAGEOBJPROP OBJ 'WHEN)
                           '(NIL HARDCOPY))
                     (FORM/FN (IMAGEOBJPROP OBJ 'OBJECTDATUM]
                       (LITATOM FORM/FN)
                        THEN (APPLY* FORM/FN IMAGESTREAM TEXTSTREAM OBJ)
                      ELSE (EVAL FORM/FN))))])
(EVALOBJ.IMAGEBOXFN
  [LAMBDA (OBJ IMAGESTREAM CURRENTX RIGHTMARGIN)
                                                                         ; Edited 19-Aug-97 13:43 by rmk:
                                                                         (* ss%: "27-Jun-87 15:50")
    ;; Return the ImageBox for an EVALOBJ. Evaluates a CREATE/LOAD form that hasn't yet been evaluated (presumably came from the COPYFN).
    (DECLARE (SPECVARS OBJ IMAGESTREAM CURRENTX RIGHTMARGIN)
            (USEDFREE TEXTSTREAM))
    (CL:WHEN [AND (EQ (IMAGEOBJPROP OBJ 'WHEN)
                         CREATE/LOAD)
         (NOT (IMAGEOBJPROP OBJ 'EVALUATED) (LET [(FORM/FN (IMAGEOBJPROP OBJ 'OBJECTDATUM]
                  (LITATOM FORM/FN)
THEN (APPLY* FORM/FN IMAGESTREAM TEXTSTREAM OBJ)
              ELSE (EVAL FORM/FN))
(IMAGEOBJPROP OBJ 'EVALUATED T)))
    (SELECTQ (IMAGESTREAMTYPE IMAGESTREAM)
         (DISPLAY (LET [(FONT (FONTCREATE '(TERMINAL 10]
                         (CREATE IMAGEBOX
                                 XSIZE _ (PLUS (STRINGWIDTH "{Eval: }" FONT)
                                                 (STRINGWIDTH (IMAGEOBJPROP OBJ 'OBJECTDATUM)
                                                         FONT T (FIND-READTABLE "INTERLISP")))
                                 YSIZE _ (FONTPROP FONT 'HEIGHT)
                                 YDESC _ (FONTPROP FONT 'DESCENT)
                                 XKERN _ 0)))
         (CREATE IMAGEBOX
                 XSIZE _ 0
                 YSIZE _ 0
                 YDESC _ 0
XKERN _ 0])
(EVALOBJ.COPYFN
  [LAMBDA
                                                                         ; Edited 19-Aug-97 13:30 by rmk:
    (EVALOBJ.CREATE (COPY (IMAGEOBJPROP OBJ 'OBJECTDATUM))
            (IMAGEOBJPROP OBJ 'WHEN])
(EVALOBJ.CREATE
          (FORM WHEN TEXTSTREAM)
                                                                         ; Edited 6-May-2000 09:24 by rmk:
    (DECLARE (SPECVARS TEXTSTREAM))
    ;; For EVAL at CREATE/LOAD. TEXTSTREAM is NIL on call from COPYFN, since the destination stream isn't known. The object is not marked
    ;; as evaluated, so that the imagebox fn will do it the first time it is displayed/printed. Hopefully it won't be copied to place where it isn't initially
    ;; displayed--that's the best we can do.
    (IF (AND FORM (OR (LISTP FORM)
                        (LITATOM FORM)))
        THEN (LET ((OBJ (IMAGEOBJCREATE FORM EVALOBJ.IMAGEFNS)))
                     (IMAGEOBJPROP OBJ 'DISMANTLEFN (FUNCTION EVALOBJ.DISMANTLEFN))
                     (IMAGEOBJPROP OBJ 'TEDIT-TO-TEX-FN (FUNCTION TRUE))
(IMAGEOBJPROP OBJ 'WHEN WHEN)
                     (CL:WHEN (AND TEXTSTREAM (EQ WHEN 'CREATE/LOAD))
                             (LITATOM FORM)
                              THEN
                                    ;; NIL is image stream. It should be an error if a CREATE/LOAD form accesses an image stream!
                                    (APPLY* FORM NIL TEXTSTREAM OBJ)
                           ELSE (EVAL FORM))
                         (IMAGEOBJPROP OBJ 'EVALUATED T))
                    OBJ)
      ELSE (ERROR!])
(EVALOBJ.GETFN
  [LAMBDA (FILESTREAM TEXTSTREAM)
                                                                         ; Edited 19-Aug-97 13:25 by rmk:
    (LET ((DATA (HREAD FILESTREAM))
           FORM WHEN)
             (LITATOM (CAR (LISTP DATA)))
              THEN (SETQ FORM DATA)
            ELSE (SETQ FORM (CAR DATA))
                   (SETO WHEN (CADR DATA)))
          (EVALOBJ.CREATE FORM WHEN TEXTSTREAM])
(EVALOBJ.PUTFN
  [LAMBDA (OBJ STREAM)
                                                                         ; Edited 19-Aug-97 13:28 by rmk:
    ;; Put a description of an eval object into the file.
    (HPRINT (LIST (IMAGEOBJPROP OBJ 'OBJECTDATUM)
```

```
{MEDLEY}<lispusers>EVALOBJ.;1 (EVALOBJ.PUTFN cont.)
                                                                                                                          Page 3
                    (IMAGEOBJPROP OBJ 'WHEN))
            STREAM])
(DEFINEQ
(PARAMS
  [NLAMBDA PARAMS
                                                                         ; Edited 7-Nov-97 08:41 by rmk:
    (DECLARE (USEDFREE TEXTSTREAM))
    ;; Each P is either
    :: a list of the form (name value), in which case value becomes the (new) value of parameter name;
       a list of the form (name v1 v2 ...) in which case it is treated as (name (v1 v2 ...))
    ;; a list of the form (name), in which case the value for name (even NIL) is removed)
    ;; a litatom, in which case it is treated as a list (atom T).
    ;; The form (name) is different from (name NIL)--the disinction allows the client to distinguish between no value (hence use a default) and a value of ;; NIL.
    (FOR P PCELL [PROP _ (APPEND (STREAMPROP TEXTSTREAM 'PARAMETERS] IN PARAMS
       DO (IF
                THEN [IF
                          (CDDR P)
                           THEN (SETQ P (LIST (CAR P)
              ELSEIF (LITATOM P)
  THEN (SETQ P (LIST P T))
              ELSE (PROMPTPRINT P " is not a valid text parameter"))
            (SETQ PCELL (ASSOC (CAR P)
                                 PROP))
            (IF (CDR P)
                THEN [IF PCELL
                           THEN (RPLACA (CDR PCELL)
                                         (CADR P))
                         ELSE (PUSH PROP (LIST (CAR P)
                                                   (CADR P1
              ELSEIF PCELL
       THEN (SETQ PROP (DREMOVE PCELL PROP)))
FINALLY (STREAMPROP TEXTSTREAM 'PARAMETERS PROP)
              (RETURN PROP1)
(TEXTSTREAMPARAM
    AMBDA (PARAMNAME DEFAULTVALUE)
(DECLARE (USEDFREE TEXTSTREAM))
                                                                          ; Edited 3-Aug-98 13:48 by rmk:
    ;; Returns the value of the parameter PARAMNAME on a higher-bound TEXTSTREAM, or DEFAULTVALUE if the parameter is not set.
    (IF (AND (BOUNDP 'TEXTSTREAM)
              (STREAMP TEXTSTREAM))
        THEN (LET [(PCELL (ASSOC PARAMNAME (STREAMPROP TEXTSTREAM 'PARAMETERS]
                     (IF PCELL
                         THEN (CADR PCELL)
                       ELSE DEFAULTVALUE))
      ELSE DEFAULTVALUE])
(DEFINEO
(EVALOBJ.DISMANTLEFN
  [LAMBDA (TEXTSTREAM OBJ CHAR#)
                                                                          ; Edited 27-Jan-97 18:03 by rmk:
    (SETFILEPTR TEXTSTREAM (SUB1 CHAR#))
    (RESETLST
         (RESETSAVE %#RPARS)
         (PRINTOUT TEXTSTREAM 2 .PPV (IMAGEOBJPROP OBJ 'OBJECTDATUM)))])
(EVALOBJ.SELTOOBJ
  [LAMBDA (TEXTSTREAM SELECTION WHEN)
                                                                          ; Edited 19-Aug-97 13:23 by rmk:
        (COLLECTIMOBJSINSEL TEXTSTREAM SELECTION)
         THEN (TEDIT.PROMPTPRINT TEXTSTREAM "Evaluation form can't_contain image object" T)
                                                                          Pack on ]]] to avoid eof errors
      ELSE
             (LET ((OBJ (EVALOBJ.CREATE (READ (OPENSTRINGSTREAM (CONCAT (TEDIT.SEL.AS.STRING TEXTSTREAM
                                                                                          SELECTION)
                                                                                 "]]]]"))
                                                    (FIND-READTABLE "INTERLISP"))
                                 WHEN TEXTSTREAM)))
                   (REPLACESELWITHOBJ OBJ TEXTSTREAM SELECTION1)
[AND (GETD 'ADDTOIMOBJAPPLICATIONMENU)
     (ADDTOIMOBJAPPLICATIONMENU '(Eval% form 'EVALOBJ.SELTOOBJ "Converts current selection to an evaluation
                                             object" (SUBITEMS [ | Eval at Create/Load | (FUNCTION (LAMBDA (TEXTSTREAM
```

SELECTION 'CREATE/LOAD] (|Eval at Hardcopy| (FUNCTION (LAMBDA (TEXTSTREAM

(EVALOBJ.SELTOOBJ TEXTSTREAM SELECTION 'HARDCOPY]

## (RPAQ? EVALOBJ.IMAGEFNS

[IMAGEFNSCREATE 'EVALOBJ.DISPLAYFN 'EVALOBJ.IMAGEBOXFN 'EVALOBJ.PUTFN 'EVALOBJ.GETFN 'EVALOBJ.COPYFN 'EVALOBJ.BUTTONEVENTINFN NIL NIL NIL NIL NIL NIL '(LAMBDA (OBJ) ""])

```
(DECLARE%: DOEVAL@COMPILE DONTCOPY
(GLOBALVARS EVALOBJ.IMAGEFNS)
(DECLARE%: DONTEVAL@LOAD DOEVAL@COMPILE DONTCOPY COMPILERVARS
(ADDTOVAR NLAMA PARAMS)
(ADDTOVAR NLAML )
(ADDTOVAR LAMA )
```

## {MEDLEY}spusers>EVALOBJ.;1 28-Jun-2024 18:34:03 -- Listed on 30-Jun-2024 13:14:08 --

<b>FUNCTION</b>	<b>INDEX</b>
-----------------	--------------

EVALOBJ.BUTTONEVENTINFN .1	EVALOBJ.DISMANTLEFN3	EVALOBJ.IMAGEBOXFN2	PARAMS3
EVALOBJ.COPYFN2	EVALOBJ.DISPLAYFN1	EVALOBJ.PUTFN2	TEXTSTREAMPARAM3
EVALOBJ.CREATE2	EVALOBJ.GETFN2	EVALOBJ.SELTOOBJ3	

## **VARIABLE INDEX**

EVALOBJ.IMAGEFNS .....4