```
(RPAQQ SEDIT-MENU-ALWAYSCOMS ((PROP (MAKEFILE-ENVIRONMENT FILETYPE)
                                    SEDIT-MENU-ALWAYS)
                              (ADVISE SEDIT::SETUP-WINDOW-AND-PROCESS)))

(PUTPROPS SEDIT-MENU-ALWAYS MAKEFILE-ENVIRONMENT (:PACKAGE "INTERLISP" :READTABLE "INTERLISP" :BASE 10))

(PUTPROPS SEDIT-MENU-ALWAYS FILETYPE :COMPILE-FILE)

[XCL:REINSTALL-ADVICE 'SEDIT::SETUP-WINDOW-AND-PROCESS :AFTER
      '((:LAST (CL:WHEN (GETTOPVAL SEditMenuAlwaysFlg)
                   (CL:UNLESS (WINDOWPROP (fetch (SEDIT::EDIT-CONTEXT SEDIT::DISPLAY-WINDOW) of CONTEXT)
                                    'SEDIT::MENU)
                      (SEDIT::ADD-MENU CONTEXT)))]

(READVISE SEDIT::SETUP-WINDOW-AND-PROCESS)

(PUTPROPS SEDIT-MENU-ALWAYS COPYRIGHT ("Beckman Instruments, Inc" 1988 1989))
```

ADVICE INDEX

PROPERTY INDEX