```
31-Oct-2022 13:09:14 {WMEDLEY}<library>SAMEDIR.;4
 File created:
  changes to:
                (FNS CHECKSAMEDIR HOST&DIRECTORYFIELD)
previous date:
                25-Apr-2022 09:23:16 {WMEDLEY}<library>SAMEDIR.;3
 Read Table:
                INTERLISP
    Package:
                INTERLISP
       Format:
                 XCCS
"; Copyright (c) 1982, 1984-1987, 1990, 2018, 2020 by Venue & Xerox Corporation.
(RPAQQ SAMEDIRCOMS
        ((FNS CHECKSAMEDIR HOST&DIRECTORYFIELD)
         (INITVARS (SAMEDIRWAIT 10)
(SAMEDIRDEFAULT 'O))
         (ADDVARS [MAKEFILEFORMS (OR (NLSETQ (CHECKSAMEDIR FILE))
                                          (RETFROM 'MAKEFILE]
                 (MIGRATIONS))
         (GLOBALVARS MIGRATIONS)))
(DEFINEO
(CHECKSAMEDIR
                                                                           ; Edited 31-Oct-2022 13:08 by rmk
; Edited 25-Apr-2022 09:16 by rmk
  [LAMBDA (FILE)
                                                                           ; Edited 1-Sep-2020 11:40 by rmk:
    ;; Check (a) that we are writing FILE to the same directory we last read/wrote it and (b) that a version newer than the current one has not since
    ;; appeared.
     ;; OKHOST/DIRS is a list of places it's OK for the file to be winding up, so if your'e migrating code from one place ot another, you can do it
    ;; gracefully.
    [RESETSAVE (DIRECTORYNAME T)
                                                                           ; Assumes that MAKEFILE has RESETLST
             (PROGN (CNDIR OLDVALUE)
     (PROG ((*UPPER-CASE-FILE-NAMES* NIL)
             (DATES (GET (SETQ FILE (ROOTFILENAME FILE))
'FILEDATES))
            HOST/DIR HOST DIR NEWV OKHOST/DIRS)
      AGAIN
            (OR (LISTP DATES)
                                                                           ; RMK: Use HOST&DIRECTORYFIELD to canonicalize both file
                (RETURN))
                                                                            and connected directory
           [SETQ OKHOST/DIRS (CONS (SETQ HOST/DIR (HOST&DIRECTORYFIELD (DIRECTORYNAME T)))
                                        (MKLIST (CDR (OR (ASSOC HOST/DIR MIGRATIONS :TEST 'STRING-EQUAL)
                                                            (ASSOC
                                                                   (TRUEFILENAME HOST/DIR)
                                                                   MIGRATIONS : TEST 'STRING-EQUAL)
                                                            (ASSOC (PSEUDOFILENAME HOST/DIR)
                                                                   MIGRATIONS : TEST 'STRING-EQUAL]
            (COND
               ([for oldfile in dates bind host dir never (or (cl:member (HOST&DIRECTORYFIELD (cdr oldfile))
                                                                           OKHOST/DIRS : TEST 'STRING-EQUA
                                                                    (CL: MEMBER (TRUEFILENAME (HOST&DIRECTORYFIELD
                                                                                                  (CDR OLDFILE)))
                                                                           OKHOST/DIRS : TEST 'STRING-EQUAL
                                                                    (CL:MEMBER (PSEUDOFILENAME (HOST&DIRECTORYFIELD
                                                                                                    (CDR OLDFILE)))
                                                                           OKHOST/DIRS :TEST 'STRING-EQUAL]
                ;; The file is going somewhere it has never been before.
                ;; Check that that is really what the user wants.
                (SELECTQ (ASKUSER SAMEDIRWAIT SAMEDIRDEFAULT (LIST "You haven't loaded or written" FILE "in your connected directory" HOST/DIR "-- write it out
                                                                            anyway")
                                   '[[O , (CONCAT "Oops! Make file on
                                                                              (SETQ HOST/DIR (HOST&DIRECTORYFIELD
                                                                                                 (CDAR DATES]
                                      (C "Make file on other directory: ")
                                        , (CONCAT "Yes, write it here")
                                         (CHARACTER (CHARCODE EOL)))
                                        (CONCAT "No, abort MAKEFILE")
(CHARACTER (CHARCODE EOL]
                                   NIL NIL '(NOECHOFLG T))
                      (Y (RETURN))
                      (N (ERROR!))
                      (C (SETO HOST/DIR))
                        (TERPRI T))
                      (0
                     (SHOULDNT))
                [NLSETQ (CNDIR (OR HOST/DIR (READ T T]
                (GO AGAIN))
               ([AND [SETQ NEWV (INFILEP (PACKFILENAME.STRING 'VERSION NIL 'BODY (CDAR DATES]
                      (NOT (STRING-EQUAL NEWV (CDAR DATES]
                ;; A newer version appeared while the user was editing this file.
```

(PUTPROPS **SAMEDIR COPYRIGHT** ("Venue & Xerox Corporation" 1982 1984 1985 1986 1987 1990 2018 2020))

(GLOBALVARS MIGRATIONS)

{MEDLEY}library>SAMEDIR.;1 28-Jun-2024 18:34:03 -- Listed on 30-Jun-2024 13:13:22 --

FUNCTION INDEX	
CHECKSAMEDIR1	HOST&DIRECTORYFIELD
VARIABLE INDEX	
MAKEFILEFORMS2 MIGRATIONS2	SAMEDIRDEFAULT