```
7-Oct-2021 14:29:56 {DSK}<Users>kaplan>Local>medley3.5>git-medley>sources>DEXEC.;4
 File created:
  changes to:
                (FNS SEE* COPYALLBYTES)
               13-Aug-2020 12:36:18 {DSK}<Users>kaplan>Local>medley3.5>git-medley>sources>DEXEC.;1
previous date:
 Read Table:
               INTERLISP
    Package:
               INTERLISP
       Format:
                 XCCS
;; Copyright (c) 1982-1986, 1990, 2018, 2020-2021 by Venue & Xerox Co
;; The following program was created in 1982 but has not been published
 Copyright (c) 1982-1986, 1990, 2018, 2020-2021 by Venue & Xerox Corporation.
;; within the meaning of the copyright law, is furnished under license,
;; and may not be used, copied and/or disclosed except in accordance
;; with the terms of said license.
(RPAQQ DEXECCOMS
::: Has to come after ADISPLAY and CMLEXEC.
         (COMMANDS "see" "see*" "ty" "type")
(INITVARS (/LAST.CONNECTED.DIRECTORY LOGINHOST/DIR))
         (LISPXMACROS CONN DA)
         (FNS /CNDIR COPYALLBYTES SEE SEE*)
         (COMS (CURSORS SAVINGCURSOR SYSOUTCURSOR \PROMPTFORWORD.CURSOR))
         (PROP FILETYPE DEXEC)
         [DECLARE%: DONTEVAL@LOAD DOCOPY (P (MOVD 'SEE 'TY]
         (DECLARE%: DONTEVAL@LOAD DOEVAL@COMPILE DONTCOPY COMPILERVARS (ADDVARS (NLAMA SEE* SEE)
                                                                                       (NLAML)
                                                                                       (LAMA])
;;; Has to come after ADISPLAY and CMLEXEC.
(DEFCOMMAND "see" (&REST ARGS) "Print the contents of a file on the screen, hiding comments"
   (APPLY 'SEE ARGS))
(DEFCOMMAND "see*" (&REST ARGS) "Print the contents of a file on the screen"
   (APPLY 'SEE* ARGS))
(DEFCOMMAND "ty" (&REST ARGS) "Print the contents of a file on the screen, hiding comments"
   (APPLY 'SEE ARGS))
(DEFCOMMAND "type" (&REST ARGS) "Print the contents of a file on the screen, hiding comments"
   (APPLY 'SEE ARGS))
(RPAQ? /LAST.CONNECTED.DIRECTORY LOGINHOST/DIR)
(ADDTOVAR LISPXHISTORYMACROS (DA (PROGN (LISPXPRIN1 (DATE)
                                               (TERPRI T))))
(ADDTOVAR LISPXMACROS [CONN (/CNDIR (CAR (NLAMBDA.ARGS LISPXLINE])
(ADDTOVAR LISPXCOMS CONN DA)
(DEFINEQ
(/CNDIR
  [LAMBDA (HOST/DIR)
                                                                         ; Edited 13-Aug-2020 12:31 by rmk:
    ;; RMK: August 2020, added - ala Unix
    (AND LISPXHIST (UNDOSAVE (LIST '/CNDIR (DIRECTORYNAME T T))
    (CL:WHEN (EQ HOST/DIR '-)
            (SETQ HOST/DIR /LAST.CONNECTED.DIRECTORY))
    (/SET '/LAST.CONNECTED.DIRECTORY (DIRECTORYNAME T T))
    (CNDIR HOST/DIR])
(COPYALLBYTES
                                                                         ; Edited 7-Oct-2021 13:15 by rmk:
  [LAMBDA (FROMFILE TOFILE BYTESIZE FORMAT)
                                                                         (* bvm%: "29-Jan-86 19:50")
    ;; RMK: Removed PFDEFAULT arg to PFCOPYBYTES. Probably should remove BYTESIZE test
    (RESETLST
         [PROG (INF OUTF PTR)
                [COND
```

```
(FROMFILE [RESETSAVE NIL (LIST 'CLOSEF (SETQ INF (OPENSTREAM FROMFILE 'INPUT NIL
                                                                                '((EXTERNALFORMAT , FORMAT))
                                                                               BYTESIZE]
                          (OR (EQ (GETFILEPTR INF)
                                   0)
                              (SETFILEPTR INF 0)))
                   (T (SETQ INF (INPUT)
                                                                      (* close the files only if I opened them)
               [COND
                  ((NULL TOFILE)
                    (SETQ OUTF (OUTPUT)))
                   ([NULL (SETQ OUTF (OPENP TOFILE 'OUTPUT]
                    (RESETSAVE NIL (LIST 'CLOSEF (SETQ OUTF (OPENSTREAM TOFILE 'OUTPUT NIL BYTESIZE]
               (COND
                  ((AND (NULL BYTESIZE)
                         (DISPLAYP OUTF))
                  (PFCOPYBYTES INF OUTF))
(T (COPYBYTES INF OUTF])])
(SEE
  [NLAMBDA LINE
                                                                      (* lmm "14-Aug-84 19:07")
    (SETQ LINE (NLAMBDA.ARGS LINE))
(COPYALLBYTES (CAR LINE)
            (OR (CADR LINE)
                T)
            (CADDR LINE])
(SEE*
                                                                      ; Edited 7-Oct-2021 14:29 by rmk:
  [NLAMBDA LINE
    ;; RMK: RESETVARS because **COMMENT**FLG is global
    (SETQ LINE (NLAMBDA.ARGS LINE))
    (RESETVARS (**COMMENT**FLG)
                (APPLY (FUNCTION SEE)
                       LINE])
)
(RPAQ SAVINGCURSOR (CURSORCREATE '5AU-
                              'NIL 0 15))
(RPAQ SYSOUTCURSOR (CURSORCREATE ' = Y =
                                       OUT
                              'NIL 0 15))
(RPAQ \PROMPTFORWORD.CURSOR (CURSORCREATE '
                                         'NIL 0 15))
(PUTPROPS DEXEC FILETYPE CL:COMPILE-FILE)
(DECLARE%: DONTEVAL@LOAD DOCOPY
(MOVD 'SEE 'TY)
(DECLARE%: DONTEVAL@LOAD DOEVAL@COMPILE DONTCOPY COMPILERVARS
(ADDTOVAR NLAMA SEE* SEE)
(ADDTOVAR NLAML )
(ADDTOVAR LAMA )
(PUTPROPS DEXEC COPYRIGHT ("Venue & Xerox Corporation" T 1982 1983 1984 1985 1986 1990 2018 2020 2021))
```

{MEDLEY}<sources>DEXEC.;1 28-Jun-2024 18:34:03 -- Listed on 30-Jun-2024 13:15:41 --

	FUNCTION INDEX	
/CNDIR 1 COPYALLBY	YTES1 SEE	2 SEE*2
	VARIABLE INDEX	
/LAST.CONNECTED.DIRECTORY1 LISPXCOMS1 LISPXHISTORYMACROS1		\PROMPTFORWORD.CURSOR2
	COMMAND INDEX	
"see" "see*" .	1 "ty"	1 "type"
	PROPERTY INDEX	
DEXEC2		