```
4-Dec-2023 21:06:15 {WMEDLEY}spusers>EDITKEYS.;6
 File created:
      edit by:
               rmk
  changes to:
               (VARS EDITKEYSCOMS)
previous date:
               25-Oct-2022 10:58:27 {WMEDLEY}spusers>EDITKEYS.;5
 Read Table:
               INTERLISP
    Package:
               INTERLISP
      Format:
                XCCS
(RPAQQ EDITKEYSCOMS
        ((VARS KEY.TEMPLATE)
         (FNS BUILDFNKEYS KEY.BITMAP)
                                                                      ; could have (STRIKEOUT
                                                                      ; RMK: Removed (HELP HELP)
            (BUILDFNKEYS '((BOLD BOLD)
                            (ITALICS ITALICS)
                            (CASE CASE)
                            (STRIKEOUT (STRIKE- OUT))
                            (UNDERLINE (UNDER- LINE))
                            (SUPERSCRIPT (SUPER/ SUB))
                            (LARGER (LARGER SMALLER))
                            (DEFAULTS DEFAULTS)
                            (CENTER JUSTIFY)
                            (AGAIN REDO))
                   '(Tedit Keys)
                   1))))
(RPAQO KEY.TEMPLATE
(DEFINEO
(BUILDFNKEYS
  [LAMBDA (KEYS TITLE NROWS)
    ;; Edited 20-Jul-2022 08:40 by rmk: BKSYSBUF only if the TTY is TEDIT, change title to Tedit Keys, expand with left button. Move with
    ;; background menu
    ;; Edited 20-Jul-2022 07:56 by rmk
                                                                      (* lmm " 5-Nov-85 15:35")
    (LET
     (ICONWINDOW)
     [SETQ ICONWINDOW (SHRINKW
        (ADDMENU
         [create MENU
                ITEMS
                [for KEY in KEYS
                   collect (LIST (KEY.BITMAP (CADR KEY))
                                 (LET [(KEYN (OR (SMALLP (CAR KEY))
                                                  (\KEYNAMETONUMBER (CAR KEY]
                                      (for LST in (LIST \DOVEKEYACTIONS \DLIONKEYACTIONS \ORIGKEYACTIONS)
                                         do (AND [SETQ $$VAL (for KEY in LST
                                                                  when (EQ (OR (SMALLP (CAR KEY))
                                                                                 (\KEYNAMETONUMBER (CAR KEY)))
                                                                            KEYN)
                                                                  do (RETURN (CADR KEY]
                                                  (RETURN (LIST (OR
                                                                      (SMALLP (CAR $$VAL))
                                                                      (CHARCODE.DECODE (CAR $$VAL)))
                                                                 (OR
                                                                      (SMALLP (CADR $$VAL))
                                                                      (CHARCODE.DECODE (CADR $$VAL]
                        (SUBSTRING TITLE 2 -2)
                MENUROWS _ NROWS
                WHENSELECTEDFN _ (FUNCTION (LAMBDA (X)
                                                (CL:WHEN (EQ '\TEDIT.PROCENTRYFN (FETCH (PROCESS PROCTTYENTRYFN)
                                                                                      OF (TTY.PROCESS)))
                                                    [BKSYSCHARCODE (if (SHIFTDOWNP 'SHIFT)
                                                                        then (CADR (CADR X))
                                                                      else (CAR (CADR X])]
        NIL
         (create POSITION
                XCOORD _ (PLUS (DIFFERENCE (QUOTIENT SCREENWIDTH 2)
                                        (QUOTIENT (TIMES (BITMAPWIDTH KEY.TEMPLATE)
                                                          (LENGTH KEYS))
                                               2))
                                (TIMES 2 WBorder))
                YCOORD _ 0))
        (KEY.BITMAP TITLE)
        (0 . 01
     [WINDOWPROP ICONWINDOW 'BUTTONEVENTFN (FUNCTION (LAMBDA (ICONW)
```

(CASE CASE)

'(Tedit Keys)

1)

(STRIKEOUT (STRIKE- OUT))
(UNDERLINE (UNDER- LINE))
(SUPERSCRIPT (SUPER/ SUB))
(LARGER (LARGER SMALLER))
(DEFAULTS DEFAULTS)
(CENTER JUSTIFY)
(AGAIN REDO))

(CL:WHEN (LASTMOUSESTATE (OR LEFT MIDDLE)) (CURSOR (PROG1 (CURSOR WAITINGCURSOR) (EXPANDW ICONW))))] ICONWINDOW]) (KEY.BITMAP [LAMBDA (X) (* lmm " 5-Nov-85 14:04") (PROG ((BITMAP (BITMAPCOPY KEY.TEMPLATE)) DS QUARTER REGION) (SETQ DS (DSPCREATE BITMAP)) (DSPFONT MENUFONT DS) (COND ((LISTP X) (* this is supposed to have two labels, one on top of the other) (SETQ QUARTER (IQUOTIENT (BITMAPHEIGHT BITMAP) 4)) (CENTERPRINTINREGION (CADR X) (SETQ REGION (Create REGION BOTTOM _ QUARTER
WIDTH _ (BITMAPWIDTH BITMAP) ${\tt HEIGHT} \ _ \ {\tt QUARTER})$) DS) (replace BOTTOM of REGION with (ITIMES 2 QUARTER)) (CENTERPRINTINREGION (CAR X) REGION DS)) (T (CENTERPRINTINREGION X (Create REGION LEFT _ 0 BOTTOM _ 0
WIDTH _ (BITMAPWIDTH BITMAP)
HEIGHT _ (BITMAPHEIGHT BITMAP)) DS))) (RETURN BITMAP]) ;; could have (STRIKEOUT) ;; RMK: Removed (HELP HELP) (BUILDFNKEYS '((BOLD BOLD) (ITALICS ITALICS)

{MEDLEY}<lispusers>EDITKEYS.;1 28-Jun-2024 18:34:03 -- Listed on 30-Jun-2024 13:14:05 --

FUNCTION INDEX			
BUILDFNKEYS	1	KEY.BITMAP	2
VARIABLE INDEX			
KEY.TEMPLATE	1		