```
7-Apr-2024 09:25:49 {WMEDLEY}<doctools>IMINDEX.;6
 File created:
      edit by:
  changes to:
               (FNS TM. INDEX. PUTEN TM. INDEX. GETEN)
previous date:
                4-Apr-2024 23:17:47 {WMEDLEY} < doctools > IMINDEX.;5
 Read Table:
               INTERLISP
   Package:
               INTERLISP
      Format:
                XCCS
(RPAQQ IMINDEXCOMS
        ;; this file contains the functions used for creating and manipulating index image objects
         (FNS IM.INDEX.CLOSEF IM.INDEX.COPYFN IM.INDEX.CREATEOBJ IM.INDEX.DISPLAY.STRING IM.INDEX.DISPLAYFN
              IM.INDEX.EDIT IM.INDEX.LIST.FROM.STRING IM.INDEX.SIZEFN IM.INDEX.STRING.FROM.LIST IM.INDEX.PUTFN
              IM.INDEX.GETFN IM.INDEX.BUTTONEVENTFN)
         (FNS IM.INDEX.INIT)
         (FNS IM.INDEX.MENU IM.INDEX.MENU.WHENSELECTEDFN IM.INDEX.OBJ.FREEMENU.SELECTEDFN)
         (INITVARS (IM.INDEX.OBJECT.IMAGEFNS NIL)
                (IM.CHAP.OBJECT.IMAGEFNS NIL)
                (IM.INDEX.BUTTONEVENTFN.MENU NIL)
                [IM.INDEX.OBJECT.DISPLAY.FONT (FONTCREATE '(MODERN 8 MRR 0 DISPLAY]
                (IM.INDEX.DEFAULT.SUBSEC))
         (RECORDS IM. INDEX. DATA)
         (VARS IM.INDEX.OBJ.FREEMENU.SPECS)
         (COMS
                                                                      ; An image object to set the chapter number, on the TEXTOBJ's
                                                                       proplist, on the INDEXING-CHAPTER property.
               (FNS IM.CHAP.COPYFN IM.CHAP.CREATEOBJ IM.CHAP.DISPLAYFN IM.CHAP.SIZEFN IM.CHAP.PUTFN IM.CHAP.GETFN
                    IM.CHAP.BUTTONEVENTFN))
         (P (IM.INDEX.INIT))))
;; this file contains the functions used for creating and manipulating index image objects
(DEFINEQ
(IM.INDEX.CLOSEF
                                                                       Edited 4-Apr-2024 22:51 by rmk
  [LAMBDA (TEXTSTREAM)
                                                                      (* mjs " 4-Aug-86 17:02")
;;; Closes the IMINDEX pointer file associated with the textstream TEXTSTREAM. This is called by means of advice to TEDIT.HARDCOPY.
    (PROG [(PTRFILE (TEXTPROP TEXTSTREAM 'IM. INDEX.PTRFILE]
           (if (AND PTRFILE (OPENP PTRFILE))
               then (printout PROMPTWINDOW "Closing index pointer file: " (FULLNAME PTRFILE)
                    (CLOSEF PTRFILE)
                    (printout PROMPTWINDOW "done" T])
(IM.INDEX.COPYFN
          (OBJ SOURCE TARGET)
                                                                      (* mjs " 4-Aug-86 16:29")
    (IM.INDEX.CREATEOBJ (COPYALL (IMAGEOBJPROP OBJ 'OBJECTDATUM])
(IM.INDEX.CREATEOBJ
                                                                      (* mjs " 8-Aug-86 14:46")
  [LAMBDA (DATA)
    (IMAGEOBJCREATE (if (type? IM.INDEX.DATA DATA)
                          then DATA
                       else (create IM.INDEX.DATA))
            (if IM.INDEX.OBJECT.IMAGEFNS
              else (SETQ IM.INDEX.OBJECT.IMAGEFNS (IMAGEFNSCREATE (FUNCTION IM.INDEX.DISPLAYFN)
                                                            (FUNCTION IM. INDEX. SIZEFN)
                                                            (FUNCTION IM.INDEX.PUTFN)
                                                             (FUNCTION IM. INDEX. GETFN)
                                                            (FUNCTION IM. INDEX. COPYFN)
                                                            (FUNCTION IM. INDEX. BUTTONEVENTFN)
                                                            NILL
                                                            'NILL
                                                            'NILL
                                                            'NILL
                                                            'NILL
                                                            'NILL
                                                            'NILL
                                                            'IM.INDEX.OBJECT])
(IM.INDEX.DISPLAY.STRING
                                                                       (* mjs " 5-Aug-86 12:29")
  [LAMBDA (OBJ)
          [(NAM (fetch (IM.INDEX.DATA NAME) of (IMAGEOBJPROP OBJ 'OBJECTDATUM]
    (PROG
           (RETURN (if (ILESSP (NCHARS NAM)
                              10)
                        then NAM
                     else (CONCAT (SUBATOM NAM 1 7)
```

′ | . . . |]

```
(IM.INDEX.DISPLAYFN
   [LAMBDA (OBJ STREAM STREAMTYPE HOSTSTREAM)
                                                                                 ; Edited 4-Apr-2024 23:17 by rmk
                                                                                 ; Edited 8-Dec-91 15:12 by jds
     ;; only print index if you are going to display
         ((DISPLAYSTREAMP STREAM)
          ;; display index by printing name with box around it <code stolen from HELPSYS>
          (DSPFONT IM. INDEX. OBJECT. DISPLAY. FONT STREAM)
          (LET* ((STRING (IM.INDEX.DISPLAY.STRING OBJ))
                   (STRING.REGION (STRINGREGION STRING STREAM))
                   (LEFT (ADD1 (fetch (REGION LEFT) of STRING.REGION)))
                   (BOTTOM (ADD1 (fetch (REGION BOTTOM) of STRING.REGION)))
                   (REGION (create REGION
                                     LEFT _ LEFT
BOTTOM _ BOTTOM
                                     HEIGHT _ (IPLUS (fetch (REGION HEIGHT) of STRING.REGION)
                                     WIDTH _ (IPLUS (fetch (REGION WIDTH) of STRING.REGION)
                                                        4)))
                   (TOP (fetch (REGION TOP) of REGION))
                   (RIGHT (fetch (REGION RIGHT) of REGION)))
                  (CENTERPRINTINREGION STRING REGION STREAM)
                  (DRAWLINE LEFT BOTTOM LEFT (SUB1 TOP)
                 'INVERT STREAM)
(DRAWLINE LEFT TOP (SUB1 RIGHT)
TOP 1 'INVERT STREAM)
                  (DRAWLINE RIGHT TOP RIGHT (ADD1 BOTTOM)
                          1
'INVERT STREAM)
                  (DRAWLINE RIGHT BOTTOM (ADD1 LEFT)
BOTTOM 1 'INVERT STREAM)
                  (IMAGEOBJPROP OBJ 'REGION REGION)))
                (BOUNDP 'TEXTOBJ)
                (TYPENAMEP (SETQ HOSTSTREAM TEXTOBJ)
                         'TEXTOBJ))
;;; note: have to reset HOSTSTREAM above because Koto Tedit doesn't pass HOSTSTREAM to imageobj displayfn.
          (PROG ((*READTABLE* *TEDIT-FILE-READTABLE*)
                  PTRFILE PTRFILENAME TXTFILE)
           ;; RMK: THIS SHOULD REALLY SAVE THE OPENSTREAM, NOT DEPEND ON ATOMIC FILENAME
                  (SETQ PTRFILE (TEXTPROP HOSTSTREAM 'IM.INDEX.PTRFILE))
                  (CL:UNLESS (AND PTRFILE (OPENP PTRFILE))
                       (SETO PTRFILENAME (TEXTPROP HOSTSTREAM 'IM. INDEX.PTRFILENAME))
                       (CL:UNLESS PTRFILENAME
                            (SETQ TXTFILE (fetch (TEXTOBJ TXTFILE) of (TEXTOBJ HOSTSTREAM)))
                            [SETQ PTRFILENAME (PACKFILENAME 'EXTENSION 'IMPTR 'VERSION NIL 'BODY (COND
                                                                                                                      (TXTFILE
                                                                                                                       (FULLNAME TXTFILE
                                                                                                                      (T 'NONAME])
                      (SETQ PTRFILENAME (PACKFILENAME 'BODY PTRFILENAME 'BODY (DIRECTORYNAME T)))
(printout PROMPTWINDOW "Opening index pointer file: " PTRFILENAME "...")
(SETQ PTRFILE (OPENSTREAM PTRFILENAME 'OUTPUT 'NEW))
(printout PROMPTWINDOW "done" T)
                  (TEXTPROP HOSTSTREAM 'IM.INDEX.PTRFILE PTRFILE)
(TEXTPROP HOSTSTREAM 'AFTERHARDCOPYFN (FUNCTION IM.INDEX.CLOSEF)))
(replace (IM.INDEX.DATA PAGE#) of (IMAGEOBJPROP OBJ 'OBJECTDATUM) with (fetch (PAGEFORMATTINGSTATE
                                                                                                                PAGE#)
                                                                                                           of formattingstate))
           ;; (OR (FETCH (IM.INDEX.DATA SUBSEC) OF (IMAGEOBJPROP OBJ 'OBJECTDATUM)) (REPLACE (IM.INDEX.DATA SUBSEC) OF
           :: (IMAGEOBJPROP OBJ 'OBJECTDATUM) WITH (LIST (TEXTPROP HOSTSTREAM 'INDEXING-CHAPTER)))
           ;; for now, always set the chapter/subsection from the document:
                  [REPLACE (IM.INDEX.DATA SUBSEC) OF (IMAGEOBJPROP OBJ 'OBJECTDATUM)
                     WITH (LIST (TEXTPROP HOSTSTREAM 'INDEXING-CHAPTER]
                  (PRIN4 (IMAGEOBJPROP OBJ 'OBJECTDATUM)
                          PTRFILE)
                  (TERPRI PTRFILE])
(IM.INDEX.EDIT
   [LAMBDA (OBJ TEXTSTREAM)
                                                                                 ; Edited 18-Jul-88 14:10 by burns
     (PROG* ((W (FREEMENU IM.INDEX.OBJ.FREEMENU.SPECS))
               (REGION (WINDOWREGION W))
               [TEDIT.WINDOW (CAR (fetch \WINDOW of (TEXTOBJ TEXTSTREAM] (TEDIT.REGION (AND TEDIT.WINDOW (WINDOWREGION TEDIT.WINDOW)))
               OBJ.DATA OBJ.DATA.PROPLIST)
              (WINDOWPROP W 'IM.INDEX.OBJ OBJ)
(WINDOWPROP W 'IM.INDEX.TEXTSTREAM TEXTSTREAM)
```

```
(SETQ OBJ.DATA (IMAGEOBJPROP OBJ 'OBJECTDATUM))
            (SETQ OBJ.DATA.PROPLIST (fetch (IM.INDEX.DATA PROPLIST) of OBJ.DATA))
            (for item in (Windowprop W 'fm.items) when (EQ (fm.itemprop item 'type) 'EDIT)
              do (FM.CHANGESTATE ITEM (with IM.INDEX.DATA OBJ.DATA (SELECTQ (FM.ITEMPROP ITEM 'ID)
                                                                            (IM.INDEX.NAME
                                                                                 NAME)
                                                                            (IM. INDEX. TYPE
                                                                                 (IM.INDEX.STRING.FROM.LIST TYPE))
                                                                            (IM. INDEX.TEXT
                                                                                 SAV)
                                                                            (IM. INDEX. INFO
                                                                                 (IM.INDEX.STRING.FROM.LIST INFO))
                                                                            (IM. INDEX
                                                                                 (IM.INDEX.STRING.FROM.LIST SUBSEC))
                                                                            (IM. INDEX.PAGE
                                                                                 PAGE#)
                                                                            (IM.INDEX.SUBNAME
                                                                                 (LISTGET OBJ.DATA.PROPLIST
                                                                                        'SUBNAME))
                                                                            (IM. INDEX. SUBTYPE
                                                                                 (IM.INDEX.STRING.FROM.LIST
                                                                                  (LISTGET OBJ.DATA.PROPLIST
                                                                                          'SUBTYPE)))
                                                                            (IM.INDEX.SUBTEXT
                                                                                 (LISTGET OBJ.DATA.PROPLIST 'SUBTEXT))
                                                                            (IM. INDEX. SUBSUBNAME
                                                                                 (LISTGET OBJ.DATA.PROPLIST 'SUBSUBNAME))
                                                                            (IM.INDEX.SUBSUBTYPE
                                                                                 (IM.INDEX.STRING.FROM.LIST
                                                                                  (LISTGET OBJ.DATA.PROPLIST
                                                                                         'SUBSUBTYPE)))
                                                                            (IM.INDEX.SUBSUBTEXT
                                                                                (LISTGET OBJ.DATA.PROPLIST
                                                                                        'SUBSUBTEXT))
            (AND TEDIT.WINDOW (MOVEW W (MAX (- (fetch (REGION LEFT) of TEDIT.REGION)
                                                 (fetch (REGION WIDTH) of REGION))
                                       (MAX (- (fetch (REGION TOP) of TEDIT.REGION)
                                               (fetch (REGION HEIGHT) of REGION))
                                            0)))
           (OPENW W])
(IM.INDEX.LIST.FROM.STRING
                                                                     (* mjs " 6-Aug-86 08:21")
  [LAMBDA (STR)
    (if (OR (EQUAL STR "")
           (EQUAL STR NIL))
        then NIL
      else (PROG ((ELIST NIL)
                  (CLIST NIL)
                 [for N from 1 to (NCHARS STR) do (SETO C (NTHCHARCODE STR N))
                                                   (if (FMEMB C (CHARCODE (SP TAB CR)))
                                                       then (if CLIST
                                                                then (SETQ ELIST (CONS (PACKC (DREVERSE CLIST))
                                                                                         ELIST))
                                                                      (SETQ CLIST NIL))
                                                     else (SETQ CLIST (CONS C CLIST]
                 (RETURN (DREVERSE (if CLIST
                                        then (CONS (PACKC (DREVERSE CLIST))
                                                    ELIST)
                                      else ELIST])
(IM.INDEX.SIZEFN
  [LAMBDA (OBJ STREAM CURX RIGHTMARGIN)
                                                                     (* mjs " 5-Aug-86 14:49")
    (if (DISPLAYSTREAMP STREAM)
        then (create IMAGEBOX
                    XSIZE _ (IPLUS (STRINGWIDTH (IM.INDEX.DISPLAY.STRING OBJ)
                                            IM.INDEX.OBJECT.DISPLAY.FONT)
                    YSIZE _ (IPLUS (FONTPROP IM.INDEX.OBJECT.DISPLAY.FONT 'HEIGHT)
                                     4)
                    YDESC _ (FONTPROP IM.INDEX.OBJECT.DISPLAY.FONT 'DESCENT)
                    XKERN _ 0)
      else (create IMAGEBOX
                  XSIZE _ 0
                  YSIZE _ 0
                  YDESC _ 0
XKERN _ 0])
```

```
(IM.INDEX.STRING.FROM.LIST
  [LAMBDA (LST)
                                                                      (* mjs " 5-Aug-86 16:50")
    (if (NULL LST)
        then ""
      else (CONCATLIST (CDR (for X in LST join (LIST " " X])
(IM.INDEX.PUTFN
  [LAMBDA (OBJ STREAM)
                                                                      ; Edited 7-Apr-2024 09:14 by rmk
                                                                      ; Edited 7-Apr-87 18:44 by jds
    (PRIN4 (IMAGEOBJPROP OBJ 'OBJECTDATUM)
            (FIND-READTABLE "OLD-INTERLISP-FILE"))
(IM.INDEX.GETFN
                                                                      ; Edited 7-Apr-2024 09:14 by rmk
  [LAMBDA (FILE TEXTSTREAM)
                                                                      (* mjs " 4-Aug-86 16:26")
    (IM.INDEX.CREATEOBJ (READ FILE (FIND-READTABLE "OLD-INTERLISP-FILE"])
(IM.INDEX.BUTTONEVENTFN
  [LAMBDA (OBJ WINDOWSTREAM SEL RELX RELY WIN HOSTSTREAM BUTTON) (* mjs " 8-Aug-86 15:23")
    (COND
       ([MENU (COND
                  (IM. INDEX.BUTTONEVENTFN.MENU)
                  (T (SETQ IM.INDEX.BUTTONEVENTFN.MENU (create MENU
                                                                  ITEMS _ '((Edit% Index 'Edit% Index "Selecting this
                                                                                     item will create a window editing
                                                                                     the contents of this index image
                                                                                     object."))
                                                                  MENUOFFSET _ (CREATEPOSITION -5 -5]
        (IM.INDEX.EDIT OBJ HOSTSTREAM])
(DEFINEQ
(IM.INDEX.INIT
  [LAMBDA NIL
                                                                      ; Edited 8-Dec-91 14:40 by jds
    ;; Set up the IMAGEFNS for index objects, so that TEdit will know about them.
       ((NOT IM.INDEX.OBJECT.IMAGEFNS)
        (SETQ IM.INDEX.OBJECT.IMAGEFNS (IMAGEFNSCREATE (FUNCTION IM.INDEX.DISPLAYFN)
                                                  (FUNCTION IM. INDEX. SIZEFN)
                                                  (FUNCTION IM. INDEX. PUTFN)
                                                  (FUNCTION IM. INDEX.GETFN)
                                                  (FUNCTION IM. INDEX. COPYFN)
                                                  (FUNCTION IM. INDEX. BUTTONEVENTEN)
                                                  NILL
                                                  'NILL
                                                  'NTT.T.
                                                  'NILL
                                                  'NILL
                                                  'NILL
                                                  'NILL
                                                  'IM.INDEX.OBJECT]
    (COND
       ((NOT IM.CHAP.OBJECT.IMAGEFNS)
        (SETQ IM.CHAP.OBJECT.IMAGEFNS (IMAGEFNSCREATE (FUNCTION IM.CHAP.DISPLAYFN)
                                                 (FUNCTION IM.CHAP.SIZEFN)
                                                 (FUNCTION IM.CHAP.PUTFN)
                                                 (FUNCTION IM.CHAP.GETFN)
                                                 (FUNCTION IM.CHAP.COPYFN)
                                                 (FUNCTION IM. CHAP. BUTTONEVENTFN)
                                                 'NILL
                                                 'NILL
                                                 'NILL
                                                 'NILL
                                                 'NILL
                                                 'NILL
                                                'NILL
                                                 'IM.CHAP.OBJECT])
(DEFINEQ
(IM.INDEX.MENU
  [LAMBDA (WINDOW.OR.REGION)
                                                                      ; Edited 8-Dec-91 15:22 by jds
    (PROG (MENU MENUW)
           (SETO MENU (create MENU
                              ITEMS \_ ^{\prime} (("Index Selection as Term" NIL "Add an index object indexing the current
                                         selection as a term.") (>>Add% Type<< NIL "Prompts the user to specify an IM Index type, and adds
                                                it to the menu")
```

```
(|Set Chapter Number| NIL "Prompts you for the name or number of this
                                                chapter, then inserts an object to set the chapter number at
                                                hardcopy time.")
                                         (>>Close% Menu<< NIL "Closes this menu."))
                              WHENSELECTEDFN _ (FUNCTION IM.INDEX.MENU.WHENSELECTEDFN)
                              TITLE _ "IM Index menu"))
           (ADDMENU MENU NIL (COND
                                 ((REGIONP WINDOW.OR.REGION)
                                  (CREATEPOSITION (fetch (REGION LEFT) of WINDOW.OR.REGION)
                                          (fetch (REGION BOTTOM) of WINDOW.OR.REGION)))
                                 (T (GETBOXPOSITION (fetch (REGION WIDTH) of (MENUREGION MENU))
                                            (fetch (REGION HEIGHT) of (MENUREGION MENU))
                                            NIL NIL "Please specify the position of the IM Index menu"])
(IM.INDEX.MENU.WHENSELECTEDFN
  [LAMBDA (ITEM MENU MOUSEKEY)
                                                                     ; Edited 8-Dec-91 14:56 by jds
    ;; Handle requests from the INDEX MENU.
    (PROG* [(MENUW (WFROMMENU MENU))
             (DESTW (PROCESSPROP (TTY.PROCESS)
                           'WINDOW))
             (TEXTSTREAM (WINDOWPROP DESTW 'TEXTSTREAM]
            (SELECTQ (CAR ITEM)
                (>>Close% Menu<<
                     (CLOSEW MENUW))
                (>>Add% Type<<
                     [PROG ((WINDOW.REGION (WINDOWPROP MENUW 'REGION))
                            STR)
                            (CLEARW PROMPTWINDOW)
                            (SETQ STR (if (PROMPTFORWORD "IM Index Type: " NIL NIL PROMPTWINDOW NIL 'TTY
                                                 (CHARCODE (EOL)))
                                        else ""))
                            (CLOSEW MENUW)
                            (ADDMENU (create MENU
                                             ITEMS _ (CONS (LIST (CONCAT "Index Selection as " STR) (IM.INDEX.LIST.FROM.STRING STR))
                                                            (fetch (MENU ITEMS) of MENU))
                                             WHENSELECTEDFN _ (FUNCTION IM.INDEX.MENU.WHENSELECTEDFN)
                                             TITLE _ "IM Index menu")
                                   NIL
                                   (CREATEPOSITION (fetch (REGION LEFT) of WINDOW.REGION)
                                           (fetch (REGION BOTTOM) of WINDOW.REGION])
                (|Set Chapter Number|
                                        ;; Create a chapter-number image object, and insert at the caret in the edit stream.
                        [TEXTSTREAM (PROG* ((SEL (TEDIT.GETSEL TEXTSTREAM))
                                              (FIRSTCHAR (fetch (SELECTION CH#) of SEL))
                                              (AFTERLASTCHAR (fetch (SELECTION CHLIM) of SEL))
                                              (SELPOINT (fetch (SELECTION POINT) of SEL))
                                              (NAM NIL)
                                              OBJ)
                                             (SETQ OBJ (IM.CHAP.CREATEOBJ (TEDIT.GETINPUT TEXTSTREAM "Chapter
                                                                                     Number/Title:")))
                                                                     ; turn off any pending deletion
                                             (TEDIT.SETSEL TEXTSTREAM FIRSTCHAR (fetch (SELECTION DCH) of SEL)
                                                    SELPOINT NIL)
                                             (TEDIT.INSERT.OBJECT OBJ TEXTSTREAM (COND
                                                                                        ((EQ SELPOINT 'LEFT)
                                                                                        FIRSTCHAR)
                                                                                        (T AFTERLASTCHAR]
                        (T (printout PROMPTWINDOW "Current window is not a Tedit textstream." T))))
                (COND
                   [TEXTSTREAM (PROG* ((SEL (TEDIT.GETSEL TEXTSTREAM))
                                         (FIRSTCHAR (fetch (SELECTION CH#) of SEL))
                                          (AFTERLASTCHAR (fetch (SELECTION CHLIM) of SEL))
                                         (SELPOINT (fetch (SELECTION POINT) of SEL))
                                         (NAM NIL)
                                         OBJ)
                                        [SETQ NAM (CAR (NLSETQ (MKATOM (TEDIT.SEL.AS.STRING TEXTSTREAM SEL]
                                        [SETQ OBJ (IM.INDEX.CREATEOBJ (create IM.INDEX.DATA
                                                                                NAME _ (U-CASE NAM)
                                                                                TYPE _ (CAD
SAV _ (COND
                                                                                        (CADR ITEM)
                                                                                          ((U-CASEP NAM)
                                                                                           NIL)
                                                                                          (T NAM]
                                                                     ; turn off any pending deletion
                                        (TEDIT.SETSEL TEXTSTREAM FIRSTCHAR (fetch (SELECTION DCH) of SEL)
                                               SELPOINT NIL)
                                        (TEDIT.INSERT.OBJECT OBJ TEXTSTREAM (COND
                                                                                  ((EO SELPOINT 'LEFT)
                                                                                   FIRSTCHAR)
                                                                                  (T AFTERLASTCHAR)))
                                        (COND
                                            ((EQ MOUSEKEY 'MIDDLE)
(IM.INDEX.EDIT OBJ TEXTSTREAM]
```

(T (printout PROMPTWINDOW "Current window is not a Tedit textstream." T])

```
(IM.INDEX.OBJ.FREEMENU.SELECTEDFN
  [LAMBDA (ITEM WINDOW BUTTONS)
                                                                         ; Edited 18-Jul-88 14:14 by burns
    (SELECTQ (FM.ITEMPROP ITEM 'LABEL)
         (Close% Window
              (CLOSEW WINDOW))
         (Store% Props (PROG* [(STATE (FM.GETSTATE WINDOW))
                                   (OBJ (WINDOWPROP WINDOW 'IM.INDEX.OBJ))
                                   (TEXTSTREAM (WINDOWPROP WINDOW 'IM.INDEX.TEXTSTREAM))
                                   (OBJ.DATA (IMAGEOBJPROP OBJ 'OBJECTDATUM))
                                   (OBJ.DATA.PROPLIST (fetch (IM.INDEX.DATA PROPLIST) of OBJ.DATA))
(NAME.CHANGED (NEQ (fetch (IM.INDEX.DATA NAME) of OBJ.DATA)
                                                        (MKATOM (LISTGET STATE 'IM.INDEX.NAME]

OBJ.DATA [SETO NAME (MKATOM (LISTGET STATE 'IM.INDEX.NAME]
                                 [with IM.INDEX.DATA OBJ.DATA
                                        [SETQ TYPE (IM.INDEX.LIST.FROM.STRING (LISTGET STATE 'IM.INDEX.TYPE]
                                        [SETQ SAV (MKATOM (LISTGET STATE 'IM.INDEX.TEXT]
                                        [SETQ INFO (IM.INDEX.LIST.FROM.STRING (LISTGET STATE 'IM.INDEX.INFO
                                        [SETQ SUBSEC (SETQ IM.INDEX.DEFAULT.SUBSEC (IM.INDEX.LIST.FROM.STRING
                                                                                          (LISTGET STATE 'IM. INDEX. SUBSEC]
                                       [SETQ PAGE# (MKATOM (LISTGET STATE 'IM.INDEX.PAGE]
[SETQ PROPLIST (LIST 'SUBNAME (MKATOM (LISTGET STATE 'IM.INDEX.SUBNAME))
                                                                'SUBTYPE
                                                                (IM.INDEX.LIST.FROM.STRING (LISTGET STATE
                                                                                                     'IM.INDEX.SUBTYPE))
                                                                'SUBTEXT
                                                                (MKATOM (LISTGET STATE 'IM. INDEX. SUBTEXT))
                                                                'SUBSUBNAME
                                                                (MKATOM (LISTGET STATE 'IM. INDEX. SUBSUBNAME))
                                                                (IM.INDEX.LIST.FROM.STRING (LISTGET STATE
                                                                                                     'IM. INDEX. SUBSUBTYPE))
                                                                'SUBSUBTEXT
                                                                (MKATOM (LISTGET STATE 'IM. INDEX. SUBSUBTEXT]
                                        (SETQ PROPLIST (for X on PROPLIST by (CDDR X) when (CADR X)
                                                            join (LIST (CAR X)
                                                                        (CADR X1
                                  (if (AND NAME.CHANGED (TEXTSTREAMP TEXTSTREAM))
                                      then (TEDIT.OBJECT.CHANGED TEXTSTREAM OBJ))))
         NIL])
(RPAO? IM.INDEX.OBJECT.IMAGEFNS NIL)
(RPAQ? IM.CHAP.OBJECT.IMAGEFNS NIL)
(RPAQ? IM.INDEX.BUTTONEVENTFN.MENU NIL)
(RPAO? IM.INDEX.OBJECT.DISPLAY.FONT (FONTCREATE '(MODERN 8 MRR 0 DISPLAY)))
(RPAO? IM.INDEX.DEFAULT.SUBSEC )
(DECLARE%: EVAL@COMPILE
[RECORD IM.INDEX.DATA (NAME TYPE SAV INFO SUBSEC PAGE# . PROPLIST)
       SUBSEC _ IM.INDEX.DEFAULT.SUBSEC (TYPE? (AND (LISTP DATUM)
                                                            (IGEQ (LENGTH DATUM)
                                                                  61
(RPAQQ IM.INDEX.OBJ.FREEMENU.SPECS
       (((TYPE MOMENTARY LABEL Store% Props SELECTEDFN IM.INDEX.OBJ.FREEMENU.SELECTEDFN MESSAGE "Stores property
                 values in index image object")
          (TYPE MOMENTARY LABEL Close% Window SELECTEDFN IM.INDEX.OBJ.FREEMENU.SELECTEDFN MESSAGE "Closes IM
                index editor window"))
         ((TYPE DISPLAY LABEL " "))
         ((TYPE EDITSTART LABEL Name%: ITEMS (IM.INDEX.NAME))
          (TYPE EDIT ID IM. INDEX. NAME LABEL ""))
         ((TYPE EDITSTART LABEL | Type(): | ITEMS (IM.INDEX.TYPE))
          (TYPE EDIT ID IM. INDEX. TYPE LABEL ""))
         ((TYPE EDITSTART LABEL Text%: ITEMS (IM.INDEX.TEXT))
          (TYPE EDIT ID IM. INDEX. TEXT LABEL ""))
         ((TYPE EDITSTART LABEL | Info(): | ITEMS (IM.INDEX.INFO))
         (TYPE EDIT ID IM.INDEX.INFO LABEL ""))
((TYPE EDITSTART LABEL | SubSub(): | ITEMS (IM.INDEX.SUBSEC))
         (TYPE EDIT ID IM.INDEX.SUBSEC LABEL ""))
((TYPE EDITSTART LABEL Page#%: ITEMS (IM.INDEX.PAGE))
          (TYPE EDIT ID IM.INDEX.PAGE LABEL ""))
         ((TYPE EDITSTART LABEL SubName%: ITEMS (IM.INDEX.SUBNAME))
         (TYPE EDIT ID IM.INDEX.SUBNAME LABEL ""))
((TYPE EDITSTART LABEL | SubType(): | ITEMS (IM.INDEX.SUBTYPE))
          (TYPE EDIT ID IM.INDEX.SUBTYPE LABEL ""))
         ((TYPE EDITSTART LABEL SubText%: ITEMS (IM.INDEX.SUBTEXT))
(TYPE EDIT ID IM.INDEX.SUBTEXT LABEL ""))
         ((TYPE EDITSTART LABEL SubSubName%: ITEMS (IM.INDEX.SUBSUBNAME))
```

```
(TYPE EDIT ID IM.INDEX.SUBSUBNAME LABEL ""))
((TYPE EDITSTART LABEL | SubSubType(): | ITEMS (IM.INDEX.SUBSUBTYPE))
          (TYPE EDIT ID IM.INDEX.SUBSUBTYPE LABEL ""))
         ((TYPE EDITSTART LABEL SubSubText%: ITEMS (IM.INDEX.SUBSUBTEXT))
          (TYPE EDIT ID IM.INDEX.SUBSUBTEXT LABEL ""))))
:: An image object to set the chapter number, on the TEXTOBJ's proplist, on the INDEXING-CHAPTER property.
(DEFINEO
(IM.CHAP.COPYFN
                                                                      (* mjs " 4-Aug-86 16:29")
           (OBJ SOURCE TARGET)
    (IM.INDEX.CREATEOBJ (COPYALL (IMAGEOBJPROP OBJ 'OBJECTDATUM])
(IM.CHAP.CREATEOBJ
  [LAMBDA (DATA)
                                                                      ; Edited 8-Dec-91 14:40 by jds
    (IMAGEOBJCREATE DATA (if IM.CHAP.OBJECT.IMAGEFNS
                             else (SETQ IM.CHAP.OBJECT.IMAGEFNS (IMAGEFNSCREATE (FUNCTION IM.CHAP.DISPLAYFN)
                                                                          (FUNCTION IM.CHAP.SIZEFN)
                                                                           (FUNCTION IM.CHAP.PUTFN)
                                                                           (FUNCTION IM.CHAP.GETFN)
                                                                           (FUNCTION IM.CHAP.COPYFN)
                                                                           (FUNCTION IM.CHAP.BUTTONEVENTFN)
                                                                          'NILL
                                                                          'NILL
                                                                          'NILL
                                                                          'NILL
                                                                          'NILL
                                                                          'NILL
                                                                          'IM.CHAP.OBJECT])
(IM.CHAP.DISPLAYFN
                                                                      ; Edited 12-Feb-92 12:28 by jds
  [LAMBDA (OBJ STREAM STREAMTYPE HOSTSTREAM)
    ;; only print CHAPTER MARKER if you are going to display
    (COND
        ((DISPLAYSTREAMP STREAM)
        ;; display index by printing name with box around it <code stolen from HELPSYS>
         (DSPFONT IM.INDEX.OBJECT.DISPLAY.FONT STREAM)
         (LET* ([STRING (CONCAT "CHAPTER " (MKSTRING (IMAGEOBJPROP OBJ 'OBJECTDATUM]
                 (STRING.REGION (STRINGREGION STRING STREAM))
                 (LEFT (ADD1 (fetch (REGION LEFT) of STRING.REGION)))
                 (BOTTOM (ADD1 (fetch (REGION BOTTOM) of STRING.REGION)))
                 (REGION (create REGION
                                LEFT
                                      _ LEFT
                                BOTTOM _ BOTTOM
                                HEIGHT _ (IPLUS (fetch (REGION HEIGHT) of STRING.REGION)
                                WIDTH _ (IPLUS (fetch (REGION WIDTH) of STRING.REGION)
                (TOP (fetch (REGION TOP) of REGION))
                (RIGHT (fetch (REGION RIGHT) of REGION)))
               (CENTERPRINTINREGION STRING REGION STREAM)
               (DRAWLINE LEFT BOTTOM LEFT (SUB1 TOP)
                       'INVERT STREAM)
               (DRAWLINE LEFT TOP (SUB1 RIGHT)
                      TOP 1 'INVERT STREAM)
               (DRAWLINE RIGHT TOP RIGHT (ADD1 BOTTOM)
                      1
                       'INVERT STREAM)
               (DRAWLINE RIGHT BOTTOM (ADD1 LEFT)
                      BOTTOM 1 'INVERT STREAM)
               (IMAGEOBJPROP OBJ 'REGION REGION)))
        ^{(\mathrm{T}} ;; HARDCOPYING; DO NOTHING BUT SET
           (TEXTPROP (TEXTOBJ (OR HOSTSTREAM TEXTOBJ))
                  'INDEXING-CHAPTER
                  (IMAGEOBJPROP OBJ 'OBJECTDATUM])
(IM.CHAP.SIZEFN
  [LAMBDA (OBJ STREAM CURX RIGHTMARGIN)
                                                                      : Edited 8-Dec-91 14:38 by ids
    (if (DISPLAYSTREAMP STREAM)
        then (create IMAGEBOX
                     XSIZE _ (IPLUS (STRINGWIDTH [CONCAT "CHAPTER " (MKSTRING (IMAGEOBJPROP OBJ 'OBJECTDATUM]
                                             IM.INDEX.OBJECT.DISPLAY.FONT)
                     YSIZE _ (IPLUS (FONTPROP IM.INDEX.OBJECT.DISPLAY.FONT 'HEIGHT)
                     YDESC _ (FONTPROP IM.INDEX.OBJECT.DISPLAY.FONT 'DESCENT)
                     XKERN
      else (create IMAGEBOX
```

```
{MEDLEY} < doctools > IMINDEX.; 1 (IM.CHAP.SIZEFN cont.)

XSIZE _ 0
YSIZE _ 0
YDESC _ 0
XKERN _ 0])

(IM.CHAP.PUTFN
[LAMBDA (OBJ STREAM)
(PRIN4 (IMAGEOBJPROP OBJ 'OBJECTDATUM)
STREAM])

(IM.CHAP.GETFN
[LAMBDA (FILE TEXTSTREAM)
(IM.CHAP.CREATEOBJ (READ FILE])

(IM.CHAP.BUTTONEVENTFN
[LAMBDA (OBJ WINDOWSTREAM SEL RELX RELY WIN HOSTSTREAM BUTTON); Edited 8-Dec-91 14:40 by jds
T])
)
(IM.INDEX.INIT)
```

Page 8

{MEDLEY}<doctools>IMINDEX.;1 28-Jun-2024 18:34:02 -- Listed on 30-Jun-2024 13:12:22 --

	FUNCTION INDEX	
IM. CHAP. BUTTONEVENTFN 8 IM. CHAP. COPYFN 7 IM. CHAP. CREATEOBJ 7 IM. CHAP. DISPLAYFN 7 IM. CHAP. GETFN 8 IM. CHAP. PUTFN 8 IM. CHAP. SIZEFN 7 IM. INDEX. BUTTONEVENTFN 4	IM. INDEX. CLOSEF 1 IM. INDEX. COPYFN 1 IM. INDEX. CREATEOBJ 1 IM. INDEX. DISPLAY. STRING 1 IM. INDEX. DISPLAYFN 2 IM. INDEX. EDIT 2 IM. INDEX. EDIT 4 IM. INDEX. INIT 4	IM.INDEX.LIST.FROM.STRING
VARIABLE INDEX		
IM.CHAP.OBJECT.IMAGEFNS6 IM.INDEX.BUTTONEVENTFN.MENU6	<pre>IM.INDEX.DEFAULT.SUBSEC6 IM.INDEX.OBJ.FREEMENU.SPECS6</pre>	<pre>IM.INDEX.OBJECT.DISPLAY.FONT6 IM.INDEX.OBJECT.IMAGEFNS6</pre>
RECORD INDEX		
IM.INDEX.DATA6		