```
15-Aug-90 16:20:47 {DSK}<usr>local>lde>SOURCES>loops>LIBRARY>GAUGEDIGISCALE.;2
 File created:
  changes to:
              (VARS GAUGEDIGISCALECOMS)
previous date:
              23-Feb-88 23:28:33 {DSK}<usr>local>lde>SOURCES>loops>LIBRARY>GAUGEDIGISCALE.;1
 Read Table:
              INTERLISP
   Package:
              INTERLISP
      Format:
               XCCS
;; Copyright (c) 1986, 1987, 1988, 1990 by Venue & Xerox Corporation. All rights reserved.
(RPAQQ GAUGEDIGISCALECOMS ((DECLARE%: DONTCOPY (PROP MAKEFILE-ENVIRONMENT GAUGEDIGISCALE))
                               (FILES (FROM VALUEOF LOOPSLIBRARYDIRECTORY)
                                      GAUGEALPHANUMERICS GAUGESCALES)
                               (CLASSES DigiScale)
                               (METHODS DigiScale.Set DigiScale.SetParameters DigiScale.ShowReading)))
(DECLARE%: DONTCOPY
(PUTPROPS GAUGEDIGISCALE MAKEFILE-ENVIRONMENT (:PACKAGE "IL" :READTABLE "INTERLISP" :BASE 10))
(FILESLOAD (FROM VALUEOF LOOPSLIBRARYDIRECTORY)
       GAUGEALPHANUMERICS GAUGESCALES)
(DEFCLASSES DigiScale)
(DEFCLASS DigiScale (MetaClass Class doc "Combines a numeric display with an unlabelled proportional horizontal
                            scale" Edited%:
                                                                   (* dgb%: " 6-JUN-83 17:55"))
       (Supers HorizontalScale LCDMixin)
       (InstanceVariables (ticks NIL tickLength NIL doc "ticks on the instrument; value is number or NIL;
                                  smallTicks is number between each large tick")
               (scaleHeight 6 doc "height of scale")
               (scaleLeft 6 doc "left edge of scale")
               (height 24 doc "a window high enough for 11 labels")
               (width 70)
               (spaceForLCD 30 doc "this is the vertical space required for the LCD in the window. It is
                     dependent upon the font and is set by SetParameters.")))
(\BatchMethodDefs)
(METH DigiScale Set (reading)
      "Combined method for Set"
      (category (HorizontalScale)))
(METH DigiScale SetParameters NIL "Set parameters for unscaled horizontal gauge combined with LCD on top"
      (category (Internal)))
(METH DigiScale ShowReading NIL "dgb: 9-JUN-83 21:34" (category (HorizontalScale)))
(Method ((DigiScale Set)
                                                                   ; dgb: 10-JUN-83 11:54
         self reading)
       "Combined method for Set"
       (_SuperFringe
        self Set reading))
[Method ((DigiScale SetParameters)
         self)
                                                                   ; edited: 28-Jan-87 23:21
       "Set parameters for unscaled horizontal gauge combined with LCD on top"
       (PROG ((window (@ window))
               (fontHeight (FONTHEIGHT (@ font)))
              border titleHeight)
              (_Super)
              (SETQ border (WINDOWPROP window 'BORDER))
             [SETQ titleHeight (PLUS border (COND
                                                 ((@ title)
                                                  (FONTHEIGHT (DSPFONT NIL WindowTitleDisplayStream)))
                                                 (T 01
             (_@
              spaceForLCD
              (PLUS 3 border fontHeight))
             ( @
              scaleHeight
              (QUOTIENT fontHeight 2))
             (_@
              scaleBottom fontHeight)
              (_@
              height%:, min
              (HEIGHTIFWINDOW (IPLUS (@ scaleBottom)
                                       (@ scaleHeight)
                                       (COND
                                                                   (* add 8 to tickLength for extra space on each end of tick.)
                                          ((@ ticks)
```

```
(PLUS 8 (@ ticks%:,tickLength)))
(T (QUOTIENT fontHeight 3)))
                                           (@ spaceForLCD))
                        (@ title)))
               (_@
                height
                (MAX (@ height)
                     (@ height%:, min)))
                readingY
                (IPLUS (@ scaleBottom)
                        (@ scaleHeight)
                        (COND
                           ((@ ticks)
                                                                           (* add 8 to tickLength for extra space on each end of tick.)
                            (PLUS 8 (@ ticks%:,tickLength)))
                           (T (QUOTIENT fontHeight 3]
               (_ self SmallRegion)
               L_e
width%:,min
(MAX (@ width%:,min)
(fetch WIDTH of (@ precision%:,readingRegion)
               (_@
                width
                (MAX (@ width)
                     (@ width%:,min]
(Method ((DigiScale ShowReading)
                                                                           ; dgb: 10-JUN-83 11:54
       self)
"dgb: 9-JUN-83 21:34"
                                                                           ; Combined method for ShowReading
        (_SuperFringe
         self ShowReading))
(\UnbatchMethodDefs)
(PUTPROPS GAUGEDIGISCALE COPYRIGHT ("Venue & Xerox Corporation" 1986 1987 1988 1990))
```

{MEDLEY}<loops>obsolete>GAUGEDIGISCALE.;1 30-Jun-2024 08:54:28 -- Listed on 30-Jun-2024 09:23:24 --

PROPERTY INDEX	
GAUGEDIGISCALE1	