

*File created:* 7-Oct-2021 23:39:06 {DSK}<home>medley>notecards>patches>MODERNIZEPATCHES.;2

*changes to:* (VARS MODERNIZEPATCHESCOMS)

*previous date:* 12-Jun-2021 13:29:59 {DSK}<home>medley>notecards>patches>MODERNIZEPATCHES.;1

*Read Table:* INTERLISP

*Package:* INTERLISP

*Format:* XCCS

(RPAQQ MODERNIZEPATCHESCOMS ((FNS MODERNWINDOW)))

(DEFINEQ

(MODERNWINDOW

[LAMBDA (WINDOW ANYWHERE TITLEPROPORTION)

; Edited 7-Oct-2021 23:37 by medley

; Edited 3-Jul-2021 10:31 by rmk:

; Edited 24-Jun-2021 14:52 by rmk:

;; This can be applied to windows that have been created with an unknown or unmodifiable buttoneventfn. If the window was previously  
;; modernized, we restore its original state first, in case it is called here with different parameters

(CL:WHEN (AND TITLEPROPORTION (GREATERP TITLEPROPORTION 0.5))

(ERROR "TITLEPROPORTION cannot be greater than .5"))

(CL:WHEN (WINDOWPROP WINDOW 'PREMODERN-BUTTONEVENTFN)

(WINDOWPROP WINDOW 'BUTTONEVENTFN (WINDOWPROP WINDOW 'PREMODERN-BUTTONEVENTFN))

(WINDOWPROP WINDOW 'PREMODERN-BUTTONEVENTFN NIL))

(WINDOWPROP WINDOW 'PREMODERN-BUTTONEVENTFN (WINDOWPROP WINDOW 'BUTTONEVENTFN))

(WINDOWPROP WINDOW 'BUTTONEVENTFN (IF (OR ANYWHERE TITLEPROPORTION)

THEN `[LAMBDA (WINDOW)

(MODERNWINDOW.BUTTONEVENTFN WINDOW NIL ,ANYWHERE  
,TITLEPROPORTION]

ELSE (FUNCTION MODERNWINDOW.BUTTONEVENTFN)))

WINDOW])

)

---

FUNCTION INDEX

MODERNWINDOW .....1

---