```
8-Feb-2022 09:25:36 {DSK}<home>larry>medley>lispusers>HARDCOPY-RETAIN.;2
 File created:
previous date:
               29-Sep-88 17:02:58 {DSK}<home>larry>medley>lispusers>HARDCOPY-RETAIN.;1
 Read Table:
               XCT.
    Package:
               INTERLISP
       Format:
                XCCS
; Copyright (c) 1987-1988, 2022 by Xerox Corporation.
(RPAQQ HARDCOPY-RETAINCOMS ((FUNCTIONS HARDCOPYIMAGEW.TOFILE&PRINTER INSTALL-OPTION)
                                  (DECLARE: DONTEVAL@LOAD DOCOPY (P (INSTALL-OPTION)))))
(CL:DEFUN HARDCOPYIMAGEW.TOFILE&PRINTER (&OPTIONAL XCL-USER::WINDOW)
   "Send hardcopy of WINDOW to a printer and a file." (LET ((XCL-USER::RESULT (|GetImageFile|)))
         (CL:WHEN XCL-USER::RESULT
             (LET ((XCL-USER::PRINTER-NAME (|GetPrinterName|)))
                   (DESTRUCTURING-BIND
                    (XCL-USER::FILE . TYPE)
                    XCL-USER::RESULT
                    (HARDCOPY.SOMEHOW XCL-USER::WINDOW XCL-USER::FILE TYPE)
                    (CL:WHEN XCL-USER::PRINTER-NAME
                         (LET ((XCL-USER::FULL-NAME (PACKFILENAME.STRING
                                                        'HOST
                                                        (CL:PATHNAME-HOST XCL-USER::FILE)
                                                        'DEVICE
                                                        (CL:PATHNAME-DEVICE XCL-USER::FILE)
                                                        'DIRECTORY
                                                        (CL:PATHNAME-DIRECTORY XCL-USER::FILE)
                                                        NAME
                                                        (CL:PATHNAME-NAME XCL-USER::FILE)
                                                        'EXTENSION
                                                        (OR (CL:FIRST (CL:SECOND (CL:ASSOC 'EXTENSION
                                                                                            (CL:REST (CL:ASSOC TYPE
                                                                                                             PRINTFILETYPES
                                                                                                             )))))
                                                            TYPE)
                                                        'BODY
                                                        (CL:NAMESTRING *DEFAULT-PATHNAME-DEFAULTS*))))
                              (SEND.FILE.TO.PRINTER XCL-USER::FULL-NAME XCL-USER::PRINTER-NAME))))))))
(CL:DEFUN INSTALL-OPTION ()
   "Install the new Hardcopy option." (CL:LABELS ((XCL-USER::GET-SUBITEMS (XCL-USER::ITEM)
                         (AND (EQ (CL:FIRST (CL:FOURTH XCL-USER::ITEM))
                                   'SUBITEMS)
                 (CL:REST (CL:FOURTH XCL-USER::ITEM))))
(XCL-USER::FIND-PLACE-WM (XCL-USER::ITEM)
                         (LET ((XCL-USER::SUBITEMS (XCL-USER::GET-SUBITEMS XCL-USER::ITEM)))
                              (CL:WHEN XCL-USER::SUBITEMS
                                   (CL:IF (EQ (CAR XCL-USER::ITEM)

' | Hardcopy | )
                                       (CL:UNLESS
                                                                        ; Install if not already there.
                                           (CL:FIND 'HARDCOPYIMAGEW.TOFILE&PRINTER XCL-USER::SUBITEMS :KEY
                                                   #'(CL:LAMBDA (XCL-USER::X)
                                                             (CL:SECOND (CL:SECOND XCL-USER::X)))
                                                   :TEST
                                                   #'EQ)
                                           (NCONC XCL-USER::SUBITEMS (LIST (LIST "To a file and a printer" ''HARDCOPYIMAGEW.TOFILE&PRINTER
                                                                                      "Sends image to a printer of your
                                                                                      choosing, retaining the printer
                                                                                      version of the file."))))
                                       (CL:MAPC #'XCL-USER::FIND-PLACE-WM XCL-USER::SUBITEMS)))))
                 (XCL-USER::FIND-PLACE-BM
                  (XCL-USER::ITEM)
                  (LET ((XCL-USER::SUBITEMS (XCL-USER::GET-SUBITEMS XCL-USER::ITEM))) (CL:WHEN XCL-USER::SUBITEMS
                            (CL:IF (EQ (CAR XCL-USER::ITEM)
                                         | Hardcopy | )
                                                                        ; Install if not already there.
                                (CL:UNLESS
                                     (CL:FIND 'HARDCOPYIMAGEW.TOFILE&PRINTER XCL-USER::SUBITEMS : KEY
                                             #'(CL:LAMBDA (XCL-USER::X)
                                                       (CL:FIRST (CL:SECOND (CL:SECOND XCL-USER::X))))
                                             :TEST
                                     (NCONC XCL-USER::SUBITEMS (LIST (LIST "To a file and a printer"
''(HARDCOPYIMAGEW.TOFILE&PRINTER)
                                                                               "Sends image to a printer of your
                                                                               choosing, retaining the printer version
                                                                               of the file."))))
                                (CL:MAPC #'XCL-USER::FIND-PLACE-BM XCL-USER::SUBITEMS))))))
           (CL:MAPC #'XCL-USER::FIND-PLACE-WM | WindowMenuCommands |)
```

(PUTPROPS HARDCOPY-RETAIN COPYRIGHT ("Xerox Corporation" 1987 1988 2022))

Page 2

{MEDLEY}spusers>HARDCOPY-RETAIN.;1 28-Jun-2024 18:34:03 -- Listed on 30-Jun-2024 13:14:17 --

FUNCTION INDEX	
HARDCOPYIMAGEW.TOFILE&PRINTER1	INSTALL-OPTION