ISRaD Credits

8/31/2020

References

Main compilations

ISRaD has been built based on two main compilations:

- He, Y., Trumbore, S. E., Torn, M. S., Harden, J. W., Vaughn, L. J. S., Allison, S. D., & Randerson, J. T. (2016). Radiocarbon constraints imply reduced carbon uptake by soils during the 21st century. Science, 353(6306), 1419–1424. doi:10.1126/science.aad4273
- Mathieu, J. A., Hatté, C., Balesdent, J., & Parent, É. (2015). Deep soil carbon dynamics are driven more by soil type than by climate: a worldwide meta-analysis of radiocarbon profiles. Global Change Biology, 21(11), 4278–4292. doi:10.1111/gcb.13012

Studies within ISRaD

Currently, there are 362 entries (unique DOIs) in ISRaD, which are from the following publications:

Heckman, K. A. (2010). Pedogenesis & Samp; carbon dynamics across a lithosequence under ponderosa pine. Zenodo. Retrieved from https://zenodo.org/record/1486081

Kokfelt, U., Reuss, N., Struyf, E., Sonesson, M., Rundgren, M., Skog, G., Rosén, P., et al. (2010). Wetland development, permafrost history and nutrient cycling inferred from late holocene peat and lake sediment records in subarctic sweden. *Journal of Paleolimnology*, 44(1), 327–342. Springer Science; Business Media LLC. Retrieved from https://doi.org/10.1007%2Fs10933-010-9406-8

Kondo, M., Uchida, M., & Shibata, Y. (2010). Radiocarbon-based residence time estimates of soil organic carbon in a temperate forest: Case study for the density fractionation for japanese volcanic ash soil. *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms*, 268(7-8), 1073–1076. Elsevier BV. Retrieved from https://doi.org/10.1016%2Fj.nimb.2009.10.101

Kögel-Knabner, I., Guggenberger, G., Kleber, M., Kandeler, E., Kalbitz, K., Scheu, S., Eusterhues, K., et al. (2008). Organo-mineral associations in temperate soils: Integrating biology, mineralogy, and organic matter chemistry. *Journal of Plant Nutrition and Soil Science*, 171(1), 61–82. Wiley. Retrieved from https://doi.org/10.1002%2Fjpln.200700048

Kramer, M. G., & Chadwick, O. A. (2016). Controls on carbon storage and weathering in volcanic soils across a high-elevation climate gradient on mauna kea, hawaii. *Ecology*, 97(9), 2384–2395. Wiley. Retrieved from https://doi.org/10.1002%2Fecy.1467

Kramer, M. G., Sanderman, J., Chadwick, O. A., Chorover, J., & Vitousek, P. M. (2012). Long-term carbon storage through retention of dissolved aromatic acids by reactive particles in soil. *Global Change Biology*, 18(8), 2594–2605. Wiley. Retrieved from https://doi.org/10.1111%2Fj.1365-2486.2012.02681.x

KREMENETSKI, C., VASCHALOVA, T., GORIACHKIN, S., CHERKINSKY, A., & SULERZHITSKY, L. (2008). Holocene pollen stratigraphy and bog development in the western part of the kola peninsula, russia. *Boreas*, 26(2), 91–102. Wiley. Retrieved from https://doi.org/10.1111%2Fj.1502-3885.1997.tb00656.x

- Krull, E. S., Bestland, E. A., Skjemstad, J. O., & Parr, J. F. (2006). Geochemistry (δ 13C, δ 15N, 13C NMR) and residence times (14C and OSL) of soil organic matter from red-brown earths of south australia: Implications for soil genesis. *Geoderma*, 132(3-4), 344–360. Elsevier BV. Retrieved from https://doi.org/10.1016%2Fj.geoderma.2005.06.001
- Krull, E. S., & Skjemstad, J. O. (2003). δ 13C and δ 15N profiles in 14C-dated oxisol and vertisols as a function of soil chemistry and mineralogy. Geoderma, 112(1-2), 1–29. Elsevier BV. Retrieved from https://doi.org/10.1016%2Fs0016-7061%2802%2900291-4
- Krull, E. S., Skjemstad, J. O., Burrows, W. H., Bray, S. G., Wynn, J. G., Bol, R., Spouncer, L., et al. (2005). Recent vegetation changes in central queensland, australia: Evidence from $\delta 13C$ and 14C analyses of soil organic matter. Geoderma,~126(3-4),~241-259. Elsevier BV. Retrieved from https://doi.org/10.1016%2Fj. geoderma.2004.09.012
- Kuhnen, Á., Matschullat, J., Sierra, C. A., & Lima, R. M. B. de. (2019). C-isotopic signatures and soil properties of amazon basin oxisols. Zenodo. Retrieved from https://zenodo.org/record/2645510
- Kuhry, P., & Vitt, D. H. (1996). Fossil carbon/nitrogen ratios as a measure of peat decomposition. *Ecology*, 77(1), 271–275. Wiley. Retrieved from https://doi.org/10.2307%2F2265676