

HPE Unified Functional Testing Pro (LeanFT)

Built specifically for continuous testing and continuous integration

At a glance

HPE UFT Pro (LeanFT) is a powerful yet lightweight functional testing software solution built specifically for continuous testing and continuous integration. By supporting the most common AUT technologies, integrating with standard IDEs on multiple platforms, and leveraging HPE Unified Functional Testing (UFT) capabilities, UFT Pro brings a new level of productivity and collaboration to Agile and DevOps testing teams.

Improve efficiency and facilitates collaboration

HPE UFT Pro (LeanFT) is designed to increase the efficiency of individual testers and teams as well as the level of coordination and cooperation between teams. For example:

UFT Pro (LeanFT) fully integrates with and provides plug-ins for standard IDEs, so dev and QA teams can collaborate work across different environments. Tests are authored using popular languages such as Java and C#, and can be authored in the context of any framework. UFT Pro plug-ins extend the IDEs with project templates for standard unit- testing frameworks (NUnit, MSTest, JUnit and TestNG) and includes templates for Selenium-based projects. UFT Pro tools such as the Object Identification Center and Application Model enable modeling of the AUT and its objects, and parallel execution feature speeds up test execution.

- UFT Pro (LeanFT) provides full multiplatform support so developers can create and execute tests under their familiar environments including Windows, Linux and Mac as well as leverage powerful Java and JavaScript SDKs.
- UFT Pro (LeanFT) provides solution for automating web applications with Selenium, where developers can leverage IDE templates for Selenium-based projects, an extended Selenium Java SDK as well as Selenium-specific Object Identification Center to create robust tests easily and efficiently.
- UFT Pro (LeanFT) supports the most common AUT technologies, including Windows® Standard, Web, .NET (WinForms and WPF), SAPGUI and SAPUI5, Mobile, Java, terminal emulator and Image-based recognition.
- UFT Pro (LeanFT) adopts many HPE Unified Functional Testing (UFT) concepts, tools, and technologies. For example, UFT Pro incorporates the UFT concepts of test objects and descriptions, and uses the object identification mechanisms and UFT object repositories that can be migrated to UFT Pro. This means UFT knowledge and assets can be leveraged when using UFT Pro, so teams are able to ramp up quick and easy.
- UFT Pro (LeanFT) provides comprehensive, detailed execution reports so you can quickly analyze test results. UFT Pro provides a lightweight HTML report that details the test execution flow and tracks failures at each step.

Advantages

- Developer-friendly: perfect for developers/testers, test automation engineers, continuous testing, Agile, and DevOps teams
- Supports "shift left" initiatives aimed at incorporating testing into the development cycle earlier
- Simplifies the process of building robust, stable tests that deal well with changes in the application under test (AUT)
- Encourages dev-QA collaboration through a standard, multi-platform, modern development environment that is supported in the development and QA ecosystems
- Supports the most common AUT technologies and popular development languages
- Adopts HPE UFT concepts, tools, and technologies for highly adaptable software testing that easily accommodates changes to the application


Page 2

- UFT Pro (LeanFT) provides a powerful SDK for .NET, Java and JavaScript with a comprehensive, user-friendly API unique for each object type. With the SDK, it provides out-of-the-box, cross-browser compatibility
- for leading browsers as well as automation for all supported technologies.
- UFT Pro (LeanFT) provides simple integration with CI tools like Jenkins or other CI systems.

HPE UFT Pro (LeanFT) features and tools

Project templates

Users can leverage project templates provided with UFT Pro (LeanFT) plug-ins, including JUnit, TestNG, NUnit, and MSTest.




Object Identification Center

OIC for Windows

The Object Identification Center lets users spy on the objects in the application, experiment with different ways to identify those objects, generate code to use in the test scripts, or add objects to application models.

OIC for Linux/Mac








OIC for Selenium

Data sheet Page 3

Application Model

Application Model enables users to maintain their test objects in a single location for use across their entire testing suite, and helps them write their code faster without the need to write manual programmatic descriptions for each object.



SDK for .NET/Java/JavaScript

Users can leverage the provided SDKs to automate application scenarios. Our supported technologies include Web, Java, Mobile, Standard Windows, .NET Windows Forms, .NET WPF, SAPGUI, and SAPUI5.

```
2
3⊕ import org.testng.annotations.AfterClass;
                         ## SET LEZE

# scom.hpe.demo


| DeanFitestjave
| DeanFite
                                                                                                                                                                                                                                                                        {\tt Browser \ browser = BrowserFactory.} \\ launch({\tt BrowserType.} \\ valueOf({\tt browserName})); \\
                                                                                                                                                                                                                                                                                                                                                      browser.navigate("http://www.advantageonlineshopping.com:8080/#/");
                                                                                                                                                                                                                                                                                                                                                    WebElement tabletsIng - browser.describe(WebElement.class, new WebElementDescription.Builder() .id("TabletsIng").build()); tabletsIng.estiplapMane("tablets category image"); tabletsIng.estiplapMane("tablets category image");
                                                                                                                                                                                                                                                                                                                                                    ...
Image tableting - browser.describe(Image.class, new ImageDescription.Builder()
.src("http://www.adowntageonlineshopping.com:8000/cstalog/fetchtmage?image_id-3100").classMame("imgProduct").build());
tableting.setDisplayMame("fablet image");
tableting.setDisplayMame("fablet image");
                                                                                                                                                                                                                                                                                                                                                         browser.describe(Button.class, new XPathDescription("//DIV[@id-\"productProperties\"]/DIV/BUTTON[normalize-space()-\"ADD TO CART\"]")).click();
                         J LFT4S_E2E

ighter
if the state of the st
                                                                                                                                                                                                                                                                                                                                                      String price - browser.describe(WebElement.class, new WebElementDescription.Builder()
.className("roboto-medium totalValue ng-binding").tagName("SPAN").inmerText(new RegExpProperty("\\$.*")).build()).getInmerText().trim();
                                                                                                                                                                                                                                                                                                                                                            Verify.areEqual("$1,009.00", price, "Verify total price");

    Peresources
    Munit 4
    Referenced Libraries
    Reference
```

Run Report

Upon test execution from a project template, a report is automatically generated which includes summary information about the run as well as detailed information about the captured steps.



To learn more about HPE UFT Pro (LeanFT), refer to the UFT Pro on-line help center. **UFT Pro** (LeanFT) Help Center

Learn more at

saas.hpe.com/en-us/software/leanft leanft-help.saas.hpe.com





© Copyright 2015–2017 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

Windows and Windows Server are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Java is a registered trademark of Oracle and/or its affiliates. SAP is the trademark or registered trademark of SAP SE in Germany and in several other countries. All other third-party trademark(s) is/are property of their respective owner(s).