Intersect Australia Ltd

PO Box H58, Australia Square Sydney NSW 1215



ABN 67 131 752 657



DIVER Release Notes

Release version 2.3.3

Ibrahim Taoube |11th April 2017 | 0.1.1

Contents

- 1 Overview 2
- 2 System Requirements 2
- 3 Installation / Upgrade Instructions 3
- 4 Required Changes to Client Software that uses the API 4
- 5 Known Issues and Limitations 4
- 6 Test Report 4
- 7 New Features 6
- 8 Bug Fixes 8



HIEv v1.9.01 Release Notes Page 2 of 12



1 Overview

The DIVER application is a Ruby on Rails application initially built by <u>Intersect Australia</u> for the <u>Hawkesbury Institute for the Environment</u> (HIE) as part of an an <u>ANDS-Funded Data Capture Project - DIVER - Climate Change and Energy Research Facilities.</u>

The resultant HIEv data capture system has been in production at UWS HIE since February 2013. The application is also in production at Macquarie University, Faculty of Business and Economics to support the Faculty's marketing research and other research projects.

Intersect is developing DIVER as a general-purpose data capture product offering know as DIVER. For more information, see http://www.intersect.org.au/content/intersect-diver.

This version, 2.3.3, has been funded by Western Sydney University to support HIE's growing data sharing and collaboration needs.

Introductory information about DIVER can be found here: https://github.com/IntersectAustralia/dc21-doc/blob/master/README.md.

Source code is available at: https://github.com/IntersectAustralia/dc21.

2 System Requirements

The recommended minimum environment for hosting the web application is as follows.

- A Linux server, preferably RHEL6.x/CentOS 6.x (el6) with the standard "Server" packages installed.
- 4 cores, contemporary chipset +2.5GHz.
- 4GB of RAM.
- Postgresql (8.1.x or later)

NOTE: Additional cores and RAM may be required if multiple concurrent users download large files simultaneously.

HIEv v1.9.01 Release Notes Page 3 of 12



3

HIEv v1.9.01 Release Notes Page 4 of 12



Installation / Upgrade Instructions

Server-side

- If you are installing DIVER for the first time, follow these instructions: https://github.com/IntersectAustralia/dc21-doc/blob/2.1.02/Deployment Guide First Time Server Build.md
- If you are upgrading from version 2.0 to Version 2.1, follow these instructions:

"Updating Your System" in the page https://github.com/IntersectAustralia/dc21-doc/blob/2.1.02/Deployment Guide - Deploying A New Version.md

- If you are upgrading from version 1.9 to version 2.1, the upgrade needs to be done in two steps:
 - 1. Follow these instructions: https://github.com/IntersectAustralia/dc21-doc/blob/2.1.02/Upgrading From 1.9.04 to 2.0.01.md
 - 2. Then follow the instructions above to upgrade from version 2.0 to version 2.1.

NOTE: The tag for this release is as per the Release version above. This tag must be selected during the installation process (the install process will request that you select a tag from a list of available tags). If later tags are available, choose the latest "2.1.nn" tag. If in doubt, you should check with the Intersect development team (see http://www.intersect.org.au/contact) as to which tag should be used.

NOTE: If you are upgrading, you should not attempt to run client-side API scripts until the client-side automated upload scripts have been upgraded too. For details, see Client-side Automated Upload section below.

Client-side Automated Upload

If you are installing the DIVER client-side API for the first time, refer to: https://github.com/IntersectAustralia/dc21-doc/blob/2.1.02/Setting Up Automated Load From PC.md.

Alternatively, if you are upgrading from version 1.9 or version 2.0, you don't need to re-run the setup scripts. Instead, you should follow these instructions:

- 1. Download the API zip file (see above link to do the download)
- 2. Extract the IntersectAustralia-restful-api-uploader-xxxxxxx folder and place this folder in the same folder as the existing

HIEv v1.9.01 Release Notes Page 5 of 12



IntersectAustralia-restful-api-uploader folder. (xxxxxxx is a unique 7 digit hex string).

- 3. Use Notepad to edit the windows_api_load.bat file "ruby" command to refer to the new IntersectAustralia-restful-api-uploader-xxxxxxx folder. For example:
 - ruby "C:\scripts\DIVER\IntersectAustralia-restful-api-uploader-2c20fa8\lib\run_wrapper.rb"
- 4. You should now be ready to run the client-side API

NOTE: There are new optional configuration parameters available for the transfer_config.yml file. Refer to the above link, "Edit config file" section, see new access control parameters. Access control is fully described in the Version 2.3 User Manual.

4 Required Changes to Client Software that uses the API

All changes made to the API in v2.3 are backwards compatible for any expected usage. This release includes a small bug fix made so that unauthorized updating of TOA5 files is prohibited – but this will not affect any users who are using the API in accordance with the intended usage.

5 Known Issues and Limitations

- Frequently adding large numbers of files (>1,000) and data (>1GB) to the cart and invoking the Download or Package functions is not recommended as these actions may impact on system performance.
- The cart list is not paginated and may become unusable if more than 1,000 files are added to it.
- The API search function returns an un-paginated json list. This list may become very large (and may take some time to download) if API search is unfiltered.
- Manual file downloads fail when run with Internet Explorer Version 11 on Windows Surface tablet. Internet Explorer Version 11 is not currently supported.

HIEv v1.9.01 Release Notes Page 6 of 12



• The automated API upload has a time-out set to 30 minutes for individual file uploads. This means that uploads of large files over a slow network thus taking longer than 30 minutes will not complete successfully. There is a workaround: The time-out can be increased by editing the first line of the file upload.rb file in the lib folder of the installation download.

6 Test Report

Intersect Test Environment

Full QA and testing was completed for all stories completed by 22.09.15. Details of testing is included in individual Jira items, and auto-tests were added for all items, or Manual regression tests were updated for items which couldn't be auto-tested.

A full Manual Regression test was run on 22-9-15 to assure the new and existing functionality up to that date. Auto-tests were conducted again on the completion of Post UAT Development to assure all development and previous functionality. While story and unit testing were performed for Post UAT Development, a full manual regression test was not performed at that time as the changes were minor and contained.

Intersect QA/Testing approach

- 1. Specifications are written with testing in mind.
- 2. Developers do unstructured unit tests, then when ready they release to QA environment where testers can verify changes.
- 3. QA/Testers test against the Jira story This includes structured & unstructured testing, and any feedback is discussed with Developers/P.O.'s as required. New Jiras are raised as required for found issues.
- 4. QA/Testers upgrade Manual regression tests.
- 5. Automated tests are run through Jenkins to assure System integration testing Code freeze.
- 6. Final release End to end Manual Regression testing is conducted to assure full functionality.
- 7. Testing of the User Manual.

HIEv v1.9.01 Release Notes Page 7 of 12



QA/Testing Results

Component	Number of tests Execute d	Result (Pass %)	Comments
Admin & General Functionality & Usability	10	100%	Raised a minor bug relating to UI. https://jira.intersect.org.au/browse/UWSHIEVMOD-110
File Management	3	100%	
Uploads, Cart, Packaging, Downloads & Publishing	6/7	100%	Re-wrote long test, currently incomplete windows automatic upload script test in progress.
Search Test	1	100%	
Rescue Workers	2	100%	
Package API	1	0%	Raised a bug that API seems not to warn if a badly formatted date provided: https://jira.intersect.org.au/browse/UWSHIEVMOD-112

HIEv v1.9.01 Release Notes Page 8 of 12



7 New Features

New features are described in the user manual.

Issue Type	Key	Summary	Story Points
Story	UWSHIEVMOD-88	As an API user, I want to be able to override the checking on "Create Package" API.	1
Story	UWSHIEVMOD-96	As an API user, I want to modify existing package metadata via the API	3
Story	UWSHIEVMOD-108	As a research librarian, I want the electronic address details in the RIF-CS to refer to the DIVER direct download link.	1
Story	UWSHIEVMOD-91	As a user, I want the new fields in new/edit Package screens to be grouped so that related fields are together.	1
Story	UWSHIEVMOD-87	As a user, I want some metadata fields to be set automatically, based on the metadata of Experiment and Facility associated with a file or package.	2
Story	UWSHIEVMOD-85	As a user, I want the "Access Rights Type" to default to be empty, so that the user must select the AccessRightsType.	0.5
Story	UWSHIEVMOD-83	As a API uploader, I want the Diver Create Package API to check that all files & packages are in the correct state	3
Story	UWSHIEVMOD-79	As a user, I want the License/Access Rights field to be available at the package level, and to be able to be overridden by the user.	2

HIEv v1.9.01 Release Notes Page 9 of 12



Story	UWSHIEVMOD-78	As a user, I want the new metadata fields to be searchable via the Web UI.	2
Story	UWSHIEVMOD-77	As an API uploader, I want Diver Search API to support the new metadata fields as search criteria.	2
Story	UWSHIEVMOD-76	As an API uploader, I want the "create package API" to include the new metadata fields.	2
Story	UWSHIEVMOD-73	As a user, I want to have input for "Related Websites" validated while I enter it, to help me not make mistakes.	2
Story	UWSHIEVMOD-70	As a researcher I want the new package metadata to be included in the README.html of the bagit Zip file	2
Story	UWSHIEVMOD-68	As a user, I want to be prevented from adding files to package that exceeds the maximum allowable size	1
Story	UWSHIEVMOD-63	As a user, I want to be able to view & update the new metadata fields via the GUI	3
Story	UWSHIEVMOD-62	As an API uploader, I want to be able to set start & end dates when I upload a file via the API.	2
Story	UWSHIEVMOD-58	As a user, I want to be able to export the metadata in RIFCS v1.6 format.	1
Story	UWSHIEVMOD-56	As a user, I want some metadata fields to be set automatically, based on settings provided by the system administrator.	3
Story	UWSHIEVMOD-55	As a user, I want some metadata fields to be set automatically, based on package or file metadata.	3
Story	UWSHIEVMOD-54	Add new fields to the Diver Schema	5

HIEv v1.9.01 Release Notes Page 10 of 12



Story	As an API uploader or research librarian, I want to receive an email notification when a package is published via the API.		1
Story	UWSHIEVMOD-50	As an API uploader, I want to receive an email notification when a package is created via the API	
Story	UWSHIEVMOD-49	As an API uploader, I want to be able to publish packages via the API.	3
Story	UWSHIEVMOD-48	As an API uploader, I want to be able to package a set of files via the API.	3
Story	UWSHIEVMOD-39	As a UWS sysadmin, I want the deployment to be tested thoroughly before we deploy to production.	3

8 Bug Fixes

The following existing bugs were fixed in version 2.3.3:

Issue Type	Key	Summary	
Bug	UWSHIEVMOD-115	Normal user is able to take ownership of all TOA5 files in DIVER when using the API to re-upload TOA5 files.	
Bug	UWSHIEVMOD-95	The "Description" field of the "Access Group" fails to wrap for long descriptions, and distorts buttons.	
Bug	UWSHIEVMOD-94	Upload script problem - when a particular regular expression matches no files, the script fails rathe moving to the next instruction.	
Bug	UWSHIEVMOD-80	INC0010282 - Issue with AAF login using UWS credentials	

HIEv v1.9.01 Release Notes Page 11 of 12



Bug	DEVSUPPORT-1708	Updated the rubyzip version to 1.2.1 to allow creating zips greater than 4GB
Dag	DEVIOLITOR 1700	opaded the rabyzip version to 1.2.1 to allow creating zips greater than 10b

S

HIEv v1.9.01 Release Notes Page 12 of 12