
SHUTTER POSITIONING / PROPOSAL FOR REVIEW

Profiles and shutters, step by step

The same three shutters appear in every snapshot. Profiles stay above them. Each user flow shows what changes after an action is saved.

Uses profile · Removed link · Created / updated / recalculated · Unchanged

00 Example group - after shared refinement



Read the relationships first

S1 - Living room: initially creates P and becomes its reference.

S2 - Bedroom: uses the same profile without local adjustments.

S3 - Office: uses the profile with its own travel of 130 cm.

Created on identifies the profile origin; Data records its evidence source.

The designated reference can update its profile only while connected to it.

The first snapshot of each flow is a fresh baseline; flows are alternatives.

Blue marks changes since the previous snapshot in the same flow.

Solid lines are current associations. Dashed lines show removed associations.

There are no arrowheads: a line means that the shutter uses that profile.

The proposal in three places

DEVICES	Name, area, availability and diagnostics.
CALIBRATION	Positioning, measurements, local values and profile associations.
PROFILES	Rename, duplicate, explicit manual edits and delete when unused.

Illustrative travel values: 110 / 120 / 130 / 140 cm. This document proposes intended behavior; it does not claim that every transition is already implemented.

FLOW 01 / PROPOSED BEHAVIOR

Create a basic profile

Calibration / S1 positioning sheet

Uses profile · Removed link · Created / updated / recalculated · Unchanged

01 Before - no positioning profile

No positioning profile yet

A profile is created when calibration results are saved from a shutter.

S1 | Living room

No profile
Local travel: unknown
Positioning not configured

S2 | Bedroom

No profile
Local travel: unknown
Positioning not configured

S3 | Office

No profile
Local travel: unknown
Positioning not configured

02 S1: complete basic calibration and save profile P

P | Shared profile

UPDATED

1 shutter | Reference: S1
Reference travel: unknown
Timings + slat phase; curve not measured
Created on: S1
Data: Measurements on S1

S1 | Living room

UPDATED

Reference of P
Reference travel: unknown
Basic timings measured here
Positioning not verified

S2 | Bedroom

No profile
Local travel: unknown
Positioning not configured

S3 | Office

No profile
Local travel: unknown
Positioning not configured

WHAT THIS MEANS

Saving creates P and makes S1 its reference. Travel and roller geometry remain unmeasured.

Basic calibration uses no measuring tape. Confirm the slat-phase type, measure full opening and closing times, and measure the slat phase only when present. A continuous curtain uses 0 s for that phase.

FLOW 02 / PROPOSED BEHAVIOR

Connect the other shutters

Calibration / each shutter positioning sheet

Uses profile · Removed link · Created / updated / recalculated · Unchanged

01 Before - only S1 uses P

P | Shared profile

1 shutter | Reference: S1
Reference travel: unknown
Timings + slat phase; curve not measured
Created on: S1
Data: Measurements on S1

S1 | Living room

Reference of P
Reference travel: unknown
Basic timings measured here
Positioning not verified

S2 | Bedroom

No profile
Local travel: unknown
Positioning not configured

S3 | Office

No profile
Local travel: unknown
Positioning not configured

02 S2: choose P and save

P | Shared profile

UPDATED

2 shutters | Reference: S1
Reference travel: unknown
Timings + slat phase; curve not measured
Created on: S1
Data: Measurements on S1

S1 | Living room

Reference of P
Reference travel: unknown
Basic timings measured here
Positioning not verified

S2 | Bedroom

UPDATED

Follows P
Travel: unknown
Basic timings assumed
Positioning not verified

S3 | Office

No profile
Local travel: unknown
Positioning not configured

03 S3: choose P and save

P | Shared profile

UPDATED

3 shutters | Reference: S1
Reference travel: unknown
Timings + slat phase; curve not measured
Created on: S1
Data: Measurements on S1

S1 | Living room

Reference of P
Reference travel: unknown
Basic timings measured here
Positioning not verified

S2 | Bedroom

Follows P
Travel: unknown
Basic timings assumed
Positioning not verified

S3 | Office

UPDATED

Follows P
Travel: unknown
Basic timings assumed
Positioning not verified

WHAT THIS MEANS

S2 and S3 use the same behavior as P. Their characteristics are assumed equivalent, not measured here.

If the shutter type is unknown, ask once within profile selection, then offer compatible profiles. No extra screen is required. A follower does not become the reference by choosing a profile.

FLOW 03 / PROPOSED BEHAVIOR

Store a different local travel

Calibration / S3 positioning sheet

Uses profile · Removed link · Created / updated / recalculated · Unchanged

01 Before - P has no reference travel

P | Shared profile

3 shutters | Reference: S1
Reference travel: unknown
Timings + slat phase; curve not measured
Created on: S1
Data: Measurements on S1

S1 | Living room

Reference of P
Reference travel: unknown
Basic timings measured here
Positioning not verified

S2 | Bedroom

Follows P
Travel: unknown
Basic timings assumed
Positioning not verified

S3 | Office

Follows P
Travel: unknown
Basic timings assumed
Positioning not verified

02 S3: save a local travel of 130 cm

P | Shared profile

3 shutters | Reference: S1
Reference travel: unknown
Timings + slat phase; curve not measured
Created on: S1
Data: Measurements on S1

S1 | Living room

Reference of P
Reference travel: unknown
Basic timings measured here
Positioning not verified

S2 | Bedroom

Follows P
Travel: unknown
Basic timings assumed
Positioning not verified

S3 | Office UPDATED

Follows P
Local travel: 130 cm
P timings; adaptation unavailable
Positioning not verified

WHAT THIS MEANS

P is unchanged. With its reference travel still unknown, S3 continues using P timings without travel adaptation.

The 130 cm value belongs to S3. It can be stored even when the available profile data do not support adaptation.

Refine S1 and update the shared profile

Calibration / S1 / Refine / Update current profile

Uses profile · Removed link · Created / updated / recalculated · Unchanged

01 Before - basic P, with local travel on S3

P | Shared profile

3 shutters | Reference: S1
Reference travel: unknown
Timings + slat phase; curve not measured
Created on: S1
Data: Measurements on S1

S1 | Living room

Reference of P
Reference travel: unknown
Basic timings measured here
Positioning not verified

S2 | Bedroom

Follows P
Travel: unknown
Basic timings assumed
Positioning not verified

S3 | Office

Follows P
Local travel: 130 cm
P timings; adaptation unavailable
Positioning not verified

02 S1: measure, then save by updating P

P | Shared profile

UPDATED

3 shutters | Reference: S1
Reference travel: 110 cm
Roller curve fitted from measurements
Created on: S1
Data: Measurements on S1

S1 | Living room

UPDATED

Reference of P
Reference travel: 110 cm
Fitted model measured here
Positioning not verified

S2 | Bedroom

UPDATED

Follows P
Travel: 110 cm from profile
Fitted model inherited
Positioning not verified

S3 | Office

UPDATED

Follows P
Local travel: 130 cm
Timings and curve adapted
Positioning not verified

WHAT THIS MEANS

S2 inherits the refined model. S3 keeps 130 cm and recalculates its effective behavior. S1 remains the reference.

Refinement measures travel and intermediate positions in cm, producing 110 cm and fitted roller parameters. Show affected shutters before saving. Existing verification is invalidated wherever the effective positioning behavior changes.

Refine S1 and create a new profile

Calibration / S1 / Refine / Create new profile

Uses profile · Removed link · Created / updated / recalculated · Unchanged

01 Before - the same starting state as flow 04

P | Shared profile

3 shutters | Reference: S1
Reference travel: unknown
Timings + slat phase; curve not measured
Created on: S1
Data: Measurements on S1

S1 | Living room

Reference of P
Reference travel: unknown
Basic timings measured here
Positioning not verified

S2 | Bedroom

Follows P
Travel: unknown
Basic timings assumed
Positioning not verified

S3 | Office

Follows P
Local travel: 130 cm
P timings; adaptation unavailable
Positioning not verified

02 S1: measure, then save in new profile P2

P | Shared profile — UPDATED

2 shutters | Reference: S1 (not connected)
Reference travel: unknown
Timings + slat phase; curve not measured
Created on: S1
Data: Measurements on S1

P2 | New profile — UPDATED

1 shutter | Reference: S1
Reference travel: 110 cm
Roller curve fitted from measurements
Created on: S1
Data: Measurements on S1

S1 | Living room — UPDATED

Reference of P2
Reference travel: 110 cm
Fitted model measured here
Positioning not verified

S2 | Bedroom

Follows P
Travel: unknown
Basic timings assumed
Positioning not verified

S3 | Office

Follows P
Local travel: 130 cm
P timings; adaptation unavailable
Positioning not verified

WHAT THIS MEANS

S2 and S3 keep the old behavior. P has no connected reference and remains basic: the 130 cm on S3 still does not enable adaptation.

P remembers S1 as its reference, but cannot receive guided updates while S1 uses P2. If S1 later returns to P, its reference role resumes; returning alone does not change the profile parameters.

Adjust one shutter, then return to the profile

Calibration / S3 / Local characteristics

Uses profile · Removed link · Created / updated / recalculated · Unchanged

01 Before - all three use refined P

P | Shared profile

3 shutters | Reference: S1
Reference travel: 110 cm
Roller curve fitted from measurements
Created on: S1
Data: Measurements on S1

S1 | Living room

Reference of P
Reference travel: 110 cm
Fitted model measured here
Positioning not verified

S2 | Bedroom

Follows P
Travel: 110 cm from profile
Fitted model inherited
Positioning not verified

S3 | Office

Follows P
Local travel: 130 cm
Timings and curve adapted
Positioning not verified

02 S3: change local travel from 130 to 140 cm

P | Shared profile

3 shutters | Reference: S1
Reference travel: 110 cm
Roller curve fitted from measurements
Created on: S1
Data: Measurements on S1

S1 | Living room

Reference of P
Reference travel: 110 cm
Fitted model measured here
Positioning not verified

S2 | Bedroom

Follows P
Travel: 110 cm from profile
Fitted model inherited
Positioning not verified

S3 | Office UPDATED

Follows P
Local travel: 140 cm
Timings and curve adapted
Positioning not verified

03 S3: remove local travel and use the profile value

P | Shared profile

3 shutters | Reference: S1
Reference travel: 110 cm
Roller curve fitted from measurements
Created on: S1
Data: Measurements on S1

S1 | Living room

Reference of P
Reference travel: 110 cm
Fitted model measured here
Positioning not verified

S2 | Bedroom

Follows P
Travel: 110 cm from profile
Fitted model inherited
Positioning not verified

S3 | Office UPDATED

Follows P
Travel: 110 cm from profile
Fitted model inherited
Positioning not verified

WHAT THIS MEANS

Changes to a follower's travel never overwrite P or affect the other shutters.

Only S3 changes. Removing its local value means assuming the 110 cm from P again; it does not record a new physical measurement.

Calibrate a follower into its own profile

Calibration / S3 / Recalibrate / New profile

Uses profile · Removed link · Created / updated / recalculated · Unchanged

01 Before - S3 follows refined P

P | Shared profile

3 shutters | Reference: S1
Reference travel: 110 cm
Roller curve fitted from measurements
Created on: S1
Data: Measurements on S1

S1 | Living room

Reference of P
Reference travel: 110 cm
Fitted model measured here
Positioning not verified

S2 | Bedroom

Follows P
Travel: 110 cm from profile
Fitted model inherited
Positioning not verified

S3 | Office

Follows P
Local travel: 130 cm
Timings and curve adapted
Positioning not verified

02 S3: complete basic recalibration and save P3

P | Shared profile — UPDATED

2 shutters | Reference: S1
Reference travel: 110 cm
Roller curve fitted from measurements
Created on: S1
Data: Measurements on S1

P3 | S3 calibration — UPDATED

1 shutter | Reference: S3
Reference travel: 130 cm
Timings + slat phase; curve not measured
Created on: S3
Data: Measurements on S3

S1 | Living room

Reference of P
Reference travel: 110 cm
Fitted model measured here
Positioning not verified

S2 | Bedroom

Follows P
Travel: 110 cm from profile
Fitted model inherited
Positioning not verified

S3 | Office — UPDATED

Reference of P3
Reference travel: 130 cm
Basic timings measured here
Positioning not verified

WHAT THIS MEANS

P and its other users keep their settings. Refining S3 instead follows the same save ownership rule, with spatial measurements in the new profile.

Before saving, explain that P3 uses newly measured timings and retains the known 130 cm, but drops the curve inherited from P. Basic recalibration does not guarantee better positioning accuracy. Use Refine to collect spatial measurements on S3.

FLOW 08 / PROPOSED BEHAVIOR

Make a follower independent without measuring again

Calibration / S3 / Make independent

Uses profile · Removed link · Created / updated / recalculated · Unchanged

01 Before - S3 uses an adapted version of P

P | Shared profile

3 shutters | Reference: S1
Reference travel: 110 cm
Roller curve fitted from measurements
Created on: S1
Data: Measurements on S1

S1 | Living room

Reference of P
Reference travel: 110 cm
Fitted model measured here
Positioning not verified

S2 | Bedroom

Follows P
Travel: 110 cm from profile
Fitted model inherited
Positioning not verified

S3 | Office

Follows P
Local travel: 130 cm
Timings and curve adapted
Positioning not verified

02 S3: save its effective behavior as new profile P3

P | Shared profile — UPDATED

2 shutters | Reference: S1
Reference travel: 110 cm
Roller curve fitted from measurements
Created on: S1
Data: Measurements on S1

P3 | S3 independent — UPDATED

1 shutter | Reference: S3
Reference travel: 130 cm
Effective behavior copied; not remeasured
Created on: S3
Data: Derived from P; curve measured on S1

S1 | Living room

Reference of P
Reference travel: 110 cm
Fitted model measured here
Positioning not verified

S2 | Bedroom

Follows P
Travel: 110 cm from profile
Fitted model inherited
Positioning not verified

S3 | Office — UPDATED

Reference of P3
Reference travel: 130 cm
Effective behavior preserved
Positioning not verified

WHAT THIS MEANS

S3 is both the origin and the reference of P3. P3 captures the current behavior of S3 and is independent of future changes to P.

P3 is created on S3 and uses its 130 cm as reference travel. Its behavior is derived from P, whose curve was measured on S1. Preserve the effective behavior without applying the travel adjustment twice. No new curve measurements are claimed.

Switch a follower to another profile

Calibration / S3 / Change profile

Uses profile · Removed link · Created / updated / recalculated · Unchanged

01 Before - compatible Q is available and unused

P | Shared profile

3 shutters | Reference: S1
Reference travel: 110 cm
Roller curve fitted from measurements
Created on: S1
Data: Measurements on S1

Q | Alternative profile

0 shutters | No reference
Reference travel: 120 cm
Roller curve fitted from measurements
Created on: not recorded
Data: Existing profile

S1 | Living room

Reference of P
Reference travel: 110 cm
Fitted model measured here
Positioning not verified

S2 | Bedroom

Follows P
Travel: 110 cm from profile
Fitted model inherited
Positioning not verified

S3 | Office

Follows P
Local travel: 130 cm
Timings and curve adapted
Positioning not verified

02 S3: switch from P to Q and save

P | Shared profile — UPDATED

2 shutters | Reference: S1
Reference travel: 110 cm
Roller curve fitted from measurements
Created on: S1
Data: Measurements on S1

Q | Alternative profile — UPDATED

1 shutter | No reference
Reference travel: 120 cm
Roller curve fitted from measurements
Created on: not recorded
Data: Existing profile

S1 | Living room

Reference of P
Reference travel: 110 cm
Fitted model measured here
Positioning not verified

S2 | Bedroom

Follows P
Travel: 110 cm from profile
Fitted model inherited
Positioning not verified

S3 | Office — UPDATED

Follows Q
Local travel: 130 cm
Timings and curve adapted
Positioning not verified

WHAT THIS MEANS

Neither profile changes its parameters. Their user counts change; Q does not gain a reference.

Q has reference travel 120 cm in this example. S3 retains its own 130 cm, so its behavior is adapted using Q instead of P.

FLOW 10 / PROPOSED BEHAVIOR

The reference leaves - and later returns

Calibration / S1 / Change profile

Uses profile · Removed link · Created / updated / recalculated · Unchanged

01 Before - S1 is the reference of P

P | Shared profile

3 shutters | Reference: S1
Reference travel: 110 cm
Roller curve fitted from measurements
Created on: S1
Data: Measurements on S1

Q | Alternative profile

0 shutters | No reference
Reference travel: 120 cm
Roller curve fitted from measurements
Created on: not recorded
Data: Existing profile

S1 | Living room

Reference of P
Reference travel: 110 cm
Fitted model measured here
Positioning not verified

S2 | Bedroom

Follows P
Travel: 110 cm from profile
Fitted model inherited
Positioning not verified

S3 | Office

Follows P
Local travel: 130 cm
Timings and curve adapted
Positioning not verified

02 S1: switch to Q; retain measured travel 110 cm

P | Shared profile UPDATED

2 shutters | Reference: S1 (not connected)
Reference travel: 110 cm
Roller curve fitted from measurements
Created on: S1
Data: Measurements on S1

Q | Alternative profile UPDATED

1 shutter | No reference
Reference travel: 120 cm
Roller curve fitted from measurements
Created on: not recorded
Data: Existing profile

S1 | Living room UPDATED

Follows Q
Local travel: 110 cm
Timings and curve adapted
Positioning not verified

S2 | Bedroom

Follows P
Travel: 110 cm from profile
Fitted model inherited
Positioning not verified

S3 | Office

Follows P
Local travel: 130 cm
Timings and curve adapted
Positioning not verified

03 S1: return to P and resume its reference role

P | Shared profile UPDATED

3 shutters | Reference: S1
Reference travel: 110 cm
Roller curve fitted from measurements
Created on: S1
Data: Measurements on S1

Q | Alternative profile UPDATED

0 shutters | No reference
Reference travel: 120 cm
Roller curve fitted from measurements
Created on: not recorded
Data: Existing profile

S1 | Living room UPDATED

Reference of P
Reference travel: 110 cm
Fitted model measured here
Positioning not verified

S2 | Bedroom

Follows P
Travel: 110 cm from profile
Fitted model inherited
Positioning not verified

S3 | Office

Follows P
Local travel: 130 cm
Timings and curve adapted
Positioning not verified

WHAT THIS MEANS

P remembers S1 while it is away. When S1 returns, it can update P again. S2 and S3 keep the same behavior throughout.

Only the original reference may resume this role on the same profile. Returning changes no profile parameters. Subsequent recalibration or refinement still requires an explicit save. S1 stays configured while using Q; no other shutter can be promoted.

The last user leaves a profile

Calibration / S2 and S3 / Change profile

Uses profile · Removed link · Created / updated / recalculated · Unchanged

01 Before - S1 already uses Q; S2 and S3 still use P

P | Shared profile

2 shutters | Reference: S1 (not connected)
Reference travel: 110 cm
Roller curve fitted from measurements
Created on: S1
Data: Measurements on S1

Q | Alternative profile

1 shutter | No reference
Reference travel: 120 cm
Roller curve fitted from measurements
Created on: not recorded
Data: Existing profile

S1 | Living room

Follows Q
Local travel: 110 cm
Timings and curve adapted
Positioning not verified

S2 | Bedroom

Follows P
Travel: 110 cm from profile
Fitted model inherited
Positioning not verified

S3 | Office

Follows P
Local travel: 130 cm
Timings and curve adapted
Positioning not verified

02 S2: switch to Q without a local travel value

P | Shared profile — UPDATED

1 shutter | Reference: S1 (not connected)
Reference travel: 110 cm
Roller curve fitted from measurements
Created on: S1
Data: Measurements on S1

Q | Alternative profile — UPDATED

2 shutters | No reference
Reference travel: 120 cm
Roller curve fitted from measurements
Created on: not recorded
Data: Existing profile

S1 | Living room

Follows Q
Local travel: 110 cm
Timings and curve adapted
Positioning not verified

S2 | Bedroom — UPDATED

Follows Q
Travel: 120 cm from profile
Fitted model inherited
Positioning not verified

S3 | Office

Follows P
Local travel: 130 cm
Timings and curve adapted
Positioning not verified

03 S3: switch to Q and retain local travel 130 cm

P | Shared profile — UPDATED

0 shutters | Reference: S1 (not connected)
Reference travel: 110 cm
Roller curve fitted from measurements
Created on: S1
Data: Measurements on S1

Q | Alternative profile — UPDATED

3 shutters | No reference
Reference travel: 120 cm
Roller curve fitted from measurements
Created on: not recorded
Data: Existing profile

S1 | Living room

Follows Q
Local travel: 110 cm
Timings and curve adapted
Positioning not verified

S2 | Bedroom

Follows Q
Travel: 120 cm from profile
Fitted model inherited
Positioning not verified

S3 | Office — UPDATED

Follows Q
Local travel: 130 cm
Timings and curve adapted
Positioning not verified

WHAT THIS MEANS

P stays in the library as Unused. Losing the last association does not delete the profile.

S2 now assumes the 120 cm from Q. Its former assumed 110 cm is not turned into a local measurement. S1 and S3 retain their own physical travel.

Duplicate a profile, then use the copy

Profiles / Duplicate, then Calibration / S2 / Change profile

Uses profile · Removed link · Created / updated / recalculated · Unchanged

01 Before - shared refined P

P | Shared profile
3 shutters | Reference: S1
Reference travel: 110 cm
Roller curve fitted from measurements
Created on: S1
Data: Measurements on S1

S1 | Living room
Reference of P
Reference travel: 110 cm
Fitted model measured here
Positioning not verified

S2 | Bedroom
Follows P
Travel: 110 cm from profile
Fitted model inherited
Positioning not verified

S3 | Office
Follows P
Local travel: 130 cm
Timings and curve adapted
Positioning not verified

02 Profiles: duplicate P as an independent copy

P | Shared profile
3 shutters | Reference: S1
Reference travel: 110 cm
Roller curve fitted from measurements
Created on: S1
Data: Measurements on S1

Copy | Independent copy
UPDATED
0 shutters | No reference
Reference travel: 110 cm
Roller curve fitted from measurements
Created in: profile library
Data: Copied from P; measurements on S1

S1 | Living room
Reference of P
Reference travel: 110 cm
Fitted model measured here
Positioning not verified

S2 | Bedroom
Follows P
Travel: 110 cm from profile
Fitted model inherited
Positioning not verified

S3 | Office
Follows P
Local travel: 130 cm
Timings and curve adapted
Positioning not verified

03 S2 sheet: choose Copy and save

P | Shared profile
UPDATED
2 shutters | Reference: S1
Reference travel: 110 cm
Roller curve fitted from measurements
Created on: S1
Data: Measurements on S1

Copy | Independent copy
UPDATED
1 shutter | No reference
Reference travel: 110 cm
Roller curve fitted from measurements
Created in: profile library
Data: Copied from P; measurements on S1

S1 | Living room
Reference of P
Reference travel: 110 cm
Fitted model measured here
Positioning not verified

S2 | Bedroom
UPDATED
Follows Copy
Travel: 110 cm from profile
Fitted model inherited
Positioning not verified

S3 | Office
Follows P
Local travel: 130 cm
Timings and curve adapted
Positioning not verified

WHAT THIS MEANS

S2 becomes a follower of Copy. Copy remains without a reference and cannot receive guided updates.

Created in the library, Copy retains the data provenance but has no originating shutter or reference. Even S1 would follow Copy; provenance grants no reference role. Choose profiles from shutter sheets. Copy has no update link to P.

Rename a profile and edit shared parameters

Profiles / Profile details

Uses profile · Removed link · Created / updated / recalculated · Unchanged

01 Before - refined P is used by all three

P | Shared profile

3 shutters | Reference: S1
Reference travel: 110 cm
Roller curve fitted from measurements
Created on: S1
Data: Measurements on S1

S1 | Living room

Reference of P
Reference travel: 110 cm
Fitted model measured here
Positioning not verified

S2 | Bedroom

Follows P
Travel: 110 cm from profile
Fitted model inherited
Positioning not verified

S3 | Office

Follows P
Local travel: 130 cm
Timings and curve adapted
Positioning not verified

02 Profiles: rename P to Garden windows

P | Garden windows

UPDATED

3 shutters | Reference: S1
Reference travel: 110 cm
Roller curve fitted from measurements
Created on: S1
Data: Measurements on S1

S1 | Living room

Reference of P
Reference travel: 110 cm
Fitted model measured here
Positioning not verified

S2 | Bedroom

Follows P
Travel: 110 cm from profile
Fitted model inherited
Positioning not verified

S3 | Office

Follows P
Local travel: 130 cm
Timings and curve adapted
Positioning not verified

03 Profiles: preview and save an explicit manual parameter edit

P | Garden windows

UPDATED

3 shutters | Reference: S1
Reference travel: 110 cm
Shared parameters edited manually
Created on: S1
Data: Manual edit; earlier data from S1

S1 | Living room

UPDATED

Reference of P
Reference travel: 110 cm
Uses edited profile parameters
Positioning not verified

S2 | Bedroom

UPDATED

Follows P
Travel: 110 cm from profile
Uses edited profile parameters
Positioning not verified

S3 | Office

UPDATED

Follows P
Local travel: 130 cm
Timings and curve adapted
Positioning not verified

WHAT THIS MEANS

Local physical travel is preserved. Manual parameters are labeled as manual, not as measured.

Renaming changes only the display name and preserves verification. A manual parameter edit identifies affected shutters before saving and invalidates verification wherever effective behavior changes.

Delete an unused profile

Profiles / Unused / Delete

Uses profile · Removed link · Created / updated / recalculated · Unchanged

01 Before - Copy has no users

P | Shared profile

3 shutters | Reference: S1
Reference travel: 110 cm
Roller curve fitted from measurements
Created on: S1
Data: Measurements on S1

Copy | Independent copy

0 shutters | No reference
Reference travel: 110 cm
Roller curve fitted from measurements
Created in: profile library
Data: Copied from P; measurements on S1

S1 | Living room

Reference of P
Reference travel: 110 cm
Fitted model measured here
Positioning not verified

S2 | Bedroom

Follows P
Travel: 110 cm from profile
Fitted model inherited
Positioning not verified

S3 | Office

Follows P
Local travel: 130 cm
Timings and curve adapted
Positioning not verified

02 Profiles: delete unused Copy

P | Shared profile

3 shutters | Reference: S1
Reference travel: 110 cm
Roller curve fitted from measurements
Created on: S1
Data: Measurements on S1

S1 | Living room

Reference of P
Reference travel: 110 cm
Fitted model measured here
Positioning not verified

S2 | Bedroom

Follows P
Travel: 110 cm from profile
Fitted model inherited
Positioning not verified

S3 | Office

Follows P
Local travel: 130 cm
Timings and curve adapted
Positioning not verified

WHAT THIS MEANS

Only the selected unused profile is deleted. The three shutters and the profiles they use are unaffected.

The same deletion rule applies to any unused profile, including P after flow 11. Deleting P while it still has users is unavailable and leaves every shutter unchanged.

Restore profile values on a follower

Calibration / S3 / Restore profile values

Uses profile · Removed link · Created / updated / recalculated · Unchanged

01 Before - S3 uses P with local travel 130 cm

P | Shared profile

3 shutters | Reference: S1
Reference travel: 110 cm
Roller curve fitted from measurements
Created on: S1
Data: Measurements on S1

S1 | Living room

Reference of P
Reference travel: 110 cm
Fitted model measured here
Positioning not verified

S2 | Bedroom

Follows P
Travel: 110 cm from profile
Fitted model inherited
Positioning not verified

S3 | Office

Follows P
Local travel: 130 cm
Timings and curve adapted
Positioning not verified

02 S3: remove its local adjustment and use 110 cm from P

P | Shared profile

3 shutters | Reference: S1
Reference travel: 110 cm
Roller curve fitted from measurements
Created on: S1
Data: Measurements on S1

S1 | Living room

Reference of P
Reference travel: 110 cm
Fitted model measured here
Positioning not verified

S2 | Bedroom

Follows P
Travel: 110 cm from profile
Fitted model inherited
Positioning not verified

S3 | Office UPDATED

Follows P
Travel: 110 cm from profile
Fitted model inherited
Positioning not verified

WHAT THIS MEANS

S3 stays connected to P and returns to using it as-is. P, S1 and S2 remain unchanged; no reference role is lost.

This action removes active local adjustments, not the profile association. For reference S1, the reference travel defines P itself: it is not a separate local override to reset. Changes to that model use Update current profile or Save as new profile.

Verify one shutter, then change its configuration

Calibration / S3 / Verify position and Local characteristics

Uses profile · Removed link · Created / updated / recalculated · Unchanged

01 Before - a model is available, accuracy not verified here

P | Shared profile

3 shutters | Reference: S1
Reference travel: 110 cm
Roller curve fitted from measurements
Created on: S1
Data: Measurements on S1

S1 | Living room

Reference of P
Reference travel: 110 cm
Fitted model measured here
Positioning not verified

S2 | Bedroom

Follows P
Travel: 110 cm from profile
Fitted model inherited
Positioning not verified

S3 | Office

Follows P
Local travel: 130 cm
Timings and curve adapted
Positioning not verified

02 S3: record verification observations

P | Shared profile

3 shutters | Reference: S1
Reference travel: 110 cm
Roller curve fitted from measurements
Created on: S1
Data: Measurements on S1

S1 | Living room

Reference of P
Reference travel: 110 cm
Fitted model measured here
Positioning not verified

S2 | Bedroom

Follows P
Travel: 110 cm from profile
Fitted model inherited
Positioning not verified

S3 | Office UPDATED

Follows P
Local travel: 130 cm
Timings and curve adapted
Verification: current configuration

03 S3: change local travel to 140 cm

P | Shared profile

3 shutters | Reference: S1
Reference travel: 110 cm
Roller curve fitted from measurements
Created on: S1
Data: Measurements on S1

S1 | Living room

Reference of P
Reference travel: 110 cm
Fitted model measured here
Positioning not verified

S2 | Bedroom

Follows P
Travel: 110 cm from profile
Fitted model inherited
Positioning not verified

S3 | Office UPDATED

Follows P
Local travel: 140 cm
Timings and curve adapted
Positioning not verified

WHAT THIS MEANS

Verification belongs to this shutter and its tested configuration. After the change, S3 must be verified again.

A relevant local or shared profile change invalidates the previous verification. This version removes that result; retaining historical results is deferred. Renaming alone does not invalidate verification.

Disconnect a shutter from its profile

Calibration / shutter sheet / Disconnect profile

Uses profile · Removed link · Created / updated / recalculated · Unchanged

01 Before - all three use refined P

P | Shared profile

3 shutters | Reference: S1
Reference travel: 110 cm
Roller curve fitted from measurements
Created on: S1
Data: Measurements on S1

S1 | Living room

Reference of P
Reference travel: 110 cm
Fitted model measured here
Positioning not verified

S2 | Bedroom

Follows P
Travel: 110 cm from profile
Fitted model inherited
Positioning not verified

S3 | Office

Follows P
Local travel: 130 cm
Timings and curve adapted
Positioning not verified

02 S3: confirm disconnection; retain its physical travel

P | Shared profile

UPDATED

2 shutters | Reference: S1
Reference travel: 110 cm
Roller curve fitted from measurements
Created on: S1
Data: Measurements on S1

S1 | Living room

Reference of P
Reference travel: 110 cm
Fitted model measured here
Positioning not verified

S2 | Bedroom

Follows P
Travel: 110 cm from profile
Fitted model inherited
Positioning not verified

S3 | Office

UPDATED

No profile
Local travel: 130 cm
Positioning not configured

03 S1: confirm disconnection; retain its physical travel

P | Shared profile

UPDATED

1 shutter | Reference: S1 (not connected)
Reference travel: 110 cm
Roller curve fitted from measurements
Created on: S1
Data: Measurements on S1

S1 | Living room

UPDATED

No profile
Local travel: 110 cm
Positioning not configured

S2 | Bedroom

Follows P
Travel: 110 cm from profile
Fitted model inherited
Positioning not verified

S3 | Office

No profile
Local travel: 130 cm
Positioning not configured

WHAT THIS MEANS

S2 keeps using P unchanged. P remembers S1 as its reference but receives no guided updates while S1 is disconnected. Reconnecting S1 restores its role.

Confirm that disconnecting without a replacement leaves positioning unconfigured; known travel and type are retained. Offer Make independent to keep current behavior in a new profile instead. Switching to Q is different: the shutter remains configured using Q.