

Congratulations! You passed!

Grade received 100% **To pass** 80% or higher

Go to next item

Weekly challenge 5

Latest Submission Grade 100%		
1.	A data analyst wants to create a shareable report of their analysis with documentation of their process and notes explaining their code to stakeholders. What tool can they use to generate this?	1/1 point
	O Dashboards	
	O Filters	
	Code chunks	
	R Markdown	
	Correct R Markdown is a file format for making dynamic documents with R. R Markdown documents can be used to save, organize, and document code; create a record of your cleaning process; and generate reports with executable code for stakeholders.	
2.	A data analyst wants to export their R Markdown notebook as a text document. What are the text document formats they can use to share their R Markdown notebook? Select all that apply.	1/1 point
	✓ Word	
	© Correct R Markdown notebooks can be converted into HTML, PDF, and Word documents, slide presentations, and dashboards.	
	✓ HTML	
	 correct R Markdown notebooks can be converted into HTML, PDF, and Word documents, slide presentations, and dashboards. 	
	▼ PDF	
	 correct R Markdown notebooks can be converted into HTML, PDF, and Word documents, slide presentations, and dashboards. 	
	□ Notepad	
3.	A data analyst wants to change their header to be one font size smaller. What should they add to their markdown syntax?	1/1 point
	O Exclamation mark	
	O Double space	
	Hashtag	
	O Backtick	
	Correct Hashtags can be used to change the font size of headers. The more hashtags you add, the smaller the header.	

 Fill in the blank: A data analyst includes ____ in their R Markdown notebook so that they can refer to it directly in their explanation of their analysis. 1/1 point



inline code	
O documentation	
O YAML	
 Correct Inline code is code that can be inserted directly into a .rmd file. 	
5. What symbol can be used to add bullet points in R Markdown?	1/1 point
O Brackets	
Asterisks	
Exclamation marks	
Correct Asterisks can be used to add bullet points to an .rmd file. Hyphens can also be used.	
6. A data analyst adds a section of executable code to their .rmd file so users can execute it and generate the correct output. What is this section of code called?	1/1 point
○ YAML	
O Data plot	
⑥ Code chunk	
O Documentation	
Correct Code added to a .rmd file is usually referred to as a code chunk. Code chunks allow users to execute R code from within the .rmd file.	
7.	1/1 point
A data analyst adds specific characters before and after their code chunk to mark where the data item begins and ends in the .rmd file. What are these characters called?	
○ Markdown	
○ Backticks	
Syntax	
Delimiters	
✓ correct A delimiter is a character that indicates the beginning or end of a data item in a code chunk.	
8. Why would a data analyst create a template of their .rmd file? Select all that apply.	1/1 point
☐ To prevent other users from editing the file	
☐ To create an interactive notebook	
▼ To customize the appearance of a final report	
Correct If an analyst creates the same kind of document over and over or customizes the appearance of a final report, a template can save them time.	
✓ To save time when creating the same kind of document	

⊘ Correct

If an analyst creates the same kind of document over and over or customizes the appearance of a final report, a template can save them time.