
WH-03-14 WELLHEAD

SITHP: 36.0 MPa(g)
WELLHEAD RATING: 10,000 API
SURFACE LOCATION: 03-14-78-22 W6M ZONE: PHOSPHATE/MONTNEY



- NOTES:

 1. ALL TUBING TO BE 3/8" DIA. (0.065" W.T.) STAINLESS STEEL C/W STAINLESS STEEL SWAGELOK TUBE FITTINGS.

 2. FOR 2500# ANSI DESIGN, A 10000# API FLANGE (60mm) MUST BE USED TO MATE UP TO WING VALVE ON WELLHEAD.

 3. MULTI-PORT NEEDLE VALVE.

			PROFESSIONAL STAMP	TRI OCEAN ENGINEERING LTD. A subsidiary of Toyo Engineering Corporation, Japan
				Shell Canada Limited
				PEACE RIVER DISTRICT BRITISH COLUMBIA - 03-14-78-22 W6M
			TITLE	SOUTH MONIAS FACILITIES & PIPELINE
				03-14 WELLHEAD PIPING & INSTRUMENTATION DIAGRAM (P&ID)
-	A 10 DEC 22 ISSUED FOR CLIENT REVIEW	RSW ZBW FZ	DRAWN BY	
DWG.No. TITLE	REV. DATE DESCRIPTION	DRAWN BY CHECKED BY APPROVED BY CLIENT	TRI OCEAN ENGINEERING LTD.	CARD FILE CLIENT DWO NA
REFERENCE DRAWINGS	ISSUES / APPROVAL		APEGGA PERMIT P2034	01101-1228 SMF-00002-MF11.01