

Appendix L - Index

This index is a quick route back into the guide. Appendix D gives the MMIO map, Appendix G gives opcode cribs, Appendix H gives per-CPU symbols, and Appendix J gives the full memory map.

A

Term	See
AHX	Chapter 18, Appendix D
Alpha blending	Chapter 4, Chapter 9
ANTIC	Chapter 7, Chapter 28, Chapter 41, Appendix D, Appendix H
arosdos monitor view	Chapter 33
Asset pack layout	Chapter 59, Chapter 63
ASCII	Appendix C
ASSEMBLE command	Chapter 2, Chapter 25, Chapter 35, Appendix A, Appendix I
Assemble mode	Chapter 25, Chapter 33, Appendix G
AUDCTL	Chapter 17, Chapter 27, Appendix D
audio.write_regs	Chapter 34
Audio mixer	Chapter 11, Chapter 23, Appendix K

B

Term	See
BASIC direct mode	Chapter 1
BASIC line/input scratch	Chapter 24, Appendix J
BASIC native compilation	Chapter 1, Chapter 2, Chapter 35, Chapter 42
BASIC vocabulary	Chapter 2
Backed RAM	Chapter 24, Chapter 35
BLOAD	Chapter 2, Chapter 35
Bright-background text	Chapter 5
BLIT M	Chapter 2, Chapter 4
BLIT MEMCOPY	Chapter 2, Chapter 4, Appendix D
Blitter	Chapter 4, Chapter 41, Chapter 46, Chapter 47, Chapter 54, Appendix D
BLT alpha template	Chapter 4, Appendix D
BLT_FLAGS	Chapter 4

Term	See
BLT mask MSB-first	Chapter 4, Appendix D
BLT_MASK_MOD	Chapter 4, Appendix D
BLT_MASK_SRCX	Chapter 4, Appendix D
BLT_OP_MEMCOPY	Chapter 4, Appendix D
BLT_STATUS	Chapter 4, Appendix D
Block diagrams	Appendix K
Bridge/profile inspection views	Chapter 33
BEQZ	Chapter 25, Appendix G
BGEZ	Chapter 25, Appendix G
BGTZ	Chapter 25, Appendix G
BLEZ	Chapter 25, Appendix G
BLTZ	Chapter 25, Appendix G
BNEZ	Chapter 25, Appendix G
Bus model	Preface, Chapter 24, Appendix K

C

Term	See
CLUT8	Chapter 4
CMOVcc	Chapter 30, Appendix G
Clipboard bridge monitor view	Chapter 33
Code invalidation	Chapter 34, Chapter 44
Coherent CPU inspection	Chapter 33
COMPILE	Chapter 2, Chapter 35, Appendix I
Compiled BASIC	Chapter 1, Chapter 2, Chapter 25, Chapter 35
Compositor	Chapter 3, Appendix K
Copper	Chapter 4, Chapter 54
Copper-driven blitter	Chapter 51, Chapter 54
Copper frame execution	Chapter 4, Chapter 51, Chapter 54
Coprocessor	Chapter 32, Chapter 40, Chapter 43, Chapter 57, Chapter 61, Appendix I
Coprocessor instance discovery	Chapter 32, Appendix D, Appendix H
Coprocessor mailbox	Chapter 32, Chapter 43, Appendix D, Appendix J
Coprocessor mailbox publication order	Chapter 32, Chapter 43
Coprocessor worker windows	Chapter 32, Chapter 42, Appendix J
COPROC_CMD_ERROR	Chapter 32, Appendix D

Term	See
COPROC_CMD_START_MEM	Chapter 32, Chapter 43, Appendix D, Appendix I
COCALL	Chapter 32
COCAPS	Chapter 2, Chapter 32
COINSTANCE	Chapter 2, Chapter 32
COSELSTATE	Chapter 2, Chapter 32
COSTART	Chapter 2, Chapter 32, Chapter 43
COSTATUS	Chapter 2, Chapter 32, Chapter 43
COSTOP	Chapter 2, Chapter 32, Chapter 43
COWAIT	Chapter 2, Chapter 32, Chapter 43
CPU-local snapshots	Chapter 33, Chapter 34
cpu.jit_stats	Chapter 34, Chapter 44
cpu.load_stopped	Chapter 34, Chapter 44
CR_RAM_SIZE_BYTES	Chapter 25, Appendix I
CRT presentation modes	Chapter 34, Chapter 44

D

Term	See
DEF / TROFF token collision	Chapter 2, Appendix A
dbg.freeze_audio	Chapter 34
dbg.history_horizon	Chapter 34
dbg.io	Chapter 34
dbg.io_devices	Chapter 34
dbg.open	Chapter 34
dbg.save_state	Chapter 34
dbg.thaw_audio	Chapter 34
dbg.tracering_show	Chapter 34
Disk I/O	Chapter 35
Demo programming	Chapters 46-56
Debugging cookbook	Chapter 44
DMA	Chapter 22, Chapter 24, Appendix D
Double-precision FPU	Chapter 25, Appendix G
DPOW	Chapter 25, Appendix G

E

Term	See
IE64 BASIC tokens	Appendix A
Error messages	Appendix I
Exceptions	Chapter 31

F

Term	See
File I/O	Chapter 35, Chapter 40, Appendix D
Fast3D	Chapter 60
FILE_DATA_PTR	Chapter 35, Appendix D
FILE_DATA_PTR64	Chapter 35, Appendix D, Appendix H
FILE_ERR_RANGE	Chapter 35, Appendix D, Appendix I
FILE_READ_MAX	Chapter 35, Appendix D, Appendix H
FILE TOO LARGE	Chapter 35, Appendix I
FBZ_MODE	Chapter 9
fa command	Chapter 33, Chapter 44
Fallback execution	Chapter 34, Chapter 44
Fixed-point maths	Chapter 4, Chapter 9, Appendix F
Frame loop	Chapter 46
Frequency tables	Appendix E
FRESTORE	Chapter 29, Appendix G, Appendix H
FSAVE	Chapter 29, Appendix G, Appendix H
FLDENV	Chapter 30, Appendix G
FNSTENV	Chapter 30, Appendix G
FNSAVE	Chapter 30, Appendix G
FRSTOR	Chapter 30, Appendix G
FPU data-register operands	Chapter 29, Appendix G
FPU state frame	Chapter 29, Appendix H

G

Term	See
General MIDI-style programmes	Chapter 21, Appendix E
General MIDI-style drum notes	Chapter 21, Appendix E

Term	See
Game port case study	Chapters 57-66
Gamepad input	Chapter 2, Chapter 37, Appendix D, Appendix H, Appendix J
GAMEPAD_STATUS	Chapter 37, Appendix D, Appendix H
Replay save data	Chapter 65
GTIA	Chapter 7, Chapter 28, Appendix D, Appendix H
Graphics overview	Chapter 3

H

Term	See
HALT after bootstrap	Chapter 51, Chapter 54
Halted-CPU effect	Chapter 51, Chapter 54
HOST command	Chapter 36, Appendix I
HOST UPDATE repair results	Chapter 36, Appendix I
HOST_SOCKET_CMD	Chapter 39, Appendix D, Appendix H
HOST_SOCKET_ERRNO	Chapter 39, Appendix D, Appendix I
HOST_SOCKET_REQ_PTR	Chapter 39, Appendix D, Appendix H
HOST_SOCKET_STATUS	Chapter 39, Appendix D, Appendix I

I

Term	See
IE Mon	Chapter 33
IE Script	Chapter 34, Chapter 44, Chapter 48
IE Script VGA palette	Chapter 34
IE32	Chapter 26, Chapter 31, Appendix G, Appendix H
IE64	Chapter 25, Chapter 31, Appendix G, Appendix H
IE64 flat images	Chapter 25, Chapter 35, Appendix H
IE64 in-machine assembler	Chapter 25, Chapter 35
IE64 monitor assembler	Chapter 25, Chapter 33, Appendix G
IE_MIDI_LIVE_CTRL	Chapter 21, Appendix D
IE_MIDI_LIVE_DATA	Chapter 21, Appendix D, Appendix H
IE_MIDI_LIVE_STATUS	Chapter 21, Appendix D
I/O register viewer	Chapter 33, Chapter 34
Index	Appendix L

Term	See
Input MMIO	Chapter 37, Chapter 45, Chapter 65, Appendix D
io command	Chapter 33

J

Term	See
JOY button masks	Chapter 37, Appendix D, Appendix H

L

Term	See
Live MIDI	Chapter 2, Chapter 21, Chapter 23, Appendix D
Live MIDI monitor view	Chapter 33, Chapter 34

M

Term	See
M68K	Chapter 29, Chapter 31, Chapter 57, Appendix G, Appendix H
M68K flat images	Chapter 29, Appendix H
Machine-code byte entry	Chapters 25-30, Chapter 33
Monitor audio freeze	Chapter 33, Chapter 34, Chapter 44
Monitor assemble command	Chapter 25, Chapter 33, Appendix G
Media loader	Chapter 11, Appendix D
MEDIA_TYPE_MIDI	Chapter 21, Chapter 23, Appendix D
MEMALLOC	Chapter 2, Chapter 24, Chapter 32, Appendix A, Appendix F, Appendix J
MERGE	Chapter 2, Chapter 35, Appendix A
Memory map	Chapter 24, Appendix J
MIDI BASIC keyword	Chapter 2, Chapter 21
MIDI CTRL	Chapter 2, Chapter 21
MIDI/MUS	Chapter 21, Chapter 23, Appendix D
MIDI/MUS player view	Chapter 33, Chapter 34
MIDI NOTE	Chapter 2, Chapter 21
MIDI_PLAY_CTRL	Chapter 21, Appendix D
MIDI_PLAY_STATUS	Chapter 21, Appendix D
MIDI PROG	Chapter 2, Chapter 21
MIDI RESET	Chapter 2, Chapter 21

Term	See
MIDI SEND	Chapter 2, Chapter 21
MIDI_STATUS_LOADING	Chapter 21, Appendix D
MIDI_TEMPO_BPM	Chapter 21, Appendix D
MIDI_VOLUME	Chapter 21, Appendix D
midilive monitor view	Chapter 33, Chapter 34
Mode 7	Chapter 4, Chapter 25, Chapter 47, Chapter 51, Chapter 52
MOD	Chapter 19, Appendix D
MUS	Chapter 21, Chapter 23

N

Term	See
Native retirement	Chapter 34, Chapter 44
Network sockets	Chapter 39, Appendix D, Appendix H, Appendix I, Appendix J
NOT A TEXT FILE	Chapter 35, Appendix I

P

Term	See
Palette	Chapter 3, Chapter 4
PAD	Chapter 2, Chapter 37, Appendix A
PADX and PADY	Chapter 2, Chapter 37, Appendix A
Paula DMA	Chapter 22, Appendix D
Paula DMA monitor view	Chapter 33
PEEK and POKE	Chapter 1, Chapter 24, Appendix F
PEEK64	Chapter 2, Chapter 24, Appendix F
Performance counters	Chapter 44, Chapter 64
Polling	Chapter 41
POKEY	Chapter 17, Chapter 27, Appendix D
Presentation scale modes	Chapter 3, Chapter 34, Chapter 44
Profiling	Chapter 44, Chapter 64
PSG	Chapter 13, Chapter 28, Appendix D

R

Term	See
Raster bands	Chapter 4, Chapter 41, Chapter 54
RawlandMini	Chapter 21, Appendix E
RawlandMini drum table	Chapter 21, Appendix E
RawlandMini programme table	Chapter 21, Appendix E
Registers	Chapter 24, Appendix D
Region promotion	Chapter 34, Chapter 44
Reverse history	Chapter 33, Chapter 34
RTC_MONO_USEC_HI	Chapter 37, Appendix D, Appendix H
RTC_MONO_USEC_LO	Chapter 37, Appendix D, Appendix H
RUN AOT	Chapter 1, Chapter 2, Chapter 35, Appendix I
RUN loader	Chapter 35, Appendix I
Rotozoomer	Chapters 47-50

S

Term	See
Screen codes	Appendix B
Serial devices	Chapter 38
Socket descriptor	Chapter 39
Socket byte order	Chapter 39
Save data	Chapter 35, Chapter 45, Chapter 65
Screenshot, composed stage	Chapter 34, Chapter 44
Screenshot, final screen stage	Chapter 34, Chapter 44
SFX	Chapter 11, Chapter 12, Appendix D
SFX extended window	Chapter 11, Chapter 12, Chapter 24, Appendix D, Appendix J
SFX Trigger monitor view	Chapter 33
SID	Chapter 15, Chapter 29, Appendix D
SID2	Chapter 15, Appendix D, Appendix J
SID3	Chapter 15, Appendix D, Appendix J
SMF	Chapter 21
SN76489	Chapter 14, Chapter 26, Appendix D
SoundChip	Chapter 11, Chapter 12, Chapter 40, Chapter 45, Appendix D
SoundChip flex channels	Chapter 11, Appendix D, Appendix J

Term	See
Standalone BASIC image	Chapter 2, Chapter 25, Chapter 35, Chapter 42
Stored LOAD under RUN AOT	Chapter 25, Chapter 35, Appendix I
SWAP_BUFFER_CMD	Chapter 9, Appendix D
SYSINFO_ACTIVE_RAM_LO	Chapter 24, Appendix D, Appendix J
SYSINFO_LOW_WINDOW_HI	Chapter 24, Appendix D, Appendix H
SYSINFO_LOW_WINDOW_LO	Chapter 24, Appendix D, Appendix H
SYSINFO_TOTAL_RAM_LO	Chapter 24, Appendix D, Appendix J
sys.perf_report	Chapter 34
sys.perf_reset	Chapter 34
sys.wait_until	Chapter 34
SysInfo	Chapter 24, Appendix D, Appendix J

T

Term	See
TED audio	Chapter 16, Chapter 30, Appendix D
TED frequency register	Chapter 16, Appendix E
TED_V_RASTER_STATUS	Chapter 6, Appendix D
TED video	Chapter 6, Chapter 30, Appendix D
ta command	Chapter 33, Chapter 44
TERM_IO_BANK	Chapter 24, Chapter 27, Chapter 28, Appendix H
TERM_SENTINEL	Chapter 38, Appendix D
Texture upload	Chapter 9, Chapter 60
Tile and sprite layers	Chapter 10
Timing	Chapter 31
TCP	Chapter 39
TIMER_COUNT	Chapter 25, Chapter 31
TIMER_PERIOD	Chapter 25, Chapter 31
TLBINVAL	Chapter 25
trace mmio	Chapter 33
TRIANGLE_CMD	Chapter 9, Appendix D
TnL coprocessor worker	Chapter 61
TRANSPILE	Chapter 2, Chapter 25, Chapter 35, Appendix A, Appendix I
Traps	Chapter 31, Appendix I
TYPE command	Chapter 1, Chapter 2, Chapter 35, Appendix A, Appendix I

U

Term	See
UDP	Chapter 39
ULA	Chapter 8, Chapter 27, Appendix D, Appendix H

V

Term	See
VGA	Chapter 5, Chapter 26, Appendix D, Appendix H
VGA blink attributes	Chapter 5, Appendix D
VGA text paging	Chapter 5, Appendix D, Appendix J
VBlank	Chapter 31, Chapter 41, Chapter 46
VideoChip	Chapter 4, Chapter 25, Chapter 40, Chapter 41, Chapters 45-46, Chapter 52, Chapter 54, Appendix D
VIDEO_STATUS	Chapter 4, Appendix D
Voodoo	Chapter 9, Chapter 29, Chapter 60, Chapter 61, Chapter 64, Appendix D, Appendix H
Voodoo batch limit	Chapter 9, Appendix D
Voodoo command stream	Chapter 9, Appendix D, Appendix H
Voodoo state binding	Chapter 9, Appendix D
Voodoo status bits	Chapter 9, Appendix D
Voodoo swap pipeline	Chapter 9, Appendix D
Voodoo texture slots	Chapter 9, Chapter 24, Chapter 60, Chapter 64, Appendix D, Appendix H
VOODOO_CMD_COUNT	Chapter 9, Appendix D, Appendix H
VOODOO_CMD_PTR	Chapter 9, Appendix D, Appendix H
VOODOO_CMD_SUBMIT	Chapter 9, Appendix D, Appendix H
VOODOO_CMD_SUBMIT_REPLAY	Chapter 9, Appendix D, Appendix H
VOODOO_CMD_SUBMIT_REPLAY_LE	Chapter 9, Appendix D, Appendix H
VOODOO_TEX_BIND	Chapter 9, Appendix D, Appendix H
VOODOO_TEX_SLOT	Chapter 9, Appendix D, Appendix H
VRAM	Chapter 3, Chapter 4, Chapter 24, Appendix J

W

Term	See
WAIT	Chapter 26, Chapter 31, Appendix G, Appendix H
WAITSELECT	Chapter 39

Term	See
WAV	Chapter 20, Appendix D
Whole-machine capstone	Chapter 40, Chapter 45

X

Term	See
x86	Chapter 30, Chapter 31, Appendix G, Appendix H
x86 .ie86 flat images	Chapter 30, Appendix H
x86 MMIO data access	Chapter 24, Chapter 30, Appendix H

Z

Term	See
Z80	Chapter 28, Chapter 31, Appendix G, Appendix H
Z80 VGA text banks	Chapter 24, Chapter 28, Appendix J
Z-buffer	Chapter 9