

Chapter 59 - Fast3D To Voodoo

The graphics port is a translation problem. The game emits display-list style drawing work. Intuition Engine has a Voodoo rasteriser. The port does not need to preserve the original graphics hardware. It needs to preserve the picture.

59.1 The Drawing Path

The path is:

```
game display commands
  |
  v
Fast3D translator
  |
  v
clip-space vertices, colours, texture coordinates
  |
  v
IE Voodoo adapter
  |
  v
Voodoo registers, texture memory, command stream
```

The translator understands the game command stream. The Voodoo side understands the IE rasteriser. Between them is a small drawing contract: vertices, texture state, combine mode, clip state, and draw calls.

59.2 Vertices And Triangles

The Voodoo side receives vertices in a form that is ready for the final screen transform. It performs perspective divide, viewport mapping, and screen-space triangle submission.

The triangle still becomes ordinary Voodoo work:

- Select colour and texture state.
- Upload or bind texture data.
- Write vertex coordinates, depth, colour, and texture coordinates.
- Submit the triangle.

The important point is that Voodoo is not a hidden renderer. It is the IE 3D card receiving work through its register path.

59.3 Texture Upload

The port keeps CPU-side copies of textures in a high-RAM texture store. It checks `SYSINFO_FEATURES` before using retained Voodoo texture slots. The first use of a texture generation selects a slot and uploads the ARGB8888 image. A later switch back to the same unchanged generation writes its identifier to `V00D00_TEX_BIND`; the texels do not cross the bus again. Changing the texture creates a new generation and causes a fresh upload into that slot.

The bulk texture-upload extension lets the first upload copy the whole image from guest RAM instead of writing one word at a time. If retained slots are unavailable, the adapter falls back to uploading the selected texture again. These optimisations preserve the same visible contract: texture pixels belong to the guest, and each submitted triangle binds the texture that is current at submission time.

59.4 Command Streams

Single MMIO writes are easy to understand, but a large port can issue many of them per frame. The Voodoo command-stream extension lets guest RAM contain address/value pairs. Submitting the stream replays those pairs through the normal Voodoo register path.

The case study uses this to reduce per-write overhead while keeping the same register truth.

59.5 The General IE Lesson

When porting graphics to IE, translate intent into the closest native card. Do not carry an old rasteriser forward just because the original machine had one. Preserve the command meaning, then let Voodoo, VideoChip, or another IE display card draw it.