

```
<!DOCTYPE html> <html lang="en"> <head> <meta charset="UTF-8"> <meta name="viewport"
content="width=device-width, initial-scale=1.0"> <title>True Homesteader - Rebuilt</title>
```

```
<link href="https://fonts.googleapis.com/css2?family=Poppins:wght@400;600&display=swap"
rel="stylesheet">
```

```
<style> body { margin:0; font-family:'Poppins',sans-serif; background:#0b1d0b; overflow:hidden; }
```

```
/ ===== BACKGROUND ===== /
```

bg {

```
position:fixed; inset:0; background:url('assets/bg/farm-ground.png') center/cover no-repeat; z-index:0; }
```

overlay {

```
position:fixed; inset:0; background:radial-gradient(circle, transparent 40%, rgba(0,0,0,0.7)); z-index:1; }
```

```
/ ===== HUD ===== /
```

hud {

```
position:fixed; top:0; left:0; right:0; background:#000a; padding:10px; z-index:10; display:flex; justify-
content:space-between; font-size:14px; }
```

```
.stat { color:#7dff7d; }
```

```
/ ===== FARM GRID ===== /
```

farm {

```
position:absolute; top:60px; bottom:0; left:0; right:0; display:grid; grid-template-columns:repeat(5,1fr); gap:
8px; padding:10px; z-index:2; }
```

```
/ ===== PLOTS ===== / .plot { background:#2a3d2a; border-radius:10px; display:flex; align-items:center;
justify-content:center; cursor:pointer; position:relative; transition:0.2s; }
```

```
.plot:hover { transform:scale(1.05); }
```

```
/ ===== SPRITES ===== / .sprite { width:48px; height:48px; background-size:contain; background-repeat:no-
repeat; image-rendering:pixelated; }
```

```

/ CROPS / .wheat { background-image:url('assets/crops/wheat.png'); } .carrot { background-image:url('assets/
crops/carrot.png'); }

/ ===== STATES ===== / .growing .sprite { animation:grow 2s infinite; }

.ready .sprite { animation:bounce 1s infinite; }

/ ===== ANIMATIONS ===== / @keyframes grow { 0% { transform:scale(0.8); } 50% { transform:scale(1); } 100%
{ transform:scale(0.8); } }

@keyframes bounce { 0%,100% { transform:translateY(0); } 50% { transform:translateY(-6px); } }

/ WATER EFFECT / .watered::after { content:""; position:absolute; inset:0; background:rgba(0,150,255,0.25);
animation:pulse 1.5s; }

@keyframes pulse { 0% { opacity:0.5; } 100% { opacity:0; } }

/ FLOATING TEXT / .float { position:fixed; color:#ffd700; font-weight:bold; animation:floatUp 1s forwards; }

@keyframes floatUp { to { transform:translateY(-50px); opacity:0; } } </style> </head>

<body>

<div id="bg"></div> <div id="overlay"></div>

<div id="hud"> <div class="stat"> 💰 Gold: <span id="gold">50</span></div> <div class="stat"> 💧 Water:
<span id="water">10</span></div> </div>

<div id="farm"></div>

<script> const farm = document.getElementById('farm');

let G = { gold:50, water:10 };

let plots = [];

/ ===== CREATE GRID ===== / for(let i=0;i<25;i++){ let p = document.createElement('div'); p.className = 'plot';
p.dataset.state = 'empty';

p.onclick = () => handlePlot(p);

farm.appendChild(p); plots.push(p); }

/ ===== CLICK LOGIC ===== / function handlePlot(plot){

```

```

if(plot.dataset.state === 'empty'){ plant(plot,'wheat'); } else if(plot.dataset.state === 'growing'){ water(plot); }
else if(plot.dataset.state === 'ready'){ harvest(plot); } }

/ ===== PLANT ===== / function plant(plot,type){

if(G.gold < 5) return;

G.gold -= 5; updateHUD();

plot.innerHTML = <div class="sprite ${type}"></div> ; plot.dataset.state = 'growing';
plot.classList.add('growing');

setTimeout(()=>{ plot.dataset.state = 'ready'; plot.classList.remove('growing'); plot.classList.add('ready'); },
3000); }

/ ===== WATER ===== / function water(plot){

if(G.water <= 0) return;

G.water--; updateHUD();

plot.classList.add('watered'); setTimeout(()=> plot.classList.remove('watered'),1000); }

/ ===== HARVEST ===== / function harvest(plot){

G.gold += 15; updateHUD();

spawnFloat('+15', plot);

pop(plot);

plot.innerHTML = ""; plot.className = 'plot'; plot.dataset.state = 'empty'; }

/ ===== UI ===== / function updateHUD(){ document.getElementById('gold').textContent = G.gold;
document.getElementById('water').textContent = G.water; }

/ ===== FLOAT TEXT ===== / function spawnFloat(text, el){ let rect = el.getBoundingClientRect(); let f =
document.createElement('div');

f.className = 'float'; f.textContent = text; f.style.left = rect.left + 'px'; f.style.top = rect.top + 'px';

document.body.appendChild(f);

setTimeout(()=>f.remove(),1000); }

```

```
/ ===== POP EFFECT ===== / function pop(el){ el.animate([ {transform:'scale(1)'}, {transform:'scale(1.3)'},  
{transform:'scale(1)'} ],{ duration:200 }); } </script>
```

```
</body> </html>
```