Przemysław Wrona 420474

```
Shell 1
Welcome to Ubuntu 24.04.4 LTS (GNU/Linux 6.8.0-101-generic x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:     https://landscape.canonical.com
 * Support:        https://ubuntu.com/pro

 System information as of Wed Feb 25 12:56:02 UTC 2026

  System load:  1.01               Processes:             23
  Usage of /home: unknown          Users logged in:       0
  Memory usage:  5%                IPv4 address for eth0: 10.10.10.2
  Swap usage:    0%


Expanded Security Maintenance for Applications is not enabled.

8 updates can be applied immediately.
6 of these updates are standard security updates.
To see these additional updates run: apt list --upgradable

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status


To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.

ubuntu@DevOps:~$ ping google.com
PING google.com (142.250.120.102) 56(84) bytes of data.
64 bytes from zo-in-f102.1e100.net (142.250.120.102): icmp_seq=1 ttl=255 time=34.3 ms
64 bytes from zo-in-f102.1e100.net (142.250.120.102): icmp_seq=2 ttl=255 time=34.5 ms
^C
--- google.com ping statistics ---
2 packets transmitted, 2 received, 0% packet loss, time 1001ms
rtt min/avg/max/mdev = 34.342/34.404/34.467/0.062 ms
ubuntu@DevOps:~$ sudo apt update && sudo apt upgrade
Hit:1 http://security.ubuntu.com/ubuntu noble-security InRelease
Hit:2 http://archive.ubuntu.com/ubuntu noble InRelease
Hit:3 http://archive.ubuntu.com/ubuntu noble-updates InRelease
Hit:4 http://archive.ubuntu.com/ubuntu noble-backports InRelease
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
8 packages can be upgraded. Run 'apt list --upgradable' to see them.
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
Calculating upgrade... Done
The following packages will be upgraded:
  libnss3 libpython3.12-minimal libpython3.12-stdlib libpython3.12t64 linux-base python3.12 python3.12-minimal sosreport
8 upgraded, 0 newly installed, 0 to remove and 0 not upgraded.
6 standard LTS security updates
Need to get 10.1 MB of archives.
After this operation, 266 kB of additional disk space will be used.
Do you want to continue? [Y/n] y
```

```
ubuntu@DevOps:~$ git clone https://github.com/InzynieriaOprogramowaniaAGH/MDO2026_ITE.git
Cloning into 'MDO2026_ITE'...
remote: Enumerating objects: 842, done.
remote: Counting objects: 100% (395/395), done.
remote: Compressing objects: 100% (316/316), done.
remote: Total 842 (delta 44), reused 312 (delta 36), pack-reused 447 (from 1)
Receiving objects: 100% (842/842), 23.49 MiB | 11.08 MiB/s, done.
Resolving deltas: 100% (105/105), done.
ubuntu@DevOps:~$ ls
MDO2026_ITE
ubuntu@DevOps:~$ cd MDO2026_ITE/
ubuntu@DevOps:~/MDO2026_ITE$ LS
LS: command not found
ubuntu@DevOps:~/MDO2026_ITE$ ls
README.md  README.s
ubuntu@DevOps:~/MDO2026_ITE$ cd ../
ubuntu@DevOps:~$ ssh-keygen -t ed25519
Generating public/private ed25519 key pair.
Enter file in which to save the key (/home/ubuntu/.ssh/id_ed25519):
Enter passphrase (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in /home/ubuntu/.ssh/id_ed25519
Your public key has been saved in /home/ubuntu/.ssh/id_ed25519.pub
The key fingerprint is:
SHA256:xAIcmw/9+1eW1UfuEQLx4kpChtzxnURFHy0LS/4tboo ubuntu@DevOps
The key's randomart image is:
+--[ED25519 256]--+
|    .o.   .  .==o..|
|   oo.o.o o =.o.+|
|  o  o.+o. * +.*o|
|   . .oo   . + ..=|
|    o ..S.  . . =o|
|   .   .o .   * o|
|        ..   + . |
|         . .. o  |
|        ..E..o   |
+----[SHA256]-----+
ubuntu@DevOps:~$ eval "$(ssh-agent -s)"
Agent pid 6440
```

```
ubuntu@DevOps:~$ ssh-add
.bash_logout        .bashrc             .cache/             .profile            .ssh/               .sudo_as_admin_successful  MDO2026_ITE/
ubuntu@DevOps:~$ ssh-add .s
.ssh/               .sudo_as_admin_successful
ubuntu@DevOps:~$ ssh-add .ssh/
authorized_keys  id_ed25519       id_ed25519.pub
ubuntu@DevOps:~$ ssh-add .ssh/id_ed25519
Identity added: .ssh/id_ed25519 (ubuntu@DevOps)
ubuntu@DevOps:~$ ssh-add .ssh/id_ed25519
Identity added: .ssh/id_ed25519 (ubuntu@DevOps)
ubuntu@DevOps:~$ ssh-keygen -t ed25519
Generating public/private ed25519 key pair.
Enter file in which to save the key (/home/ubuntu/.ssh/id_ed25519): id_ed_2
Enter passphrase (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in id_ed_2
Your public key has been saved in id_ed_2.pub
The key fingerprint is:
SHA256:bnagv4TTCxzy4c/nTFX3xWx5RRZ6bYyVoMQjo1THDZ0 ubuntu@DevOps
The key's randomart image is:
+--[ED25519 256]--+
|          ..o++.ooX|
|         . oo+.E.X.|
|        . . o..+.X|
|         .     ..=o|
|     . o S   .   .|
|      = B . .     |
|       O * o      |
|        X =.      |
|         *+o      |
+----[SHA256]-----+
ubuntu@DevOps:~$ cat
.bash_logout        .bashrc             .cache/             .profile            .ssh/               .sudo_as_admin_successful  MDO2026_ITE/        id_ed_2             id_ed_2.pub
ubuntu@DevOps:~$ cat
.bash_logout        .bashrc             .cache/             .profile            .ssh/               .sudo_as_admin_successful  MDO2026_ITE/        id_ed_2             id_ed_2.pub
ubuntu@DevOps:~$ cat .s
.ssh/               .sudo_as_admin_successful
ubuntu@DevOps:~$ cat .ssh/
authorized_keys  id_ed25519       id_ed25519.pub
ubuntu@DevOps:~$ cat .ssh/
authorized_keys  id_ed25519       id_ed25519.pub
ubuntu@DevOps:~$ cat .ssh/
authorized_keys  id_ed25519       id_ed25519.pub
ubuntu@DevOps:~$ cat .ssh/
authorized_keys  id_ed25519       id_ed25519.pub
ubuntu@DevOps:~$ cat .ssh/
authorized_keys  id_ed25519       id_ed25519.pub
ubuntu@DevOps:~$ cat .ssh/id_ed25519.pub
ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAIGRpP4cerTtpinXGFr/hx7jW0aD53ldx5bY/lwm0bnMC ubuntu@DevOps
ubuntu@DevOps:~$ git clone git@github.com:InzynieriaOprogramowaniaAGH/MDO2026_ITE.git
fatal: destination path 'MDO2026_ITE' already exists and is not an empty directory.
```

```
ubuntu@DevOps:~$ git clone git@github.com:InzynieriaOprogramowaniaAGH/MDO2026_ITE.git
fatal: destination path 'MDO2026_ITE' already exists and is not an empty directory.
ubuntu@DevOps:~$ ls
MDO2026_ITE  id_ed_2  id_ed_2.pub
ubuntu@DevOps:~$ mkdir Z_SSH
ubuntu@DevOps:~$ cd Z_SSH/
ubuntu@DevOps:~/Z_SSH$ git clone git@github.com:InzynieriaOprogramowaniaAGH/MDO2026_ITE.git
Cloning into 'MDO2026_ITE'...
The authenticity of host 'github.com (140.82.121.3)' can't be established.
ED25519 key fingerprint is SHA256:+DiY3wvvV6TuJJhbpZisF/zLDA0zPMSvHdkr4UvCOqU.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])?
Host key verification failed.
fatal: Could not read from remote repository.

Please make sure you have the correct access rights
and the repository exists.
ubuntu@DevOps:~/Z_SSH$ ssh-add .ssh/id_ed25519
.ssh/id_ed25519: No such file or directory
ubuntu@DevOps:~/Z_SSH$ cd ../
ubuntu@DevOps:~$ ssh-add .ssh/id_ed25519
Identity added: .ssh/id_ed25519 (ubuntu@DevOps)
ubuntu@DevOps:~$ git clone git@github.com:InzynieriaOprogramowaniaAGH/MDO2026_ITE.git
fatal: destination path 'MDO2026_ITE' already exists and is not an empty directory.
ubuntu@DevOps:~$ cd Z_SSH/
ubuntu@DevOps:~/Z_SSH$ git clone git@github.com:InzynieriaOprogramowaniaAGH/MDO2026_ITE.git
Cloning into 'MDO2026_ITE'...
The authenticity of host 'github.com (140.82.121.3)' can't be established.
ED25519 key fingerprint is SHA256:+DiY3wvvV6TuJJhbpZisF/zLDA0zPMSvHdkr4UvCOqU.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])?
Host key verification failed.
fatal: Could not read from remote repository.

Please make sure you have the correct access rights
and the repository exists.
ubuntu@DevOps:~/Z_SSH$ ssh -T git@github.com
The authenticity of host 'github.com (140.82.121.3)' can't be established.
ED25519 key fingerprint is SHA256:+DiY3wvvV6TuJJhbpZisF/zLDA0zPMSvHdkr4UvCOqU.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])?
Host key verification failed.
ubuntu@DevOps:~/Z_SSH$ ssh -T git@github.com
The authenticity of host 'github.com (140.82.121.3)' can't be established.
ED25519 key fingerprint is SHA256:+DiY3wvvV6TuJJhbpZisF/zLDA0zPMSvHdkr4UvCOqU.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added 'github.com' (ED25519) to the list of known hosts.
Hi Djiq! You've successfully authenticated, but GitHub does not provide shell access.
ubuntu@DevOps:~/Z_SSH$ git clone git@github.com:InzynieriaOprogramowaniaAGH/MDO2026_ITE.git
Cloning into 'MDO2026_ITE'...
remote: Enumerating objects: 842, done.
remote: Counting objects: 100% (395/395), done.
remote: Compressing objects: 100% (316/316), done.
remote: Total 842 (delta 44), reused 312 (delta 36), pack-reused 447 (from 1)
```

```
ubuntu@DevOps:~/Z_SSH/MDO2026_ITE$ git branch -m "PW420474
> "
fatal: 'PW420474
' is not a valid branch name
ubuntu@DevOps:~/Z_SSH/MDO2026_ITE$ git branch -m "PW420474"
ubuntu@DevOps:~/Z_SSH/MDO2026_ITE$ git checkout PW420474
Already on 'PW420474'
Your branch is up to date with 'origin/main'.
ubuntu@DevOps:~/Z_SSH/MDO2026_ITE$ git status
On branch PW420474
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
ubuntu@DevOps:~/Z_SSH/MDO2026_ITE$ ls
README.md  READMEz
ubuntu@DevOps:~/Z_SSH/MDO2026_ITE$ mkdir PW420474
ubuntu@DevOps:~/Z_SSH/MDO2026_ITE$ cd PW420474/
ubuntu@DevOps:~/Z_SSH/MDO2026_ITE/PW420474$ ls
ubuntu@DevOps:~/Z_SSH/MDO2026_ITE/PW420474$ touch commit_msg
ubuntu@DevOps:~/Z_SSH/MDO2026_ITE/PW420474$ vim commit_msg
ubuntu@DevOps:~/Z_SSH/MDO2026_ITE/PW420474$ mv commit_msg commit-msg
ubuntu@DevOps:~/Z_SSH/MDO2026_ITE/PW420474$ cp commit-msg ../.git/hooks
ubuntu@DevOps:~/Z_SSH/MDO2026_ITE/PW420474$ cd ../.git/hooks
```

```
ubuntu@DevOps:~/Z_SSH/MDO2026_ITE$ git config --global user.email djiq@gmail.com
ubuntu@DevOps:~/Z_SSH/MDO2026_ITE$ git config --global user.name "Djiq"
ubuntu@DevOps:~/Z_SSH/MDO2026_ITE$ git commit -m "ok?"
hint: The '.git/hooks/commit-msg' hook was ignored because it's not set as executable.
hint: You can disable this warning with `git config advice.ignoredHook false`.
[PW420474 91351f1] ok?
 1 file changed, 13 insertions(+)
 create mode 100644 PW420474/commit-msg
ubuntu@DevOps:~/Z_SSH/MDO2026_ITE$ cd .git/hooks
ubuntu@DevOps:~/Z_SSH/MDO2026_ITE/.git/hooks$ chmod +x commit-msg
ubuntu@DevOps:~/Z_SSH/MDO2026_ITE/.git/hooks$ cd ../
ubuntu@DevOps:~/Z_SSH/MDO2026_ITE/.git$ cd ../
ubuntu@DevOps:~/Z_SSH/MDO2026_ITE$ git add .
ubuntu@DevOps:~/Z_SSH/MDO2026_ITE$ git commit -m "ok?"
On branch PW420474
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean
ubuntu@DevOps:~/Z_SSH/MDO2026_ITE$ touch ghost
ubuntu@DevOps:~/Z_SSH/MDO2026_ITE$ git add .
ubuntu@DevOps:~/Z_SSH/MDO2026_ITE$ git commit -m "ok?"
=!!=
.git/hooks/commit-msg: line 8: echoCOMMIT_MSG musi zawierac PW420474!: command not found
ubuntu@DevOps:~/Z_SSH/MDO2026_ITE$ git commit -m "PW420474 1"
[PW420474 d23e776] PW420474 1
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 ghost
ubuntu@DevOps:~/Z_SSH/MDO2026_ITE$
```

```
 create mode 100644 ghost
ubuntu@DevOps:~/Z_SSH/MDO2026_ITE$ vim .git/hooks/commit-msg
ubuntu@DevOps:~/Z_SSH/MDO2026_ITE$ rm
.git/      PW420474/  README.md  READMEs/   ghost
ubuntu@DevOps:~/Z_SSH/MDO2026_ITE$ rm ghost
ubuntu@DevOps:~/Z_SSH/MDO2026_ITE$ git add .
ubuntu@DevOps:~/Z_SSH/MDO2026_ITE$ git commit -m "2"
=!!=
COMMIT_MSG musi zawierac PW420474!
ubuntu@DevOps:~/Z_SSH/MDO2026_ITE$ git commit -m "PW420474 2"
[PW420474 259c20f] PW420474 2
 1 file changed, 0 insertions(+), 0 deletions(-)
 delete mode 100644 ghost
ubuntu@DevOps:~/Z_SSH/MDO2026_ITE$
```

```
ubuntu@DevOps:~/Z_SSH/MDO2026_ITE$ cat .git/hooks/commit-msg
#!/bin/bash


COMMIT_MSG=$(head -n 1 "$1")

if [[ ! "$COMMIT_MSG" =~ ^"PW420474"  ]]; then
        echo "=!!="
        echo "COMMIT_MSG musi zawierac PW420474!"
        exit 1

fi

exit 0
```

```
nothing to commit, working tree clean
ubuntu@DevOps:~/Z_SSH/MDO2026_ITE$ git commit -m "PW420474 3"
On branch PW420474
Your branch is ahead of 'origin/main' by 3 commits.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean
ubuntu@DevOps:~/Z_SSH/MDO2026_ITE$ git push
fatal: The upstream branch of your current branch does not match
the name of your current branch.  To push to the upstream branch
on the remote, use

    git push origin HEAD:main

To push to the branch of the same name on the remote, use

    git push origin HEAD

To choose either option permanently, see push.default in 'git help config'.

To avoid automatically configuring an upstream branch when its name
won't match the local branch, see option 'simple' of branch.autoSetupMerge
in 'git help config'.

ubuntu@DevOps:~/Z_SSH/MDO2026_ITE$ git push origin PW420474
Enumerating objects: 9, done.
Counting objects: 100% (9/9), done.
Compressing objects: 100% (6/6), done.
Writing objects: 100% (8/8), 822 bytes | 411.00 KiB/s, done.
Total 8 (delta 1), reused 1 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), done.
remote:
remote: Create a pull request for 'PW420474' on GitHub by visiting:
remote:      https://github.com/InzynieriaOprogramowaniaAGH/MDO2026_ITE/pull/new/PW420474
remote:
To github.com:InzynieriaOprogramowaniaAGH/MDO2026_ITE.git
 * [new branch]      PW420474 -> PW420474
ubuntu@DevOps:~/Z_SSH/MDO2026_ITE$
```