```
C:\Users\milos>ssh -p 2222 milos@127.0.0.1
The authenticity of host '[127.0.0.1]:2222 ([127.0.0.1]:2222)' can't be established.
ED25519 key fingerprint is SHA256:gOkI/x9mnU4DitpxbsiFlw679OmoGdrwYQ7WMTBGwNA.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '[127.0.0.1]:2222' (ED25519) to the list of known hosts.
milos@127.0.0.1's password:
Welcome to Ubuntu 24.04.4 LTS (GNU/Linux 6.17.0-14-generic x86_64)
```

```
milos@komp:~$ git clone https://github.com/InzynieriaOprogramowaniaAGH/MDO2026_ITE
Klonowanie do „MDO2026_ITE”...
```

```
milos@komp:~$ ssh-keygen -t ed25519 -f ~/.ssh/id_ed25519_github -C "miloszfid@gmail.com"
Generating public/private ed25519 key pair.
Enter passphrase (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in /home/milos/.ssh/id_ed25519_github
Your public key has been saved in /home/milos/.ssh/id_ed25519_github.pub
The key fingerprint is:
SHA256:CGddvf0j4RaeVz/A7Ta18PU87bVvTeR4Yce2IMSePmQ miloszfid@gmail.com
The key's randomart image is:
+--[ED25519 256]--+
|          o.     |
|        . . o.   |
|     . o . o oo. |
|      + .   E.B.+O|
|       . S + + @B%|
|            o *.%@|
|             o ++O|
|                .+|
|               .o|
+----[SHA256]-----+
milos@komp:~$ ssh-keygen -t ecdsa -f ~/.ssh/id_ecdsa_github -C "miloszfid@gmail.com"
Generating public/private ecdsa key pair.
Enter passphrase (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in /home/milos/.ssh/id_ecdsa_github
Your public key has been saved in /home/milos/.ssh/id_ecdsa_github.pub
The key fingerprint is:
SHA256:bYEPXpZtB2PbboVHcYfozJH6/s+qJsnqq43gEKfFxsg miloszfid@gmail.com
The key's randomart image is:
+---[ECDSA 256]---+
|             +o o=|
|          . ++=.oo|
|         o ==+.+ o|
| . +    . *.o+o o |
|  E *    S +.  o  |
|   *      .  ..   |
|  o .     . o     |
|   o . o  + o  . |
|    . oo=o o.oooo|
+----[SHA256]-----+
```




```
milos@komp:~$ git clone git@github.com:InzynieriaOprogramowaniaAGH/MDO2026_ITE.git
Klonowanie do „MDO2026_ITE”...
The authenticity of host 'github.com (140.82.121.3)' can't be established.
ED25519 key fingerprint is SHA256:+DiY3wvvV6TuJJhbpZisF/zLDA0zPMSvHdkr4UvCOqU.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added 'github.com' (ED25519) to the list of known hosts.
remote: Enumerating objects: 1891, done.
remote: Counting objects: 100% (229/229), done.
remote: Compressing objects: 100% (182/182), done.
remote: Total 1891 (delta 65), reused 93 (delta 45), pack-reused 1662 (from 2)
Pobieranie obiektów: 100% (1891/1891), 61.05 MiB | 7.58 MiB/s, gotowe.
Rozwiązywanie delt: 100% (230/230), gotowe.
milos@komp:~$ ls
Dokumenty  MDO2026_ITE  Muzyka  Obrazy  Pobrane  Publiczny  Pulpit  snap  Szablony  test.txt  Wideo
```








```
milos@komp:~$ cd MDO2026_ITE
milos@komp:~/MDO2026_ITE$ ls
grupa4  README.md  READMEs
milos@komp:~/MDO2026_ITE$ git checkout main
Już jesteś na „main”
Twoja gałąź jest na bieżąco z „origin/main”.
milos@komp:~/MDO2026_ITE$ git checkout grupa2
branch 'grupa2' set up to track 'origin/grupa2'.
Przełączono na nową gałąź „grupa2”
milos@komp:~/MDO2026_ITE$ ls
grupa4  README.md  READMEs
milos@komp:~/MDO2026_ITE$ git pull origin grupa2
Z github.com:InzynieriaOprogramowaniaAGH/MDO2026_ITE
 * branch            grupa2     -> FETCH_HEAD
Już aktualne.
milos@komp:~/MDO2026_ITE$ ls
grupa4  README.md  READMEs
milos@komp:~/MDO2026_ITE$ git checkout MF419850
error: ścieżka „MF419850” nie pasuje do żadnych plików znanych gitowi
milos@komp:~/MDO2026_ITE$ git checkout -b MF419850
Przełączono na nową gałąź „MF419850”
milos@komp:~/MDO2026_ITE$ mkdir MF419850
milos@komp:~/MDO2026_ITE$ cd MF419850
milos@komp:~/MDO2026_ITE/MF419850$ nano commit-msg
milos@komp:~/MDO2026_ITE/MF419850$ ls
commit-msg
milos@komp:~/MDO2026_ITE/MF419850$ chmod +x commit-msg
```

```
#!/bin/bash

COMMIT_MSG=$(cat "$1")
PATTERN="^MF419850"

if ! [[ $COMMIT_MSG =~ $PATTERN ]]; then
    echo "ERROR: Commit message musi zaczynać się od 'XYZ123'"
    exit 1
fi
```

```
milos@komp:~/MDO2026_ITE/MF419850$ cp commit-msg /home/milos/MDO2026_ITE/.git/hooks/
milos@komp:~/MDO2026_ITE/MF419850$ ls
commit-msg
milos@komp:~/MDO2026_ITE/MF419850$ ls -la /home/milos/MDO2026_ITE/.git/hooks/
razem 76
drwxrwxr-x 2 milos milos 4096 mar 12 23:53 .
drwxrwxr-x 8 milos milos 4096 mar 12 23:33 ..
-rwxrwxr-x 1 milos milos  478 mar 12 23:16 applypatch-msg.sample
-rwxrwxr-x 1 milos milos  177 mar 12 23:53 commit-msg
-rwxrwxr-x 1 milos milos  896 mar 12 23:16 commit-msg.sample
```

```
milos@komp:~/MDO2026_ITE$ git add MF419850/
milos@komp:~/MDO2026_ITE$ git status
Na gałęzi MF419850
Zmiany do złożenia:
  (użyj „git restore --staged <plik>...”, aby wycofać)
        nowy plik:       MF419850/Sprawko 1.1.pdf
        nowy plik:       MF419850/commit-msg

milos@komp:~/MDO2026_ITE$ git commit -m "MF419850: sprawko"
[MF419850 e4222a0] MF419850: sprawko
 2 files changed, 9 insertions(+)
 create mode 100644 MF419850/Sprawko 1.1.pdf
 create mode 100755 MF419850/commit-msg
milos@komp:~/MDO2026_ITE$ git push origin MF419850
Wymienianie obiektów: 6, gotowe.
Zliczanie obiektów: 100% (6/6), gotowe.
Kompresowanie obiektów: 100% (5/5), gotowe.
Zapisywanie obiektów: 100% (5/5), 230.64 KiB | 3.00 MiB/s, gotowe.
Razem 5 (delty 0), użyte ponownie 0 (delty 0), paczki użyte ponownie 0
remote:
remote: Create a pull request for 'MF419850' on GitHub by visiting:
remote:      https://github.com/InzynieriaOprogramowaniaAGH/MDO2026_ITE/pull/new/MF419850
remote:
To github.com:InzynieriaOprogramowaniaAGH/MDO2026_ITE.git
 * [new branch]      MF419850 -> MF419850
```