





TOP VIEW



FRONT VIEW




SIDE VIEW




BACK VIEW

ClimaVault AFRICA LTD


Project: FarmFreeze (Construction of a Cooling Hub)
Unit: Cold Room (20Ft Container)
Description: Top, Side, Front & Back Views
Date: May 2025



VERTICAL SECTION



LONGITUDAL SECTION



TOP VIEW

Storage Crates Details


Number of crates: 125 HDPE plastic crates
Crate Size: 600x400x300mm (72 Litres)
Approximate Weight per Crate: 20 kg (when full)


Supporting Structure

Main Members: 40x40x1.5mm
Bracing Members: 40x20x1.5mm

ClimaVault AFRICA LTD

Project: FarmFreeze (Construction of a Cooling Hub)
Unit: Cold Room (20Ft Container)
Description: Top, Side, Front & Back Views
Date: May 2025






ELEVATION E-01


ELEVATION E-02

ClimaVault AFRICA LTD


Project: FarmFreeze (Construction of a Cooling Hub)
Unit: Cold Room (20Ft Container)
Description: Top, Side, Front & Back Views
Date: May 2025



SIDE VIEW



FRONT VIEW



TOP VIEW

Solar Panel Details


Number of Solar Panels:16 panels (405 Watts each)
Panel Size: 1.7m X 1m
Mounted on top of the container
Tilt Angle: 15 degrees

Supporting Structure

Main Members: 40x40x1.5mm
Bracing Members: 40x20x1.5mm


ClimaVault AFRICA LTD

Project: FarmFreeze (Construction of a Cooling Hub)
Unit: Solar System Unit
Description: Top, Side and Front View Plus Solar Panel Details
Date: May 2025




ClimaVault AFRICA LTD

Project: FarmFreeze (Construction of a Cooling Hub)
Unit: Site Layout (30x30m plot)
Description: Container, Guard & Gate House, Latrine and Compund
Date: May 2025




Ground Plan




ClimaVault AFRICA LTD


Project: FarmFreeze (Construction of a Cooling Hub)
Unit: 02 Stance VIP Latrine
Description: Ground Plan and Section
Date: May 2025




ELEVATION E-04



ELEVATION E-02




ELEVATION E-01




ELEVATION E-03

ClimaVault AFRICA LTD


Project: FarmFreeze (Construction of a Cooling Hub)
Unit: 02 Stance VIP Latrine
Description: Elevations
Date: May 2025



PIT PLAN



SLAB DETAILS



COLUMN BASE

Column Notes


Column bases 1,000x1,000mm with 4X4 Y12
Columns 200x200mm mix 1:2:4 with 4Y12 and R8 spaced 150C/C

Beam Notes


B1-200x200mm mix 1:2:4 with 4Y12 and R8 spaced 145C/C
B2-150x200 mm mix 1:2:4 with 4Y12 and R8@ 150mm c/c

ClimaVault AFRICA LTD

Project: FarmFreeze (Construction of a Cooling Hub)
Unit: 02 Stance VIP Latrine
Description: Pit Latrine, Slab Details & Column Base
Date: May 2025



GROUND PLAN




SECTION X-X


DOOR & WINDOW SCHEDULE			
Mark	Size	Remarks	Number Required
D1	900 X 2400 mm	STEEL CASEMENT HINGED DOOR WITH PERMANENT VENT OVER	02
W1	1,500 X 1,500 mm	STEEL CASEMENT GLAZED WINDOW, DOUBLE SLIDING OPENING WITH PERMANENT VENT OVER	02
W2	450 X 2000 mm	STEEL CASEMENT GLAZED WINDOW, BOTTOM HUNG OPENING WITH PERMANENT VENT OVER	03

ClimaVault AFRICA LTD


Project: FarmFreeze (Construction of a Cooling Hub)
Unit: Office & Guard House
Description: Ground Plan, Section, Door and Window Section
Date: May 2025




ELEVATION E-02



ELEVATION E-04




ELEVATION E-03



ELEVATION E-01

ClimaVault AFRICA LTD

Project: FarmFreeze (Construction of a Cooling Hub)
Unit: Office & Guard House
Description: House Elevations
Date: May 2025




Gate and Fence Details

3.5x2.5m gate fabricated using 40x20mm steel hollow sections as major and minor members and 5mm thick gripped sheets double swing and a small emergency access 700x1600mm with lockable provisions, complete with heavy duty hinges, padbolts and one coat of red oxide applied and anchored into 300x300mm concrete columns

400m long heavy duty berbed wire gauge 13 in 3 lines at the top of steel posts


2.1m high chainlink fence gauge 10 tensioned and securely fastened with binding wire to the rigidily set posts

5mm tension wire in 3 Lines to fasten the chain link



Details for steel post

100x100mm concrete posts with 45 degree bend at the top as shown with holes for passing the berbed wire, fixed to 450x450mm concrete base, class 20 to a depth not exceeding 600mm at 2.5m c/c with 200x400mm deep concrete class 15 to the base of chain link through out the entire perimeter.




Details for Bracing at the corner posts


100x100mm conrete post fastened to the vertical corner steel post on both sides at right angle, all fixed to 450x450mm concrete base, class 20 to a depth not exceeding 600mm.

ClimaVault AFRICA LTD

Project: FarmFreeze (Construction of a Cooling Hub)
Unit: Gate & Columns
Description: Elevation and Details
Date: May 2025



PLAN



SECTION

ClimaVault AFRICA LTD

Project: FarmFreeze (Construction of a Cooling Hub)
Unit: Tank and Tank Base
Description: Plan and Section
Date: May 2025