

User story for testing

Дія	Очікуваний результат
Добавити ProcessedAgentData (1)	В таблицю добавлений відповідний запис
Добавити ProcessedAgentData (2)	В таблицю добавлений відповідний запис
Добавити ProcessedAgentData (3)	В таблицю добавлений відповідний запис
Отримати список всіх ProcessedAgentData	Отримано 3 ProcessedAgentData а саме ProcessedAgentData (1,2,3)
Видалити ProcessedAgentData (2)	З таблиці видалено відповідний запис
Отримати список всіх ProcessedAgentData	Отримано 2 ProcessedAgentData а саме ProcessedAgentData (1,3)
Оновити ProcessedAgentData (3)	В таблиці оновлено відповідний запис

Summary: Добавити ProcessedAgentData (1)

Очікуваний результат: В таблицю добавлений відповідний запис

POST /processed_agent_data/ Create Processed Agent Data

Parameters

Cancel

Reset

No parameters

Request body required

application/json

```
[
  {
    "road_state": "Road66",
    "agent_data": {
      "accelerometer": {
        "x": 1,
        "y": 20,
        "z": 10
      },
      "gps": {
        "latitude": 44,
        "longitude": 54
      },
      "timestamp": "2025-03-17T21:06:42.496Z"
    }
  }
]
```

Execute

Clear

Responses

Responses

Curl

```
curl -X 'POST' \
  'http://127.0.0.1:8000/api/v1/processed_agent_data/' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
{
  "road_state": "Road66",
  "agent_data": {
    "accelerometer": {
      "x": 1,
      "y": 20,
      "z": 10
    },
    "gps": {
      "latitude": 44,
      "longitude": 54
    },
    "timestamp": "2025-03-17T21:06:42.496Z"
  }
}
```

Request URL

http://127.0.0.1:8000/api/v1/processed_agent_data/

Server response

Code	Details
200	Response body null Response headers access-control-allow-credentials: true access-control-allow-origin: * access-control-expose-headers: Content-Disposition content-length: 4 content-type: application/json date: Mon, 17 Mar 2025 21:07:38 GMT server: unicorn

Responses

Code	Description	Links
200	Successful Response	No links

pgAdmin

Query		Query History
1	▼	INSERT INTO processed_agent(road_state, x, y, z, latitude, longitude, timestamp)
2		VALUES
3		('Road66', 1, 20, 10, 44, 54, '2025-03-17T21:06:42.496Z')
4		
Data Output		Messages
INSERT 0 1		
Query returned successfully in 71 msec.		

Очікуваний результат: В таблицю добавлений відповідний запис

Responses		
Curl		
<pre>curl -X 'POST' \ 'http://127.0.0.1:8000/api/v1/processed_agent_data/' \ -H 'accept: application/json' \ -H 'Content-Type: application/json' \ -d '{ { "road_state": "Road32", "agent_data": { "accelerometer": { "x": 2, "y": 10, "z": 15 }, "gps": { "latitude": 34.58, "longitude": 74.58 }, "timestamp": "2025-01-12T21:06:42.496Z" } } }'</pre>		
Request URL		
http://127.0.0.1:8000/api/v1/processed_agent_data/		
Server response		
Code	Details	
200		
Response body		
<pre>null</pre>		
Response headers		
<pre>access-control-allow-credentials: true access-control-allow-origin: http://127.0.0.1:8000 access-control-expose-headers: Content-Disposition content-length: 4 content-type: application/json date: Mon, 17 Mar 2025 21:30:20 GMT server: uvicorn vary: Origin</pre>		
Responses		
Code	Description	Links

pgAdmin

Query

Query History

1

2

3

4

INSERT INTO processed_agent(road_state, x, y, z, latitude, longitude, timestamp)

VALUES

('Road32', 2, 10, 15, 34.58, 74.58, '2025-01-12T21:06:42.496Z')

Data Output

Messages

Notifications

INSERT 0 1

Query returned successfully in 87 msec.

Summary: Додати ProcessedAgentData (3)

Очікуваний результат: В таблицю доданий відповідний

запис

POST

/processed_agent_data/

Create Processed Agent Data

Parameters

Cancel

Reset

No parameters

Request body required

application/json

[{
 "road_state": "Road62",
 "agent_data": {
 "accelerometer": {
 "x": 3,
 "y": 35,
 "z": 25
 },
 "gps": {
 "latitude": 39.58,
 "longitude": 58.58
 },
 "timestamp": "2025-03-12T21:06:42.496Z"
 }
}]

Execute

Clear

Responses

Responses				
Curl <pre>curl -X 'POST' \ 'http://127.0.0.1:8000/api/v1/processed_agent_data/' \ -H 'accept: application/json' \ -H 'Content-Type: application/json' \ -d '{ { "road_state": "Road62", "agent_data": { "accelerometer": { "x": 3, "y": 35, "z": 25 }, "gps": { "latitude": 39.58, "longitude": 58.58 }, "timestamp": "2025-03-12T21:06:42.496Z" } } }'</pre>				
Request URL <pre>http://127.0.0.1:8000/api/v1/processed_agent_data/</pre>				
Server response <table><thead><tr><th>Code</th><th>Details</th></tr></thead><tbody><tr><td>200</td><td> Response body <pre>null</pre> Response headers <pre>access-control-allow-credentials: true access-control-allow-origin: http://127.0.0.1:8000 access-control-expose-headers: Content-Disposition content-length: 4 content-type: application/json date: Mon, 17 Mar 2025 21:32:11 GMT server: unicorn vary: Origin</pre></td></tr></tbody></table>	Code	Details	200	Response body <pre>null</pre> Response headers <pre>access-control-allow-credentials: true access-control-allow-origin: http://127.0.0.1:8000 access-control-expose-headers: Content-Disposition content-length: 4 content-type: application/json date: Mon, 17 Mar 2025 21:32:11 GMT server: unicorn vary: Origin</pre>
Code	Details			
200	Response body <pre>null</pre> Response headers <pre>access-control-allow-credentials: true access-control-allow-origin: http://127.0.0.1:8000 access-control-expose-headers: Content-Disposition content-length: 4 content-type: application/json date: Mon, 17 Mar 2025 21:32:11 GMT server: unicorn vary: Origin</pre>			

 |

pgAdmin

Summary: Отримати список всіх ProcessedAgentData

Очікуваний результат: Отримано 3 ProcessedAgentData а саме ProcessedAgentData (3,4,5)

GET /processed_agent_data/ List Processed Agent Data

Parameters

Cancel

No parameters

ExecuteClear

Responses

Curl

```
curl -X 'GET' \
'http://127.0.0.1:8000/api/v1/processed_agent_data/' \
-H 'accept: application/json'
```

Request URL

```
http://127.0.0.1:8000/api/v1/processed_agent_data/
```

Server response

CodeDetails

200

Response body

```
{
  {
    "id": 3,
    "road_state": "Road66",
    "x": 1,
    "y": 20,
    "z": 10,
    "latitude": 44,
    "longitude": 54,
    "timestamp": "2025-03-17T21:06:42.496000Z"
  },
  {
    "id": 4,
    "road_state": "Road32",
    "x": 2,
    "y": 10,
    "z": 15,
    "latitude": 34.58,
    "longitude": 74.58,
    "timestamp": "2025-01-12T21:06:42.496000Z"
  },
  {
    "id": 5,
    "road_state": "Road62",
    "x": 3,
    "y": 35,
    "z": 25,
    "latitude": 39.58,
    "longitude": 58.58,
    "timestamp": "2025-03-12T21:06:42.496000Z"
  }
}
```

200

Response body

```
[
  {
    "x": 1,
    "y": 20,
    "z": 10,
    "latitude": 44,
    "longitude": 54,
    "timestamp": "2025-03-17T21:06:42.496000Z"
  },
  {
    "id": 4,
    "road_state": "Road32",
    "x": 2,
    "y": 10,
    "z": 15,
    "latitude": 34.58,
    "longitude": 74.58,
    "timestamp": "2025-01-12T21:06:42.496000Z"
  },
  {
    "id": 5,
    "road_state": "Road62",
    "x": 3,
    "y": 35,
    "z": 25,
    "latitude": 39.58,
    "longitude": 58.58,
    "timestamp": "2025-03-12T21:06:42.496000Z"
  }
]
```

Download

pgAdmin

SELECT * FROM processed_agent

Data OutputMessagesNotifications

Showing rows: 1

	id [PK] integer	road_state character varying (255)	x double precision	y double precision	z double precision	latitude double precision	longitude double precision	timestamp timestamp with time zone
1	3	Road66	1	20	10	44	54	2025-03-17 21:06:42.496+00
2	4	Road32	2	10	15	34.58	74.58	2025-01-12 21:06:42.496+00
3	5	Road62	3	35	25	39.58	58.58	2025-03-12 21:06:42.496+00

Summary: Видалити ProcessedAgentData (4)

Очікуваний результат: 3 таблиці видалено відповідний запис

DELETE

/processed_agent_data/{processed_agent_data_id} Delete Processed Agent Data

^

Parameters

Cancel

Name	Description
processed_agent_data_id * required	
integer (path)	4

ExecuteClear

Responses

Curl

```
curl -X 'DELETE' \
'http://127.0.0.1:8000/api/v1/processed_agent_data/4' \
-H 'accept: */*'
```

Request URL

```
http://127.0.0.1:8000/api/v1/processed_agent_data/4
```

Server response

Code	Details
204	Response headers access-control-allow-credentials: true access-control-allow-origin: http://127.0.0.1:8000 access-control-expose-headers: Content-Disposition content-type: application/json date: Mon, 17 Mar 2025 21:44:59 GMT server: uvicorn vary: Origin

pgAdmin

QueryQuery History

```
7 DELETE FROM processed_agent
8 WHERE id=4
9
10 "road_state": "Road62",
```

Data OutputMessagesNotifications

DELETE 1

Query returned successfully in 84 msec.

Summary: Отримати список всіх ProcessedAgentData

Очікуваний результат: Отримано 2 ProcessedAgentData а саме ProcessedAgentData (3,5)

GET /processed_agent_data/ List Processed Agent Data

Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://127.0.0.1:8000/api/v1/processed_agent_data/' \
-H 'accept: application/json'
```

Request URL

```
http://127.0.0.1:8000/api/v1/processed_agent_data/
```

Code

Details

200

Response body

```
[
  {
    "id": 3,
    "road_state": "Road88",
    "x": 15,
    "y": 20,
    "z": 25,
    "latitude": 19.58,
    "longitude": 57.83,
    "timestamp": "2025-03-14T21:41:39.488000Z"
  },
  {
    "id": 5,
    "road_state": "Road62",
    "x": 3,
    "y": 35,
    "z": 25,
    "latitude": 39.58,
    "longitude": 58.58,
    "timestamp": "2025-03-12T21:06:42.496000Z"
  }
]
```

Download

pdAdmin

Query Query History

```
1 INSERT INTO processed_agent(road_state, x, y, z, latitude, longitude, timestamp)
2 VALUES
3 ('Road62', 3, 35, 25, 39.58, 58.58, '2025-03-12T21:06:42.496Z')
4
5 SELECT * FROM processed_agent
6
```

Data Output

Messages

Notifications

SQL

Showing rows

	id [PK] integer	road_state character varying (255)	x double precision	y double precision	z double precision	latitude double precision	longitude double precision	timestamp timestamp with time zone
1	3	Road66	1	20	10	44	54	2025-03-17 21:06:42.496+00
2	5	Road62	3	35	25	39.58	58.58	2025-03-12 21:06:42.496+00

Summary: Оновити ProcessedAgentData (3)

Очікуваний результат: В таблиці оновлено відповідний запис

PUT

/processed_agent_data/{processed_agent_data_id} Update Processed Agent Data

Cancel

Reset

Parameters

Name	Description
processed_agent_data_id * required	
integer	
(path)	

Request body required

application/json

```
{
  "road_state": "Road88",
  "agent_data": {
    "accelerometer": {
      "x": 15,
      "y": 20,
      "z": 25
    },
    "gps": {
      "latitude": 19.58,
      "longitude": 57.83
    },
    "timestamp": "2025-03-14T21:41:39.488Z"
  }
}
```

Було

200

Response body

```
[
  {
    "id": 3,
    "road_state": "Road66",
    "x": 1,
    "y": 20,
    "z": 10,
    "latitude": 44,
    "longitude": 54,
    "timestamp": "2025-03-17T21:06:42.496000Z"
  },
  {
    "id": 4,
    "road_state": "Road32",
    "x": 2,
    "y": 10,
    "z": 15,
    "latitude": 34.58,
    "longitude": 74.58,
    "timestamp": "2025-01-12T21:06:42.496000Z"
  },
  {
    "id": 5,
    "road_state": "Road62",
    "x": 2,
    "y": 30,
    "z": 20,
    "latitude": 39.58,
```

Download

Стало

Curl

```
curl -X 'PUT' \
  http://127.0.0.1:8000/api/v1/processed_agent_data/3' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
    "road_state": "Road88",
    "agent_data": {
      "accelerometer": {
        "x": 15,
        "y": 20,
        "z": 25
      },
      "gps": {
        "latitude": 19.58,
        "longitude": 57.83
      },
      "timestamp": "2025-03-14T21:41:39.488Z"
    }
  }'
```

Request URL

http://127.0.0.1:8000/api/v1/processed_agent_data/3

Server response

Code	Details
200	Response body

```
{
  "id": 3,
  "road_state": "Road88",
  "x": 15,
  "y": 20,
  "z": 25,
  "latitude": 19.58,
  "longitude": 57.83,
  "timestamp": "2025-03-14T21:41:39.488000Z"
}
```

Download

Pg admin

Було

Query Query History

```
1 ✓ INSERT INTO processed_agent(road_state, x, y, z, latitude, longitude, timestamp)
2 VALUES
3 ('Road62', 3, 35, 25, 39.58, 58.58, '2025-03-12T21:06:42.496Z')
4
5 SELECT * FROM processed_agent
6
```

Data Output Messages Notifications

Showing rows

	id [PK] integer	road_state character varying (255)	x double precision	y double precision	z double precision	latitude double precision	longitude double precision	timestamp timestamp with time zone
1	3	Road66	1	20	10	44	54	2025-03-17 21:06:42.496+00
2	5	Road62	3	35	25	39.58	58.58	2025-03-12 21:06:42.496+00

```
10 UPDATE processed_agent
11 SET x=10, y=25, z=15, latitude=44.44, longitude=54.54
12 WHERE id=3
```

Data Output Messages Notifications

UPDATE 1

Query returned successfully in 107 msec.

Стало

5
6
7
8
9
10
11
12

```
SELECT * FROM processed_agent
DELETE FROM processed_agent
WHERE id=4
UPDATE processed_agent
SET x=10, y=25, z=15, latitude=44.44, longitude=54.54
WHERE id=3
```

Data OutputMessagesNotifications

SQL

Showing rows:

	id [PK] integer	road_state character varying (255)	x double precision	y double precision	z double precision	latitude double precision	longitude double precision	timestamp timestamp with time zone
1	5	Road62	3	35	25	39.58	58.58	2025-03-12 21:06:42.496+00
2	3	Road66	10	25	15	44.44	54.54	2025-03-17 21:06:42.496+00