

Manual de instalare Magento Windows 8.1


Necesarul hardware si software:

1. Pachetul XAMPP 7.3.15 care contine:
 - PHP 7.3.15 (versiunile de PHP 7.4. nu sunt suportate de Magento)
 - MySQL 5.6
2. Laptopul pe care am efectuat instalarea are urmatoarele caracteristici:
 - Sistem de operare: Windows 8.1
 - Procesor: Intel Core i5 CPU 2.6 GHz
 - RAM: 11.9 GB
 - Tip de sistem: Sistem de operare pe 64 de biti, procesor x64



Pasi:

1. Trebuie descarcat Magento de pe site:


<https://magento.com/tech-resources/download>



2. Instalam XAMPP, pornim Apache si MySQL in XAMPP, adaugam folderul din arhiva Magento in folderul htdocs din XAMPP si tastam in browser localhost/magento/setup:



3. Trecem prin Magento Setup Readiness Check:



PHP Extensions Check
4 missing PHP extensions. [Hide detail](#)

The best way to resolve this is to install the correct missing extensions. The exact fix depends on our server, your host, and other system variables. Our [PHP extension help](#) can get you started.

For additional assistance, contact your hosting provider.

- ✓ PHP Extension curl.
- ✓ PHP Extension iconv.
- ✓ PHP Extension mbstring.
- ✓ PHP Extension dom.
- ✓ PHP Extension hash.
- ✓ PHP Extension openssl.
- ✓ PHP Extension xmlwriter.
- ✓ PHP Extension pcrc.
- ✓ PHP Extension json.
- ✓ PHP Extension gd.
- ✓ PHP Extension bcmath.
- ✗ PHP Extension intl.
- ✓ PHP Extension simplexml.
- ✗ PHP Extension xsl.
- ✓ PHP Extension ctype.
- ✓ PHP Extension pdo_mysql.
- ✗ PHP Extension soap

Step 1: Readiness Check

Completed! You can now move on to the next step.


- ✓ **PHP Version Check**
Your PHP version is correct (7.3.15).
- ✓ **PHP Settings Check ***
Your PHP settings are correct.
- ✓ **PHP Extensions Check**
You meet 20 out of 20 PHP extensions requirements. [Show detail](#)
- ✓ **File Permission Check**
You meet 5 out of 5 writable file permission requirements. [Show detail](#)

* - In some cases, you might have two PHP configuration files: one for the PHP command line and for the web server. If so, make the change in both php.ini files. For details, see the [php.ini reference](#).

4. Cream baza de date Magento in phpMyAdmin si acordam permisiuni bazei de date (grant all on magento2.* to 'magento2'@'localhost' identified by '<parola>'):

The screenshot shows the phpMyAdmin interface on a Windows desktop. The browser title bar reads "localhost/phpmyadmin/server_databases.php?server=1". The main window displays the "Baze de date" (Databases) section. A search bar at the top has "magento" entered, and the character set dropdown is set to "utf8mb4_romanian_ci". A "Creează" (Create) button is visible. Below the search bar is a table listing existing databases: "information_schema", "mysql", "performance_schema", "phpmyadmin", and "test". Each entry includes its character set and a "Verifică privilegii" (Check privileges) link. A note at the bottom of the table area says "Notă: Activarea statisticilor bazei de date aici poate cauza un trafic intens între serverul web și serverul MySQL." A "Total: 5" label is present. Below the table are buttons for "Bifează tot" (Select all) and "Elimină" (Delete). A warning message "Niciun tabel găsit în baza de date" (No tables found in the database) is displayed. The left sidebar shows a tree view of databases: Nouă, information_schema, magento, mysql, performance_schema, phpmyadmin, and test. The "magento" database is selected. The bottom status bar shows "Activate Windows Go to PC settings to activate Wind".

5. Adaugam baza de date in Magento Setup:



6. Web Configuration in Magento Setup:

Step 3: Web Configuration

Your Store Address: http://localhost/magento2/

Magento Admin Address: * http://localhost/magento2/admin_5bw6hd

A unique URL helps keep your store and customers safer. Use only letters, numbers, and underscore characters.

Advanced Options

Step 3: Web Configuration

Your Store Address: http://localhost/magento/

Magento Admin Address: * http://localhost/magento/ admin_1bignx

Advanced Options

HTTPS Options

- Use HTTPS for Magento Storefront
- Use HTTPS for Magento Admin

Apache Rewrites

- Use Apache Web Server Rewrites


Encryption Key *

- I want to use a Magento generated key
- I want to use my own encryption key


Session Save *

Activate Windows
Go to PC settings to activate Windows.


7. Customize your Store in Magento Setup:




8. Create Admin Account:




9. La final va trebui sa apara mesajul de instalare cu succes:



10. Accesam http://localhost/magento2/admin_5bw6hc/ si introducem credentialele:



11. Intrucat arata fereastra, dar se bloca la loading, am cautat problema si am gasit rezolvarea:



12. Dashboard-ul de admin si fereastra de catalog:

Dashboard

Scope: All Store Views

Advanced Reporting

Lifetime Sales: RON.00

Average Order: RON.00

Last Orders: We couldn't find any records.

System Messages: 1

Go to Advanced Reporting

Lifetime Sales: Chart is disabled. To enable the chart, click here.

Revenue: RON.00

Tax: RON.00

Shipping: RON.00

Quantity: 0

Bestsellers | Most Viewed Products | New Customers | Customers

Go to WinZip Vtoto Reviews

Activate Windows
Go to PC settings to activate Windows.

Default Category (ID: 2)

Scope: All Store Views

Add Root Category | Add Subcategory

Enable Category [store view]: Yes

Include in Menu [store view]: Yes

Category Name * [store view]: Default Category

Content

Display Settings

Search Engine Optimization

Activate Windows
Go to PC settings to activate Windows.