



IOBend CLI v2.5.0

DEVELOPER CHEAT SHEET & COMMAND REFERENCE

A practical terminal-side reference for projects, runtimes, secrets, containers, ports, AI/MCP, deployment, diagnostics, configuration and developer utilities.

160+	238	14	v2.5.0
TOOLS & PACKAGES	SMART ALIASES	TOOL CATEGORIES	RELEASE REFERENCE

WHAT'S INSIDE	
SECTION	FOCUS
01	Global options & quick start
02	Interactive tool discovery
03	Authentication & projects
04	Secrets & environments
05	Runtimes & marketplace
06	Containers, databases & ports
07	AI, MCP & agents
08	Run, dev, deploy & CI
09	Diagnostics & security
10	Configuration & utilities
11	Smart alias resolution
12	Common developer recipes

Build Faster. Ship Smarter.

01 • GLOBAL OPTIONS

FLAG	SHORT	PURPOSE	EXAMPLE
--version	-V, -v	Output current CLI version	<code>iobend -v</code>
--help	-h	Display command help and usage instructions	<code>iobend --help</code>
--json	—	Output machine-readable JSON	<code>iobend doctor storage --json</code>
--verbose	—	Enable detailed diagnostic and execution trace logs	<code>iobend doctor --verbose</code>
--force	-f	Bypass interactive confirmation prompts	<code>iobend init -f</code>
--env	-e	Specify development/staging/production context	<code>iobend dev -e production</code>

02 • QUICK START

ACTION	COMMAND
Check version	<code>iobend -v</code>
Show help	<code>iobend --help</code>
Health check	<code>iobend doctor</code>
Authenticate	<code>iobend login</code>
Initialize project	<code>iobend init</code>
Search tools	<code>iobend search</code>
Start development	<code>iobend dev</code>

03 • INTERACTIVE TOOL SEARCH

Use fuzzy search to discover tools and packages without memorizing canonical names.

```
iobend search
iobend search postgres
iobend search python
iobend search vscode
```

Workflow: search → inspect → install → pin → run/dev.

AUTHENTICATION & PROJECT MANAGEMENT

#	COMMAND	PURPOSE	EXAMPLE
1	login / auth login	Authenticate via browser flow or API token	<code>iobend login</code>
2	logout / auth logout	Terminate session, revoke active token, and clear credentials	<code>iobend logout</code>
3	whoami / auth whoami	View authenticated user, tier/plan, and active workspace	<code>iobend whoami</code>
4	init [-f, --force]	Initialize local .iobend/project.json	<code>iobend init</code>
5	project create	Scaffold local project and optionally link to cloud	<code>iobend project create</code>
6	project list	List local project directories and cloud workspaces	<code>iobend project list</code>
7	project use [path]	Switch active global project context	<code>iobend project use ./apps/backend</code>
8	project info	Display metadata, cloud ID, runtime, and health	<code>iobend project info</code>
9	project delete	Delete local configuration and optionally cloud project	<code>iobend project delete</code>
10	project import <name>	Download project configuration and secrets	<code>iobend project import my-saas-api</code>
11	project sync <name>	Synchronize registered project with IOBend Cloud	<code>iobend project sync my-saas-api</code>
12	clone <projectname>	Clone remote cloud workspace project repository	<code>iobend clone my-org/web-app</code>
13	diff [projectname]	Compare local workspace configuration and secrets with cloud	<code>iobend diff</code>

SECRETS VAULT

#	COMMAND	PURPOSE	EXAMPLE
14	secret add [key] [value] [-e, --env]	Store a secret for an environment	<code>iobend secret add DATABASE_URL <value> -e development</code>
15	secret list	List secret keys; values remain masked	<code>iobend secret list</code>
16	secret remove	Remove a secret key from the local vault	<code>iobend secret remove DB_PASS</code>
17	secret import [-f, --file]	Import .env, .env.local, JSON, or YAML	<code>iobend secret import -f .env.production</code>
18	secret export	Export secrets to .env, JSON, or YAML with confirmation	<code>iobend secret export -f .env.local</code>
19	secret rotate <key> [-e, --env]	Rotate an existing secret key	<code>iobend secret rotate JWT_SECRET -e production</code>

RUNTIMES, TOOLS & MARKETPLACE

#	COMMAND	PURPOSE	EXAMPLE
20	search <query>	Interactive fuzzy search for 160+ packages	<code>iobend search postgres</code>
21	install [tool] [version]	Install runtimes, IDEs, or system tools	<code>iobend install node 22.16.0</code>
22	pin <tool> [version]	Pin exact runtime in project iobend.toml	<code>iobend pin node@22.16.0</code>
23	unpin <tool>	Remove a pinned runtime	<code>iobend unpin node</code>
24	runtime list (ls)	Inspect cached runtime binaries and sizes	<code>iobend runtime list</code>
25	runtime prune	Remove unpinned/orphaned runtime downloads	<code>iobend runtime prune</code>
26	uninstall <tool>	Uninstall package or extension binary	<code>iobend uninstall terraform</code>
27	info <tool>	Show license, maintainer, docs, and integrity info	<code>iobend info node</code>
28	verify <tool>	Verify SHA256 integrity and digital signature	<code>iobend verify node@22.16.0</code>
29	list	List active local marketplace extension packages	<code>iobend list</code>
30	marketplace list (ls)	Browse/filter marketplace catalog	<code>iobend marketplace list -c Security</code>
31	marketplace search <query>	Search marketplace registry	<code>iobend marketplace search docker</code>
32	marketplace info <tool>	Show marketplace metadata, SHA256, and docs	<code>iobend marketplace info mcp-postgres</code>
33	marketplace install <tool>	Install marketplace extension with verification	<code>iobend marketplace install mcp-postgres</code>

05 • CONTAINERS, DATABASES & PORTS

#	COMMAND	PURPOSE	EXAMPLE
34	container up [type]	Start local Docker DB container: postgres/mysql/mongodb/redis/mssql/rabbitmq/kafka/nats	<code>iobend container up postgres</code>
35	container down [type] / stop	Stop/remove active container or all	<code>iobend container stop all</code>
36	container status / list	Show status, ports, and health	<code>iobend container status</code>
37	container pack	Generate optimized multi-stage Dockerfile	<code>iobend container pack</code>
38	ports list	List open ports, processes, and PIDs	<code>iobend ports list</code>
39	ports kill <port>	Terminate process listening on a port	<code>iobend ports kill 3000</code>
40	ports ui	Launch browser UI for port inspection	<code>iobend ports ui</code>

DATABASE QUICK STARTS

```
iobend container up postgres # PostgreSQL 15 / 5432
iobend container up redis # Redis 7 / 6379
iobend container up mongodb # MongoDB 7 / 27017
iobend container up mysql # MySQL 8.0 / 3306
iobend container up mssql # MS SQL Server 2022 / 1433
```

06 • AI, MCP & AGENTS

#	COMMAND	PURPOSE	EXAMPLE
41	ai generate [prompt]	Scaffold iobend.yaml, Dockerfile, and .env.example	<code>iobend ai generate</code>
42	mcp list	List supported MCP servers	<code>iobend mcp list</code>
43	mcp install <server>	Install an MCP server globally	<code>iobend mcp install postgres</code>
44	mcp start <server>	Start local MCP server bridge	<code>iobend mcp start sqlite</code>
45	agents scaffold	Scaffold LangChain/LangGraph AI agent template	<code>iobend agents scaffold</code>

07 • RUN, DEV, DEPLOY & CI

#	COMMAND	PURPOSE	EXAMPLE
46	<code>run <cmd...> [-e, --env]</code>	Execute command/script with environment secrets injected	<code>iobend run npm run start -e production</code>
47	<code>dev [-e] [-s, --script]</code>	Unified dev stack: containers + secrets + app	<code>iobend dev -e staging -s "pnpm dev"</code>
48	<code>deploy [-e]</code>	Trigger cloud deployment with validation/build checks	<code>iobend deploy -e production</code>
49	<code>env switch [env]</code>	Switch active environment context	<code>iobend env switch staging</code>
50	<code>ci generate</code>	Generate GitHub Actions and GitLab CI configs	<code>iobend ci generate</code>
51	<code>hook</code>	Install pre-commit Git hook	<code>iobend hook</code>

08 • DIAGNOSTICS & SECURITY

#	COMMAND	PURPOSE	EXAMPLE
52	<code>doctor [-v, --verbose] [-a, --advanced] [--fix] [--storage] [--clean] [-f, --force]</code>	Run system checks: CPU, RAM, disk, toolchains, Docker, compilers	<code>iobend doctor --fix</code>
53	<code>doctor storage [--clean] [-f, --force] [--json]</code>	Audit recycle bin, package caches, and temp files	<code>iobend doctor storage --clean -f</code>
54	<code>security scan</code>	Scan for secret leaks, dependency CVEs, and security score	<code>iobend security scan</code>
55	<code>ecosystem [action] / tools [action]</code>	Inspect ecosystem capabilities or validate drift	<code>iobend ecosystem list</code>

Documented storage-cache checks include npm, pnpm, yarn, bun, pip, cargo, and go.

09 • CONFIGURATION & UTILITIES

#	COMMAND	PURPOSE	EXAMPLE
56	config [action] [key] [val]	View, set, or reset CLI configuration	<code>iobend config get apiUrl</code>
57	logs	Display recent CLI activity audit logs	<code>iobend logs</code>
58	history	Display execution history and audit trails	<code>iobend history</code>
59	replay <index>	Replay a previous command execution	<code>iobend replay 2</code>
60	ui	Launch interactive desktop developer dashboard	<code>iobend ui</code>
61	version	Print CLI, Node, OS, and workspace details	<code>iobend version</code>
62	update [tool] [--extensions]	Update CLI or marketplace packages	<code>iobend update --extensions</code>
63	completion [-s, --shell] [-i, --install] [--setup]	Generate/install bash, zsh, PowerShell, or fish completion	<code>iobend completion -s powershell --install</code>
64	dotfiles [action]	Backup and sync developer shell dotfiles	<code>iobend dotfiles sync</code>
65	help	Display formatted and categorized CLI help	<code>iobend help</code>

10 • SMART ALIAS RESOLUTION

USER TYPING	CANONICAL TOOL	CATEGORY
code / vs code / visual studio code	vscode	Editors & IDEs
vs2022 / visualstudio / visual-studio-community	visual-studio	Editors & IDEs
android studio / androidstudio	android-studio	Editors & IDEs
idea / intellij	intellij-idea	Editors & IDEs
npp / notepad++	notepadplusplus	Editors & IDEs
py / python3 / py3	python	Languages & Runtimes
nodejs / node.js	node	Languages & Runtimes
jdk / openjdk / adoptium	java	Languages & Runtimes
golang	go	Languages & Runtimes
postgres / psql	postgresql	Databases & Storage
mysql-server	mysql	Databases & Storage
mongo / mongodb-community	mongodb	Databases & Storage
redis-server	redis	Databases & Storage
sqlserver / sqlserver-2022 / mssql	sqlserver	Databases & Storage
gh / githubcli / github-cli	gh	Version Control & Git
githubdesktop / github-desktop	github-desktop	Version Control & Git
docker-desktop	docker	Containers & K8s
brave	brave	Web Browsers

The source states 238 supported aliases; this page shows the aliases explicitly listed in the supplied reference.

11 • COMMON DEVELOPER RECIPES

NEW NODE PROJECT

```
iobend init
iobend install node 22.16.0
iobend pin node@22.16.0
iobend dev
```

PYTHON PROJECT

```
iobend init
iobend install python 3.12
iobend pin python@3.12
iobend dev
```

POSTGRESQL + APP

```
iobend container up postgres
iobend secret add DATABASE_URL <value> -e development
iobend dev
```

REDIS + APP

```
iobend container up redis
iobend secret add REDIS_URL <value> -e development
iobend dev
```

DOCKERIZE PROJECT

```
iobend container pack
```

SET UP MCP

```
iobend mcp install postgres
iobend mcp start postgres
iobend mcp list
```

RUN WITH ENVIRONMENT

```
iobend env switch staging
iobend run <command> -e staging
```

DEPLOY

```
iobend deploy -e production
```

HEALTH & CLEANUP

```
iobend doctor
iobend doctor storage
iobend runtime prune
```

12 • COMPLETE TOOL CATEGORIES

#	CATEGORY	DOCUMENTED COUNT
1	Editors & IDEs	19 Tools
2	Version Control & Git	8 Tools
3	Languages & Runtimes	19 Tools
4	Package Managers & Build	12 Tools
5	Databases & Storage	19 Tools

#	CATEGORY	DOCUMENTED COUNT
6	Containers & K8s	13 Tools
7	Cloud & IaC	14 Tools
8	API Development	7 Tools
9	Testing & QA	3 Tools
10	Linters & Formatters	6 Tools
11	Security & DevSecOps	6 Tools
12	AI Developer Tools	5 Tools
13	System Utilities	17 Tools
14	Web Browsers	8 Tools



IOBend CLI v2.5.0

FAST LOOKUP

WHAT DO YOU NEED?

DEVELOPER NEED	START HERE
Help	<code>iobend --help</code> • <code>iobend help <command></code>
Health	<code>iobend doctor</code>
Discover a tool	<code>iobend search <query></code>
Install a runtime	<code>iobend install <tool> [version]</code>
Pin a runtime	<code>iobend pin <tool>@<version></code>
Manage secrets	<code>iobend secret add/list/import/export/rotate</code>
Start a database	<code>iobend container up <type></code>
Inspect ports	<code>iobend ports list</code> • <code>ports kill <port></code> • <code>ports ui</code>
Use MCP	<code>iobend mcp list/install/start</code>
Deploy	<code>iobend deploy -e production</code>
Inspect history	<code>iobend logs</code> • <code>history</code> • <code>replay <index></code>
Update	<code>iobend update</code> • <code>iobend update --extensions</code>

Build Faster. Ship Smarter.

IOBend CLI • Developer-first tooling for the modern workspace