

Sprint 1 AI Usage Log

Project: CareerConnect - Job Search and Application Tracking Platform

Sprint: 1

Responsible person: Catalin-Ion Besleaga

Repository: lonnerss/CareerConnect

Integration branch: dev

Entry number: 1

Date: 2026-09-22

AI tool/model: ChatGPT; GPT-6 Astra Light

Task ID/Title: README technology architecture

Purpose of AI Use: Architecture planning and technical documentation

Chat Link or Prompt/Response: https://chatgpt.com/s/t_6ab9b4fb7a288191baa1670a2e751083

AI-Suggested Content: A technology table describing each tool and its role in the proposed system, plus an explanation of the planned AI integration.

Validation: Checked that the technologies matched the team's selected stack and the application's planned requirements. The final README describes the stack as proposed rather than claiming unimplemented features are complete.

Decision: Modified before use. I edited and committed the final README wording and table.

Reflection: AI helped turn a loose technology list into documentation that explains why each technology belongs in the project.

Responsible Person: Catalin-Ion Besleaga

Entry number: 2

Date: 2026-09-25

AI tool/model: ChatGPT; GPT-6 Astra Light

Task ID/Title: Task #1.2 - Set up Backend

Purpose of AI Use: Project setup and implementation planning

Chat Link or Prompt/Response: https://chatgpt.com/s/t_6ab9b0db92308191a9446fe3cc537238

AI-Suggested Content: Initialize the web Next.js application, add Supabase client utilities, keep secrets in local environment variables, and use the existing repository's supabase scripts for database configuration.

Validation: Confirmed that the application initialized correctly, dependencies installed, the development server started, and the resulting structure matched the team's planned stack.

Decision: Accepted with project-specific changes.

Reflection: I learned that “backend setup” in this architecture means wiring Next.js to Supabase rather than creating a separate Express server.

Responsible Person: Catalin-Ion Besleaga

Entry number: 3

Date: 2026-09-26

AI tool/model: ChatGPT; GPT-6 Astra Light

Task ID/Title: Session handling and Supabase SSR integration

Purpose of AI Use: System design, authentication infrastructure, and debugging

Chat Link or Prompt/Response: https://chatgpt.com/s/t_6ab9b0559a8c8191b12208ed4d17e6a3

AI-Suggested Content: Add browser and server Supabase clients, create updateSession middleware, preserve refreshed cookies on the response, and connect it to web/src/proxy.ts with a matcher that ignores static assets.

Validation: Tested the application locally, checked that session cookies refreshed, and verified the behavior after restarting the development server. Protected-route redirects were intentionally left for the later dashboard/auth integration rather than being falsely treated as complete.

Decision: Modified before use and accepted.

Reflection: I learned that authentication is not only the sign-in call; the server and browser must keep the session cookies synchronized.

Responsible Person: Catalin-Ion Besleaga

Entry number: 4

Date: 2026-09-26

AI tool/model: ChatGPT; GPT-6 Astra Light

Task ID/Title: Task #1.4 - Automatic profile creation for new Auth users

Purpose of AI Use: Database automation and Supabase trigger design

Chat Link or Prompt/Response: https://chatgpt.com/s/t_6ab9b2e7b75481919b60b08de6438365

AI-Suggested Content: Create `public.handle_new_user()`, insert the new Auth user's ID and full name into `public.profiles`, and execute the function from an `on_auth_user_created` trigger.

Validation: Applied the SQL in Supabase, created a test account, and confirmed that a profile row appeared with the correct user ID, full name metadata, default role, and timestamp.

Decision: Accepted and implemented in `supabase/profile_trigger.sql`.

Reflection: The trigger removes duplicated profile-creation logic from the frontend and guarantees that every Auth user receives a profile row.

Responsible Person: Catalin-Ion Besleaga

Entry number: 5

Date: 2026-09-26

AI tool/model: ChatGPT; GPT-6 Astra Light

Task ID/Title: Profile update permissions and RLS testing

Purpose of AI Use: Security design, SQL permissions, and database testing

Chat Link or Prompt/Response:

https://chatgpt.com/s/t_6ab9b35afe1c8191b0a4ef51246a0116

https://chatgpt.com/s/t_6ab9b35afe1c8191b0a4ef51246a0116

AI-Suggested Content: Add a transactional permissions script that revokes broad profile updates, revokes protected-column updates, and grants authenticated users update access only to `full_name`.

Validation: Applied `supabase/profile_permissions.sql` and tested with separate users and rollback transactions. A user could update their own name, could not update another user's profile, and received permission denial when attempting to change protected fields such as `role`, `id`, or `created_at`.

Decision: Accepted and implemented.

Reflection: I learned that RLS answers “which rows,” while SQL column privileges can further answer “which fields.” Both layers are needed for a safe profile-editing feature.

Responsible Person: Catalin-Ion Besleaga

Entry number: 6

Date: 2026-09-27

AI tool/model: ChatGPT; GPT-6 Astra Light

Task ID/Title: Task #2.2 - Connect Login Data Frontend to Backend (#32) and Task #2.3 - Logout (#47)

Purpose of AI Use: Authentication integration, error handling, and implementation review

Chat Link or Prompt/Response: https://chatgpt.com/s/t_6ab9b3aab4f08191975e39fae95547b4

https://chatgpt.com/s/t_6ab9b3c6bc008191b8e137fe6bfa63a4

AI-Suggested Content: Improve the existing login handler with try/catch/finally, display Supabase errors through `setFormError`, create `auth/actions.ts`, and create a reusable `LogoutButton` component.

Validation: Built and type-checked the application. Tested successful login, invalid credentials, unexpected/offline errors, logout redirect, cookie clearing after refresh, and logout after restarting the server. The login and signup page UI itself was created by another team member and is not claimed here.

Decision: Accepted with project-specific wording and error messages.

Reflection: I learned to treat loading state and failure paths as part of the authentication feature rather than only implementing the successful request.

Responsible Person: Catalin-Ion Besleaga

Entry number: 7

Date: 2026-09-27

AI tool/model: ChatGPT; GPT-6 Astra Light

Task ID/Title: Task #3.3 - Connect Resume Upload Front End to Backend (#37)

Purpose of AI Use: Repository inspection, Supabase Storage integration, database integration, and security review

Chat Link or Prompt/Response: https://chatgpt.com/s/t_6ab9b417f6708191bac4a990093403a3

AI-Suggested Content: Reuse the browser Supabase client; call `auth.getUser()`; upload to `resumes/<user-id>/<unique-file-id>.pdf`; insert `user_id`, `file_path`, and `file_name` into `public.resumes`; do not expose a service-role key; remove the Storage object if the metadata insert fails.

Validation: Confirmed the bucket was private, PDF-only, and limited to 5 MB. Tested a valid PDF upload and verified both the Storage object and matching resumes table row. Tested invalid file types, files over 5 MB, authentication failure, and user-folder isolation.

Decision: Accepted and implemented in `web/src/app/upload-resume/page.tsx`.

Reflection: I learned that a file upload is a two-part operation: the binary belongs in Storage while the searchable metadata belongs in PostgreSQL. Cleanup is required to avoid orphaned files when the second operation fails.

Responsible Person: Catalin-Ion Besleaga