

BrokerVerse OOTB

Insurance broking platform by iorta TechNXT

Solution Architecture · Document 03 of 11

Database Inventory

Product	BrokerVerse OOTB
Document	03 Database Inventory
Version	1.2
Date	04 October 2026
Prepared by	iorta TechNXT
Classification	Confidential: for the client, iorta TechNXT and authorised partners

Prepared by iorta TechNXT

Document control

Document	BrokerVerse OOTB Solution Architecture: 03 Database Inventory
Document ID	BV-SA-03
Version	1.2
Status	Issued for review
Date	04 October 2026
Prepared by	iorta TechNXT
Source baseline	BrokerVerse source repository, branch brokerverse-platform (backend/, brokerverse/, deploy/, docker-compose.yml, .github/workflows, docs/)

Version history

Version	Date	Author	Change
1.0	29 September 2026	iorta TechNXT	Initial issue
1.1	29 September 2026	iorta TechNXT	Updated to the current system: placement journey, co-insurance, posting rules, period end and BIR tax, bank reconciliation, document numbering, commission rate matrix, single PDF engine, uploads and go-live imports, housekeeping, business time zone, broker roles, deployment on the BrokerVerse URL
1.2	04 October 2026	iorta TechNXT	New modules (AML/CFT, BIR, payables and fixed assets, distribution, fleet and marine, My Work, go-live workbench), integration framework, encryption and masking of personal data, branding and e-signatures, release pipeline; database at migration 0322 (reference data), new ER diagrams

Review and approval

Role	Name	Signature	Date
Solution architect			
DevOps / infrastructure lead			
Information security			
Business owner			

Conventions

- Statements of fact are derived from the code, configuration and database of the baseline above (file paths are given relative to the repository). Figures measured on the local test system are labelled **test data** or **indicative**.
- Targets, sizes, retention periods and thresholds that are not facts of the code are labelled **Recommended / to be confirmed by the business and DevOps**.
- Items marked **Gap** are defects or missing capabilities found while preparing this document.

Contents

- 1 Introduction..... 5
 - 1.1 Purpose and scope..... 5
 - 1.2 Source and currency of the figures..... 5
 - 1.3 Retention classes..... 5
- 2 Summary..... 6
 - 2.1 Tables by domain..... 6
 - 2.2 Tables with the most rows (reference data)..... 7
- 3 Table inventory..... 9
- 4 Other database objects..... 26
 - 4.1 Database facts..... 26
 - 4.2 Indexes..... 27
 - 4.3 Views..... 28
 - 4.4 Sequences..... 28
 - 4.5 Extensions, functions and triggers..... 28
 - 4.6 Application settings by group..... 29
 - 4.7 Scheduled jobs..... 30
- 5 Related documents..... 31
- 6 Glossary..... 32

1 Introduction

1.1 Purpose and scope

This document is the inventory of the BrokerVerse OOTB database: every table with its domain, purpose, key columns, row count and size, number of indexes, retention class and owning backend module, followed by the indexes, views, sequences, extensions, functions, triggers, the application settings by group and the scheduled jobs. It supports capacity planning (document 06), backup and archival (documents 09 and 10) and data-protection reviews. The design rationale is in document 02.

1.2 Source and currency of the figures

The inventory is generated from the catalogue of a PostgreSQL 16 database created for this issue on 04 October 2026, migrated to `0322_quote_covers_and_risk_fields.sql` (the branch's 139 migrations plus the 10 of packages B and G being merged) and seeded with the reference data only (`SEED_SAMPLE_DATA=false`), by `docs/architecture/tools/collect_db_inventory.py`, which runs read-only catalogue queries and one `count(*)` per table. The descriptions, owning modules and retention classes come from `tools/table_catalog.py`.

Note: Row counts and sizes are those of a new database with the reference data only: masters, the Philippine geography, settings, posting rules, number series, reports and jobs. Transaction tables are empty. A production database starts in this state. Re-run the collector against UAT or production and rebuild the documents to refresh them (see `docs/architecture/README.md`).

Size is the total relation size in KB (table, TOAST and indexes). PostgreSQL allocates at least one 8 KB page per relation and index, so small tables show 16 to 64 KB. "Idx" is the number of indexes including the primary key.

1.3 Retention classes

Class	Meaning and default handling (periods in document 10)
Financial	Ledger, bills, receipts, payments, vouchers, commissions, remittances, debit notes, bank statements and reconciliations, close runs, BIR certificates, reinsurance settlements. Kept for the statutory record-keeping period; cancelled or reversed, never deleted from the online system while the period runs.
Transaction	Leads, clients, quotations, broker slips, offers, placements, policies, endorsements, claims, renewals, treaties, cessions, documents. Kept for the policy or claim life plus the regulatory period.
Reference	Masters, settings, posting rules, number series, tax codes, product templates, roles, permissions, report catalogue, scheduled jobs. Kept while in use; changes audited.
Log / audit	Audit log, sign-in history, histories and field-level trails, job run history, notice logs. Kept for the audit period, then archived.
Temporary	Tokens, reset codes, e-mail outbox, notifications, work queues, generated report files. Purged by the housekeeping job after the periods set in System Settings.

2 Summary

2.1 Tables by domain

Domain	Tables	Rows (reference data)	Size KB	Tables
Security and identity	15	434	736	access_review_items, access_reviews, authority_limits, authority_transaction_types, login_history, password_history, password_resets, permissions, refresh_tokens, role_permissions, roles, sod_rules, user_delegations, user_roles, users
Platform services	16	1,461	1,440	agent_events, app_settings, audit_log, document_numbering, document_signature_slots, documents, e_signatures, email_outbox, job_queue, job_runs, master_records, master_types, notifications, scheduled_jobs, schema_migrations, sequences
Reference masters	17	5,475	2,136	banks, branches, cities, countries, coverages, currencies, districts, insurance_companies, policy_types, postal_codes, products, regions, signatories, states, vehicle_brands, vehicle_models, vehicle_variants
Product configurator	9	91	496	insurer_rate_tables, lgu_tax_rates, package_bundle_sections, package_bundles, premium_charge_rules, product_components, product_risk_mappings, product_risk_sections, product_templates
Sales and policy	14	3	936	clients, cover_notes, endorsements, leads, package_endorsements, package_quotes, package_sections, payment_events, payment_gateways, payment_links, policies, policy_payments, quote_customer_responses, quotes
Placement and co-insurance	4	0	264	broker_slips, insurer_offers, placements, risk_participants
Claims	6	0	224	claim_document_items, claim_document_reminders, claim_field_changes, claim_history, claim_settlement_movements, claims
Renewals	7	0	224	renewal_activities, renewal_batch_policies, renewal_batches, renewal_notices, renewal_quotes, renewals, winback_campaigns
Billing, receipts and collections	15	4	648	client_credit_exceptions, collection_actions, collection_items, post_dated_cheques, premium_instalment_plans, premium_instalments, premium_warranty_actions, premium_warranty_extensions, receipt_applications, receipt_lines, receipts, receivable_credits, receivable_participants, receivables, write_off_reasons
General ledger and posting rules	8	361	512	accounting_config_changes, accounting_periods, entry_matches, gl_accounts, journal_lines, journal_vouchers, posting_rule_lines, posting_rules
Period end and tax	12	39	392	bir_2307_certificates, fiscal_years, opening_balances, period_close_checklist, period_close_entries, period_close_run_checks, period_close_runs, period_status_history, recurring_journal_runs, recurring_journals, tax_codes, year_end_runs
Bank reconciliation	9	17	304	bank_match_rules, bank_rec_match_items, bank_rec_matches, bank_reconciliation_history, bank_reconciliations, bank_statement_formats, bank_statement_lines, bank_statements, bank_transaction_types
Disbursements and petty cash	9	0	408	checkbooks, disbursements, invoice_lists, petty_cash_disbursements, petty_cash_funds, petty_cash_receipts, petty_cash_replenishments, petty_cash_request_lines, petty_cash_requests
Commission	8	0	272	commission_adjustments, commission_rates, commission_referrers, commissions, override_agreement_tiers, override_agreements, override_computations, override_settlements

Domain	Tables	Rows (reference data)	Size KB	Tables
Remittance and direct bill	16	1	648	commission_debit_note_collections, commission_debit_note_lines, commission_debit_notes, direct_bill_client_payments, direct_bill_items, insurer_refund_credits, insurer_statement_formats, insurer_statement_lines, insurer_statement_resolutions, insurer_statements, remittance_allocations, remittance_approvals, remittance_delegations, remittance_items, remittance_lines, remittances
Reinsurance	10	0	376	cessions, fac_placement_shares, fac_placements, fac_settlements, reinsurance_bordereaux, reinsurance_exceptions, reinsurance_reconciliations, reinsurance_recoveries, reinsurance_treaties, reinsurers
Incentive	3	0	80	incentive_calculations, incentive_programs, incentive_results
Reporting	5	40	240	bi_extract_runs, generated_reports, report_builder_reports, report_definitions, report_schedules
Distribution and marketing	13	0	520	campaign_recipients, campaign_segments, campaign_templates, campaigns, channel_billing_accounts, comparison_reports, dealer_sales, dealer_sales_batches, distribution_channels, lead_assignment_history, lead_assignment_rules, motor_programmes, sales_activities
Fleet, marine and motor claims	8	0	344	claim_loas, claim_repair_estimates, claim_vehicle_releases, fleet_schedules, fleet_vehicles, open_cover_certificates, open_cover_declarations, open_covers
Payables and fixed assets	7	0	248	fixed_asset_depreciation, fixed_asset_disposals, fixed_assets, supplier_invoice_lines, supplier_invoices, supplier_payment_allocations, supplier_payments
BIR returns and invoicing	6	0	184	bir_return_filings, cas_book_prints, eis_submissions, sales_invoice_lines, sales_invoice_payments, sales_invoices
Compliance: AML, Insurance Commission and data privacy	27	80	1,040	aml_alerts, aml_cases, aml_edd_reviews, aml_list_entries, aml_list_versions, aml_provider_requests, aml_report_items, aml_reports, aml_risk_assessments, aml_risk_factors, aml_rules, aml_screening_hits, aml_screening_lists, aml_screenings, client_beneficial_owners, client_kyc_documents, client_signatories, complaint_reminders, complaints, compliance_fit_proper, compliance_licence_reminders, compliance_licences, data_subject_requests, ic_statement_lines, personal_data_breach_reminders, personal_data_breaches, privacy_consent
Integrations	12	19	416	bank_file_layouts, bank_payment_batch_lines, bank_payment_batches, coc_series, ctpL_authentications, insurer_api_mappings, integration_attempts, integration_connectors, integration_inbox, integration_outbox, message_templates, payee_bank_accounts
Go-live data load and work management	4	0	152	data_load_batches, data_load_comparisons, data_load_rows, work_tasks
Total	260	8,025	13,240	

2.2 Tables with the most rows (reference data)

Table	Rows (test data)	Total size KB	Average row bytes	Retention class
postal_codes	1,846	376	67	Reference
districts	1,715	464	102	Reference
cities	1,642	592	202	Reference
app_settings	659	240	210	Reference
master_records	449	536	357	Reference

Table	Rows (test data)	Total size KB	Average row bytes	Retention class
role_permissions	279	56	32	Reference
posting_rule_lines	180	88	115	Reference
schema_migrations	149	64	64	Reference
gl_accounts	133	88	175	Reference
permissions	98	80	105	Reference
document_numbering	85	104	199	Reference
states	84	112	157	Reference
master_types	69	136	951	Reference
insurance_companies	51	80	167	Reference
product_components	50	120	445	Reference

3 Table inventory

Key columns: PK primary key, UK unique constraint, FK foreign-key columns (first four), JSONB document columns. Rows and KB are those of the reference data.

Security and identity (15 tables)

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
access_review_items	One user in an access review: the roles held, last sign-in and the reviewer's decision to keep or revoke	PK id UK review_id+user_id FK decided_by, review_id, user_id	0	40	4	Log / audit	access-control
access_reviews	Periodic access review (recertification) campaign: scope, reviewer, due date and closure	PK id FK closed_by, created_by	0	24	2	Log / audit	access-control
authority_limits	Authority matrix: approval limit per role or per user and transaction type, effective once approved by another administrator	PK id FK decided_by, replaces_id, requested_by, role_code +2	30	128	7	Reference	access-control
authority_transaction_types	Transactions that need an approver and are limited by amount or percent (authority matrix rows)	PK code	12	32	1	Reference	access-control
login_history	Every sign-in attempt: user, IP, user agent, success, reason, method	PK id FK user_id	0	32	3	Log / audit	auth
password_history	Previous password hashes for the history rule (last N kept)	PK id FK user_id	0	24	2	Log / audit	auth
password_resets	One-time password reset codes (HMAC hash only), expiry and attempts	PK id FK user_id	0	24	2	Temporary	auth
permissions	Permission codes read:<module>, write:<module> (27 modules) and approve:<area> (period end, bank reconciliation)	PK id UK code	98	80	2	Reference	users
refresh_tokens	Refresh-token register (jti, family, expiry, rotation / revocation reason)	PK jti FK user_id	0	32	3	Temporary	auth
role_permissions	Grant of permissions to roles	PK role_id+permission_id	279	56	1	Reference	users
roles	Role catalogue: system-admin, sales, processing, operations, claims, accounting, accounting-manager (inherits accounting) and custom roles	PK id UK code	8	48	2	Reference	users
sod_rules	Segregation-of-duties rules: pairs of roles one person should not hold together, with block or warn	PK id UK code FK role_a, role_b	5	80	4	Reference	access-control
user_delegations	Out-of-office delegation: the delegate may approve with the delegator's authority for the listed transaction types and dates	PK id FK created_by, delegate_id, delegator_id, revoked_by	0	40	4	Reference	access-control
user_roles	Assignment of roles to users	PK user_id+role_id	1	32	1	Reference	users
users	User accounts: bcrypt password hash, status, lockout counter, 2FA (encrypted TOTP secret), token version	PK id UK username	1	64	3	Reference	users, auth

Platform services (16 tables)

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
agent_events	Calendar events and reminders of a user (open items screen)	PK id FK user_id	0	24	2	Transaction	payments (open items)

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
app_settings	Configuration keys (JSONB value, group, label, type); every business parameter	PK key JSONB value	659	240	1	Reference	settings, system-settings
audit_log	Who did what to which record, with before / after JSON and IP	PK id JSONB before_data, after_data, source	0	40	4	Log / audit	all (lib/audit.js)
document_numbering	Document number series: prefix, pattern, width, reset rule, start number	PK id UK code	85	104	3	Reference	document-numbering
document_signature_slots	Which signature prints in which slot of which document type, and when	PK id UK document_type+slot FK signatory_id	15	48	2	Reference	e-signatures
documents	Registry of stored files: storage key, name, type, size, owning entity, uploader	PK id UK storage_key	0	24	2	Transaction	uploads and file writers
e_signatures	Signature images of signatories and approving or issuing users, with consent and capture details	PK id UK owner_type+owner_id+version	0	32	3	Reference	e-signatures
email_outbox	Queued e-mails (to, subject, HTML body, status, attempts, error)	PK id JSONB attachments	0	24	2	Temporary	lib/mailer.js
job_queue	Background work queue (renewal notice batches); status, progress, attempts	PK id JSONB payload, progress, result	0	24	2	Temporary	renewals
job_runs	Run history of scheduled and manual job runs (status, output, error)	PK id FK job_id JSONB output	0	24	2	Log / audit	jobs
master_records	Generic master records (JSONB data) for masters without their own table	PK id FK type_code JSONB data	449	536	4	Reference	masters
master_types	Master screen registry: fields, storage table, keys of each configurable master	PK code JSONB fields, unique_keys	69	136	1	Reference	masters
notifications	In-app notifications per user or per permission audience	PK id FK user_id	0	24	2	Temporary	notifications
scheduled_jobs	Cron jobs (code, cron, handler, params, enabled, last status)	PK id UK code JSONB params	35	80	2	Reference	schedules, jobs
schema_migrations	Applied migration files	PK name	149	64	1	Reference	db/migrate.js
sequences	Document-number counters per series and reset period (year, fiscal year, month or ALL)	PK name+period	0	16	1	Reference	document-numbering

Reference masters (17 tables)

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
banks	Banks and mortgagees	PK id UK code JSONB attrs	17	48	2	Reference	masters
branches	Broker branches	PK id UK code JSONB attrs	1	48	2	Reference	masters
cities	Cities and municipalities (PSGC code, city class, ZIP code, region)	PK id FK region_id, state_id JSONB attrs	1,642	592	4	Reference	masters
countries	Countries	PK id UK code JSONB attrs	5	48	2	Reference	masters
coverages	BI / PD / PA cover options with amount and premium	PK id FK policy_type_id JSONB attrs	11	32	1	Reference	quotations

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
currencies	Currencies (base flag, decimals, exchange rate)	PK id UK code JSONB attrs	5	64	3	Reference	masters
districts	Barangays (PSGC code) with postal code; master type Barangay	PK id UK city_id+name FK city_id JSONB attrs	1,715	464	3	Reference	addresses
insurance_companies	Insurers (principals): contact, default commission rate, credit terms, billing mode	PK id UK code JSONB attrs	51	80	2	Reference	masters
policy_types	Policy types per product	PK id FK product_id JSONB attrs	14	32	1	Reference	masters
postal_codes	Postal code lookup (province, city, district)	PK id UK country_code+code+district	1,846	376	3	Reference	addresses
products	Insurance products / lines	PK id UK code JSONB attrs	19	48	2	Reference	masters
regions	Philippine regions (PSGC code), above Province (migration 0250)	PK id FK country_id JSONB attrs	18	64	3	Reference	masters
signatories	Authorised signatories for documents	PK id JSONB attrs	0	16	1	Reference	masters
states	Provinces (PSGC code, region); the table keeps its earlier name "states"	PK id FK country_id, region_id JSONB attrs	84	112	4	Reference	masters
vehicle_brands	Vehicle makes	PK id UK name JSONB attrs	8	48	2	Reference	quotations
vehicle_models	Vehicle models per make	PK id FK brand_id JSONB attrs	19	32	1	Reference	quotations
vehicle_variants	Vehicle variants (body type, seating)	PK id FK model_id JSONB attrs	20	32	1	Reference	quotations

Product configurator (9 tables)

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
insurer_rate_tables	Insurer rates per product for the quick quote comparison of packaged products: rate basis, minimum premium, deductible, commission	PK id FK insurance_company_id, product_id JSONB key_benefits	0	32	3	Reference	packages
lgu_tax_rates	Local government (LGT) tax rates per province or city with effective dates	PK id UK code FK city_id	10	64	3	Reference	premium-charges
package_bundle_sections	Sections of a bundle: product, default sum insured, rate, minimum premium and the insurers that may carry it	PK id UK bundle_id+section_no FK bundle_id, product_id JSONB benefits	0	32	3	Reference	packages
package_bundles	Packaged product bundles (for example a multi-line SME cover): segment, term, discount, online issue	PK id UK code	0	24	2	Reference	packages
premium_charge_rules	Premium charge rules (VAT, premium tax, DST, FST, LGT, other): method, rate, unit size, minimum and effective dates	PK code	6	32	1	Reference	premium-charges
product_components	Template components: covers, rating tables, rules, documents (JSONB data)	PK id FK template_id JSONB data	50	120	3	Reference	product-configurator

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
product_risk_mappings	Product / line-of-business risk definitions	PK id UK product_code JSONB configuration	8	48	2	Reference	product-configurator
product_risk_sections	Risk sections of a mapping with default rates	PK id UK mapping_id+section_code FK mapping_id	4	48	2	Reference	product-configurator
product_templates	Versioned product templates (config JSONB, rates, limits, insurers)	PK id FK parent_id, product_id JSONB config, features, insurers	13	96	2	Reference	product-configurator

Sales and policy (14 tables)

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
clients	Clients (insured parties) with KYC fields and owner	PK id UK client_code FK lead_id, load_batch_id, owner_user_id JSONB extra	0	72	8	Transaction	clients
cover_notes	Cover notes (binders) issued while the insurer policy is pending: cover period, status, superseding policy	PK id UK cover_note_number FK client_id, insurance_company_id, placement_id, policy_id +2	0	80	9	Transaction	cover-notes
endorsements	Policy endorsements and cancellations, premium delta, billing link	PK id UK endorsement_number FK client_id, policy_id, receivable_id JSONB changes, endorsement_type_ids, completion	0	48	5	Transaction	endorsements
leads	Leads / prospects (individual or corporate), owner, status	PK id UK lead_number FK assignment_rule_id, channel_id, client_id, owner_user_id +1 JSONB extra	0	96	11	Transaction	leads
package_endorsements	Endorsements of one section of a package policy: change of sum insured and the additional premium billed	PK id UK endorsement_number FK insurance_company_id, policy_id JSONB charges	0	40	4	Transaction	packages
package_quotes	Bundle quotations: client, location, premium, discount, taxes, commission and status	PK id UK quote_number FK bundle_id, client_id, lead_id, owner_user_id +2 JSONB doc	0	72	8	Transaction	packages
package_sections	Priced sections of a bundle quotation or package policy, each with its insurer, premium, taxes and commission	PK id UK entity_type+entity_id+section_no FK insurance_company_id, product_id, rate_table_id JSONB charges, benefits	0	48	5	Transaction	packages
payment_events	Every notification received from a payment gateway (or simulated), valid or not: the payments log	PK id FK link_id JSONB payload	0	32	3	Log / audit	payment-gateway
payment_gateways	Online payment gateways (Dragonpay, PayMongo, sandbox): mode, methods, fee handling, link validity; credentials stay in the environment	PK code	3	32	1	Reference	payment-gateway

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
payment_links	Payment links sent to a client to pay a package quotation, quotation or policy premium online, and the result	PK id UK link_number, token FK client_id, gateway_code, policy_id, receipt_id JSONB outcome	0	80	9	Financial	payment-gateway
policies	Issued policies: term, premium, insurer, billing mode, details / doc JSONB	PK id UK policy_number FK channel_id, client_id, insurance_company_id, lead_id +7 JSONB details, doc	0	128	15	Transaction	policies
policy_payments	Premium payments captured on a policy, awaiting finance confirmation	PK id FK confirmed_by, policy_id, receipt_id, receivable_id +2	0	56	6	Financial	policies
quote_customer_responses	Customer responses to a quotation recorded by staff (phone, Viber, meeting, signed form) as evidence of the status change	PK id FK quote_id, recorded_by	0	32	3	Log / audit	quotations
quotes	Quotations: vehicle / coverage JSONB, premium, taxes, commission, approval token hash	PK id UK quote_number FK agent_user_id, broker_slip_id, channel_id, client_id +6 JSONB vehicle, coverage, doc	0	120	14	Transaction	quotations

Placement and co-insurance (4 tables)

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
broker_slips	Broker slips (BS-): a client risk sent to several insurers for terms	PK id UK slip_number FK client_id, lead_id, owner_user_id, product_id +1 JSONB risk_details, doc, requested_covers	0	72	8	Transaction	placement
insurer_offers	Insurer offers (OFR-) on a broker slip: premium, rate, taxes, deductibles, validity, share, or a decline	PK id UK offer_number, broker_slip_id+insurance_company_id FK broker_slip_id, insurance_company_id	0	40	4	Transaction	placement
placements	Placement slips (PS-): firm order to the chosen insurers, binding per participant, policy issue	PK id UK placement_number FK broker_slip_id, client_id, insurance_company_id, lead_id +5 JSONB doc	0	104	12	Transaction	placement
risk_participants	Co-insurance participants of a broker slip, quotation, placement or policy: lead, share, premium and commission	PK id UK entity_type+entity_id+insurance_company_id FK insurance_company_id	0	48	5	Transaction	placement, policies

Claims (6 tables)

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
claim_document_items	Documents a claim needs, copied from the checklist master, with received and waived status	PK id UK claim_id+document_name FK claim_id, document_id	0	32	3	Transaction	claim-documents
claim_document_reminders	Missing-document reminders sent to the claimant	PK id FK claim_id JSONB missing	0	24	2	Log / audit	claim-documents
claim_field_changes	Field-level audit trail of claim edits	PK id FK claim_id	0	24	2	Log / audit	claims

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
claim_history	Claim status history	PK id FK claim_id	0	24	2	Log / audit	claims
claim_settlement_movements	Claim settlement cash: funds received from each insurer and payments to the claimant, with journal	PK id FK claim_id, insurance_company_id, journal_id	0	48	5	Financial	claims
claims	Claims: loss details, estimate, approved and settled amounts, handler, lifecycle status	PK id UK claim_number FK client_id, handler_user_id, load_batch_id, policy_id JSONB details, driver, third_party	0	72	8	Transaction	claims

Renewals (7 tables)

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
renewal_activities	Contact and follow-up activities on a renewal	PK id FK renewal_id JSONB details	0	24	2	Log / audit	renewals
renewal_batch_policies	Policies in a renewal batch and their notice status	PK id UK batch_id+policy_id FK batch_id, policy_id, renewal_id	0	40	4	Transaction	renewals
renewal_batches	Batch renewal notice runs	PK id UK batch_number JSONB criteria	0	24	2	Transaction	renewals
renewal_notices	Renewal notices sent (stage, method, recipient, status)	PK id UK renewal_id+stage FK renewal_id	0	24	2	Log / audit	renewals
renewal_quotes	Renewal quotations (loading, discount, variance)	PK id UK quote_number FK renewal_id JSONB taxes, rating	0	32	3	Transaction	renewals
renewals	Renewal cases of expiring policies (status, notices, contact, premium old / new)	PK id FK client_id, new_policy_id, policy_id JSONB coverage_details, accessories, order_summary	0	56	6	Transaction	renewals
winback_campaigns	Win-back campaigns for lapsed business	PK id UK campaign_number JSONB offers	0	24	2	Transaction	renewals

Billing, receipts and collections (15 tables)

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
client_credit_exceptions	Policies issued beyond a client's credit limit: exposure before and after, and Accounting's acknowledgement	PK id FK client_id, policy_id	0	32	3	Log / audit	credit-control
collection_actions	Collection actions: calls, e-mails, commitments	PK id FK collection_id	0	24	2	Log / audit	collections
collection_items	Collection follow-up items for open bills (commitment, escalation, assignee)	PK id UK receivable_id FK assigned_to, client_id, policy_id	0	48	5	Transaction	collections
post_dated_cheques	Post-dated cheques received against bills, kept until their date, deposited into an official receipt or returned	PK id UK pdc_number FK bank_id, client_id, policy_id, receipt_id +3	0	72	8	Financial	pdc
premium_instalment_plans	Instalment plan of a premium bill: frequency, number of instalments, first due date and down payment	PK id FK policy_id, receivable_id	0	32	3	Financial	credit-control

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
premium_installments	Installments of a plan: sequence, due date and amount	PK id UK plan_id+seq FK plan_id, receivable_id	0	32	3	Financial	credit-control
premium_warranty_actions	Premium warranty monitor actions: reminders, extension decisions and cancellation requests	PK id FK extension_id, policy_id	0	32	3	Log / audit	credit-control
premium_warranty_extensions	Requests to extend the premium payment warranty deadline of a policy (maker-checker)	PK id FK policy_id	0	32	3	Transaction	credit-control
receipt_applications	Application of receipt lines to bills, with journal link	PK id FK journal_id, receipt_id, receipt_line_id, receivable_id	0	56	6	Financial	receipts
receipt_lines	Receipt lines per policy (premium, taxes, EWT, discounts)	PK id UK receipt_id+line_no FK policy_id, receipt_id	0	32	3	Financial	receipts
receipts	Official receipts (OR-) header: payer, amount, mode, status	PK id UK receipt_number FK bank_id, client_id, policy_id, receivable_id	0	72	8	Financial	receipts
receivable_credits	Return premium and cancellation credits applied to a bill, with the refund part and journal	PK id FK journal_id, policy_id, receivable_id	0	40	4	Financial	receipts
receivable_participations	Per-insurer split of a co-insured bill: share, gross, commission, taxes, due to insurer	PK receivable_id+insurance_comp any_id	0	24	2	Financial	receipts
receivables	Premium bills (INV-) per policy / endorsement / renewal with balance and ageing	PK id UK bill_number FK booking_jv_id, client_id, load_batch_id, parent_receivable_id +1	0	72	8	Financial	receipts
write_off_reasons	Write-off reasons with GL account and maximum amount	PK id UK code JSONB attrs	4	48	2	Reference	masters, accounting

General ledger and posting rules (8 tables)

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
accounting_config_changes	Pending, approved or rejected changes to posting rules and account determination (maker-checker); a change takes effect only on approval by a different user	PK id FK rule_id JSONB payload, before	0	32	3	Log / audit	posting-rules
accounting_periods	Periods 1 to 12 and adjustment period 13 per fiscal year: dates and status (open, soft_closed, closed, locked)	PK period FK fiscal_year	0	24	2	Financial	accounting, period-end
entry_matches	Open-item matching of debit and credit journal lines	PK id FK credit_line_id, debit_line_id, write_off_jv_id	0	40	4	Financial	accounting
gl_accounts	Chart of accounts (type, statement group, normal balance, open-item flag)	PK code FK parent_code	133	88	2	Reference	accounting
journal_lines	Journal lines: account, debit / credit, branch, department, client / policy tags	PK id FK client_id, jv_id, policy_id	0	48	5	Financial	journal-vouchers, accounting
journal_vouchers	Journal vouchers (JV-): source, status, maker-checker, reversal / correction links	PK id UK jv_number FK client_id, correction_of, policy_id, posting_rule_id +2	0	88	10	Financial	journal-vouchers, accounting
posting_rule_lines	Lines of a posting rule: side, account or account role, amount key, split per co-insurer	PK id UK rule_id+line_no FK rule_id	180	88	2	Reference	posting-rules

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
posting_rules	Posting rule versions per business event (effective date, entry type, narration)	PK id UK event_code+version	48	104	3	Reference	posting-rules

Period end and tax (12 tables)

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
bir_2307_certificates	BIR Form 2307 certificates issued and received, per payee and quarter	PK id UK cert_number JSONB lines	0	32	3	Financial	period-end
fiscal_years	Fiscal years (FY2026): dates and status	PK code	0	24	2	Financial	period-end
opening_balances	Opening balances per fiscal year and account: carried forward by the year-end close or loaded at go-live	PK fiscal_year+account_code	0	16	1	Financial	period-end
period_close_checklist	Month-end checklist items (automatic or manual, severity)	PK code	12	32	1	Reference	period-end
period_close_entries	Journals created by a close run and their automatic reversal	PK id FK jv_id, reversal_jv_id, run_id	0	48	5	Financial	period-end
period_close_run_checks	Checklist results of a close run and sign-off of manual items	PK id UK run_id+code FK run_id JSONB detail	0	24	2	Log / audit	period-end
period_close_runs	Month-end close runs (MEC-): steps, preparer, approval	PK id UK run_number FK period JSONB steps	0	32	3	Financial	period-end
period_status_history	Every change of an accounting period status, with source and user	PK id	0	24	2	Log / audit	period-end
recurring_journal_runs	Journals generated from a recurring template per occurrence	PK id FK jv_id, recurring_id	0	32	3	Financial	period-end
recurring_journals	Recurring and accrual journal templates (frequency, lines, auto-post, auto-reverse)	PK id UK code JSONB lines	0	32	3	Reference	period-end
tax_codes	Tax codes: VAT, expanded withholding with ATC, DST, LGT; rate and GL account	PK code	27	48	2	Reference	period-end
year_end_runs	Year-end close runs (YEC-): closing and transfer journals, net income, reversal	PK id UK run_number FK closing_jv_id, fiscal_year, transfer_jv_id JSONB checks	0	48	5	Financial	period-end

Bank reconciliation (9 tables)

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
bank_match_rules	Automatic matching rules (reference, amount-date, one-to-many, many-to-one)	PK code JSONB params	6	32	1	Reference	bank-reconciliation
bank_rec_match_items	Bank and book lines of a match	PK id FK bank_line_id, journal_line_id, match_id	0	40	4	Financial	bank-reconciliation
bank_rec_matches	Matches between bank lines and cash-account journal lines, with difference treatment	PK id	0	24	2	Financial	bank-reconciliation
bank_reconciliation_history	Status history of a reconciliation	PK id FK rec_id	0	24	2	Log / audit	bank-reconciliation
bank_reconciliations	Monthly bank reconciliation statements (BRC-): figures, preparer, approver	PK id UK rec_number JSONB snapshot	0	32	3	Financial	bank-reconciliation

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
bank_statement_for_mats	Bank statement file layouts (columns, date format, sign convention)	PK code JSONB columns	4	32	1	Reference	bank-reconciliation
bank_statement_lines	Statement lines (amount, reference, line hash), status and adjustment journal	PK id UK txn_number FK statement_id	0	48	5	Financial	bank-reconciliation
bank_statements	Imported or keyed bank statements per bank account and period, with file hash	PK id UK statement_number	0	40	4	Financial	bank-reconciliation
bank_transaction_types	Bank-side transaction types (charges, interest, direct credits) and their GL account role	PK code	7	32	1	Reference	bank-reconciliation

Disbursements and petty cash (9 tables)

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
checkbooks	Cheques issued (instrument, approval, printing)	PK id FK disbursement_id, invoice_list_id, journal_id	0	40	4	Financial	disbursements
disbursements	Payment vouchers (PV-) to insurers, agents, clients; approval and payment	PK id UK voucher_number FK bank_id, client_id, insurance_company_id, journal_id +1	0	80	9	Financial	disbursements
invoice_lists	Invoice lists (IL-) settled by a disbursement	PK id UK invoice_number FK client_id, disbursement_id, insurance_company_id, policy_id +1	0	72	8	Financial	disbursements
petty_cash_disbursements	Petty cash payments (VAT, WHT, journal)	PK id UK transaction_number FK fund_id, journal_id, request_id	0	48	5	Financial	payments
petty_cash_funds	Petty cash funds (size, limits, custodian, available cash)	PK id UK code FK custodian_user_id, journal_id	0	24	2	Financial	payments
petty_cash_receipts	Receipts into a petty cash fund	PK id UK receipt_number FK fund_id, journal_id	0	40	4	Financial	payments
petty_cash_replenishments	Fund replenishments from bank	PK id UK transaction_number FK fund_id, journal_id	0	40	4	Financial	payments
petty_cash_request_lines	Lines of a petty cash request	PK id FK request_id	0	24	2	Financial	payments
petty_cash_requests	Petty cash requests and approval	PK id UK request_number FK fund_id, requester_user_id	0	40	4	Financial	payments

Commission (8 tables)

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
commission_adjustments	Commission reversed or clawed back when premium is returned or a policy cancelled	PK id FK commission_id, journal_id, policy_id	0	40	4	Financial	commission
commission_rates	Commission rate matrix: rate per insurer, product, line and policy type with effective dates	PK id FK insurance_company_id, product_id	0	24	2	Reference	commission-rates
commission_referrers	Referrers / sub-agents (no sign-in): hierarchy, WHT rate, bank account	PK id FK parent_referrer_id, user_id	0	24	2	Reference	commission

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
commissions	Commission lines per policy / endorsement and referrer: accrual, eligibility, approval, payment	PK id FK accrual_jv_id, agent_user_id, disbursement_id, endorsement_id +4	0	80	9	Financial	commission, policies
override_agreement_tiers	Tiers of an override agreement: from and to value of the basis and the rate	PK id UK agreement_id+tier_no FK agreement_id	0	24	2	Reference	insurer-overrides
override_agreements	Overriding, profit and contingent commission agreements with insurers: basis, period, lines	PK id UK agreement_code FK insurance_company_id	0	24	2	Reference	insurer-overrides
override_computations	Override commission computed for a period, accrued through rule override_commission.accrual	PK id UK computation_number FK agreement_id, insurance_company_id JSONB details	0	32	3	Financial	insurer-overrides
override_settlements	Settlement of an override computation by the insurer, with its sales invoice and journal	PK id FK computation_id	0	24	2	Financial	insurer-overrides

Remittance and direct bill (16 tables)

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
commission_debit_note_collections	Insurer payments against a debit note (cash, EWT, Form 2307)	PK id UK collection_number FK debit_note_id, journal_id	0	40	4	Financial	remittance (direct bill)
commission_debit_note_lines	Policies / items on a debit note	PK id FK debit_note_id, item_id, policy_id	0	40	4	Financial	remittance (direct bill)
commission_debit_notes	Commission debit notes (DN-) to insurers for direct-billed policies	PK id UK dn_number FK insurance_company_id	0	32	3	Financial	remittance (direct bill)
direct_bill_client_payments	Client's premium payment made directly to the insurer on a direct-billed policy, with the insurer's receipt reference and proof; no journal is posted	PK id FK insurance_company_id, policy_id	0	32	3	Financial	remittance (direct bill)
direct_bill_items	Commission receivable items booked for direct-billed policies	PK id FK booking_jv_id, debit_note_id, endorsement_id, insurance_company_id +2	0	64	7	Financial	remittance (direct bill)
insurer_refund_credits	Refunds due from insurers on returned premium already remitted; netted against the next remittance	PK id FK insurance_company_id, journal_id, policy_id JSONB split, applications	0	40	4	Financial	remittance
insurer_statement_formats	Column mapping of an insurer's statement export (CSV or XLSX)	PK code FK insurance_company_id JSONB columns	1	48	2	Reference	insurer-reconciliation
insurer_statement_lines	Lines of an insurer statement with their match to the broker's remittance line, debit note line or policy and the differences	PK id UK statement_id+line_no FK policy_id, statement_id	0	40	4	Financial	insurer-reconciliation
insurer_statement_resolutions	How a statement difference, or a broker record missing on the statement, was settled: note or adjustment journal	PK id FK journal_id, line_id, statement_id	0	40	4	Financial	insurer-reconciliation
insurer_statements	Imported insurer statement of account (ISR): premium remittance confirmation or commission statement, totals, sign-off	PK id UK statement_number FK insurance_company_id	0	40	4	Financial	insurer-reconciliation

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
remittance_allocations	Premium collected on a co-insured policy, split for remittance to each insurer	PK id UK receipt_application_id+insurance_company_id FK insurance_company_id, invoice_list_id, receipt_application_id	0	40	4	Financial	receipts, remittance
remittance_approvals	Multi-level approval requests with SLA and history	PK id FK action_by, delegated_to, initiator_id JSONB history	0	40	4	Log / audit	remittance
remittance_delegations	Approval delegations (period, transaction types, amount limit)	PK id FK delegate_id, delegator_id JSONB trans_types	0	16	1	Reference	remittance
remittance_items	Remittance work items (settlements, adjustments, transfers, exceptions)	PK id UK reference_no FK created_by, insurance_company_id, remittance_id JSONB data	0	48	5	Financial	remittance
remittance_lines	Policies included in a remittance	PK id FK insurance_company_id, policy_id, remittance_id	0	40	4	Financial	remittance
remittances	Premium remittances / bills to insurers (REM-): gross, commission, net due, approval, settlement	PK id UK remittance_number FK agent_user_id, insurance_company_id JSONB delivery_method, data	0	48	5	Financial	remittance

Reinsurance (10 tables)

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
cessions	Cessions of policies to treaties / facultative reinsurers	PK id FK facultative_reinsurer_id, policy_id, treaty_id	0	48	5	Transaction	reinsurance
fac_placement_shares	Reinsurers approached on a facultative slip and their written and signed lines	PK id FK placement_id, reinsurer_id	0	32	3	Transaction	reinsurance
fac_placements	Facultative reinsurance slips offered by a cedant, placed by the broker as reinsurance broker	PK id UK slip_number FK cedant_id, journal_id, owner_user_id, policy_id	0	64	7	Transaction	reinsurance
fac_settlements	Facultative premium received from the cedant and paid to each reinsurer, with journals	PK id FK journal_id, placement_id, share_id	0	40	4	Financial	reinsurance
reinsurance_bordereaux	Premium / claims bordereaux (entries JSONB, file)	PK id UK reference FK reinsurer_id, treaty_id JSONB totals	0	40	4	Transaction	reinsurance
reinsurance_exceptions	Reconciliation exceptions and resolution	PK id FK reconciliation_id	0	24	2	Log / audit	reinsurance
reinsurance_reconciliations	Reinsurer statement reconciliations	PK id UK reference FK reinsurer_id	0	32	3	Financial	reinsurance
reinsurance_recoveries	Claim recoveries from reinsurers	PK id UK recovery_number FK cession_id, claim_id, treaty_id JSONB cash_call, documents	0	48	5	Financial	reinsurance
reinsurance_treaties	Treaties (type, capacity, share, retention, approval)	PK id JSONB reinsurer_ids, terms	0	24	2	Transaction	reinsurance
reinsurers	Reinsurers (rating, capacity, contact)	PK id JSONB contact	0	24	2	Reference	reinsurance

Incentive (3 tables)

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
incentive_calculations	Incentive calculation batches with maker-checker and payment	PK batch_id FK approved_by, created_by, rejected_by, submitted_by JSONB programs_included	0	16	1	Financial	incentive
incentive_programs	Incentive programmes (metric, targets, tiers, eligibility)	PK id JSONB applicable_to, structure, eligibility	0	24	2	Reference	incentive
incentive_results	Incentive results and payouts per participant	PK id UK program_id+agent_user_id+period FK agent_user_id, calculation_id, program_id	0	40	4	Financial	incentive

Reporting (5 tables)

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
bi_extract_runs	Runs of the scheduled BI extract (one CSV file per dataset) with status and files	PK id JSONB files	0	16	1	Log / audit	report-builder
generated_reports	Generated report files (code, parameters, format, storage key, rows)	PK id JSONB params, totals	0	32	3	Temporary	reports
report_builder_reports	Ad hoc reports designed by users over curated datasets: columns, filters, grouping, sharing	PK id FK owner_user_id JSONB columns, filters, group_by	0	24	2	Reference	report-builder
report_definitions	Report catalogue (parameters, query, columns, roles, permission)	PK code JSONB parameters, default_columns	40	152	1	Reference	reports
report_schedules	E-mailed report schedules (cron, format, recipients)	PK id FK job_id, report_code JSONB params	0	16	1	Reference	reports

Distribution and marketing (13 tables)

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
campaign_recipients	Recipients of a campaign run: consent checked, sent, failed or opted out	PK id FK campaign_id	0	32	3	Log / audit	campaigns
campaign_segments	Who a campaign is for: clients, prospects or both, narrowed by line, place, channel and type	PK id JSONB criteria	0	16	1	Reference	campaigns
campaign_templates	E-mail templates of campaigns with merge fields and the opt-out link	PK id	0	24	2	Reference	campaigns
campaigns	Marketing campaigns to consenting clients and prospects: segment, template, schedule, status	PK id UK campaign_number FK segment_id, template_id	0	48	5	Transaction	campaigns
channel_billing_accounts	Client account a channel is billed through when it pays a premium for its customers	PK channel_id FK client_id	0	24	2	Reference	channels
comparison_reports	Client comparison and recommendation reports between insurer options	PK id UK report_number FK broker_slip_id, client_id, lead_id JSONB options, criteria	0	48	5	Transaction	comparison-reports

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
dealer_sales	One vehicle sold by a dealer under a programme, with the buyer and the resulting policy	PK id FK bank_channel_id, batch_id, dealer_channel_id, lead_id +3	0	72	8	Transaction	motor-programmes
dealer_sales_batches	Uploaded dealer sales batches of a programme, validated and converted into business	PK id UK batch_number FK programme_id	0	32	3	Transaction	motor-programmes
distribution_channels	Dealer groups and branches, financing banks and affinity partners in one hierarchy	PK id FK bank_id, parent_id, referrer_id	0	48	5	Reference	channels
lead_assignment_history	Every assignment and reassignment of a prospect (automatic, manual, bulk, queue) with the reason	PK id FK from_user_id, lead_id, rule_id, to_user_id	0	48	5	Log / audit	leads
lead_assignment_rules	Lead assignment rules: who receives a new prospect by branch, line, source, channel and territory	PK id JSONB conditions	0	24	2	Reference	leads
motor_programmes	Brand-new vehicle dealer programmes: insurer, own damage rate, CTPL term, free or subsidised first year	PK id FK bank_channel_id, dealer_channel_id, insurance_company_id, product_id	0	56	6	Reference	motor-programmes
sales_activities	Calls, meetings, e-mails and visits logged on a prospect, quotation or client, with the next step (package G)	PK id FK account_executive, task_id	0	48	5	Transaction	sales-activities

Fleet, marine and motor claims (8 tables)

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
claim_loas	Letters of authority to the repair shop issued from an approved estimate	PK id UK loa_number FK claim_id	0	32	3	Transaction	motor-claims
claim_repair_estimates	Motor repair estimates of an accredited repair shop and their approval, with supplementary estimates	PK id UK claim_id+seq FK claim_id	0	32	3	Transaction	motor-claims
claim_vehicle_releases	Release of the repaired vehicle to the insured	PK id UK claim_id+loa_id FK claim_id, loa_id	0	24	2	Transaction	motor-claims
fleet_schedules	Fleet of a client under one motor policy with one insurer and one period	PK id UK fleet_number FK channel_id, client_id, insurance_company_id, owner_user_id +2	0	72	8	Transaction	fleet
fleet_vehicles	Vehicles of a fleet schedule with their premium, additions and deletions	PK id FK added_endorsement_id, deleted_endorsement_id, fleet_id JSONB breakdown	0	40	4	Transaction	fleet
open_cover_certificates	Marine insurance certificates issued against an open cover, one per shipment	PK id UK certificate_number FK declaration_id, open_cover_id	0	40	4	Transaction	marine
open_cover_declarations	Monthly declarations of the shipments of an open cover, billed as a premium	PK id UK declaration_number FK open_cover_id, receivable_id	0	40	4	Transaction	marine
open_covers	Marine cargo open cover contracts: period, goods, voyages, limit and rate per conveyance	PK id UK cover_number FK client_id, insurance_company_id, owner_user_id, policy_id +1 JSONB rates	0	64	7	Transaction	marine

Payables and fixed assets (7 tables)

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
fixed_asset_depreciation	Monthly depreciation of each asset and the journal that posted it	PK id UK asset_id+period FK asset_id, journal_id	0	40	4	Financial	fixed-assets
fixed_asset_disposals	Sale or write-off of an asset with the gain or loss posted (package G)	PK id UK disposal_number FK asset_id, journal_id, reversal_journal_id, sales_invoice_id	0	40	4	Financial	fixed-assets
fixed_assets	Fixed asset register: class, cost, useful life, straight-line schedule, status	PK id UK asset_number FK supplier_id, supplier_invoice_id	0	32	3	Financial	fixed-assets
supplier_invoice_lines	Expense lines of a supplier invoice (account, amount, VAT, EWT)	PK id UK invoice_id+line_no FK invoice_id	0	24	2	Financial	payables
supplier_invoices	Supplier invoices with input VAT and expanded withholding tax, approved by maker-checker	PK id UK voucher_number FK journal_id, supplier_id	0	48	5	Financial	payables
supplier_payment_allocations	Allocation of a supplier payment to the invoices it settles	PK id UK payment_id+invoice_id FK invoice_id, payment_id	0	32	3	Financial	payables
supplier_payments	Payments to suppliers, posted through rule ap.payment	PK id UK payment_number FK journal_id, reversal_journal_id, supplier_id	0	32	3	Financial	payables

BIR returns and invoicing (6 tables)

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
bir_return_filings	Filing record of each BIR return period (0619-E, 1601-EQ, 1604-E, 2551Q): status, reference, payment	PK id FK supersedes JSONB figures	0	32	3	Financial	bir
cas_book_prints	Loose-leaf books of accounts printed per period for the CAS registration pack, with page numbers	PK id	0	24	2	Log / audit	bir
eis_submissions	E-invoice submissions to the BIR Electronic Invoicing System: payload, status, attempts, reply	PK id FK invoice_id JSONB payload, response	0	32	3	Temporary	bir
sales_invoice_lines	Lines of a sales invoice (description, amount, VAT)	PK id FK invoice_id	0	24	2	Financial	bir
sales_invoice_payments	Payments received against a sales invoice	PK id UK ack_number FK invoice_id	0	32	3	Financial	bir
sales_invoices	Sales invoices under the Ease of Paying Taxes Act for commission, fees and override commission	PK id UK invoice_number JSONB seller	0	40	4	Financial	bir

Compliance: AML, Insurance Commission and data privacy (27 tables)

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
aml_alerts	Alerts raised by a monitoring rule on a transaction, reviewed by the compliance officer	PK id UK alert_number, rule_code+reference_type+reference_id FK case_id, client_id, rule_code JSONB details	0	56	6	Transaction	aml

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
aml_cases	Compliance officer case files: CTR to file, STR investigation or review	PK id UK case_number FK assigned_to, client_id	0	48	5	Transaction	aml
aml_edd_reviews	Enhanced due diligence of a high-risk client: source of wealth and funds, findings, approval	PK id UK review_number FK assessment_id, client_id	0	48	5	Transaction	aml
aml_list_entries	Names and identifiers of a screening list version	PK id FK list_id, version_id	0	32	3	Reference	aml
aml_list_versions	Loaded versions of a screening list	PK id UK list_id+version_no FK list_id JSONB rescreen_summary	0	24	2	Reference	aml
aml_provider_requests	Outbox of requests to a commercial screening provider (status, attempts)	PK id FK screening_id JSONB request, response	0	32	3	Temporary	aml
aml_report_items	Transactions included in an AMLC report file	PK report_id+alert_id	0	24	2	Transaction	aml
aml_reports	CTR and STR files generated in the AMLC reporting layout	PK id UK report_number FK case_id	0	40	4	Transaction	aml
aml_risk_assessments	Every customer risk rating made, with the factors that scored and the resulting risk	PK id FK client_id JSONB factors	0	24	2	Log / audit	aml
aml_risk_factors	Scoring table of the customer risk rating (factor, value, score)	PK id	33	48	2	Reference	aml
aml_rules	Covered and suspicious transaction monitoring rules with their parameters	PK code JSONB params	6	32	1	Reference	aml
aml_screening_hits	Potential matches of a screening and their disposition (true match, false positive)	PK id FK case_id, entry_id, list_id, screening_id +1 JSONB details	0	80	9	Transaction	aml
aml_screening_lists	Lists screened against (UN Security Council, AMLC designations, PEP and internal lists)	PK id UK code FK current_version_id	4	64	3	Reference	aml
aml_screenings	Every screening run of a party (event, provider, result)	PK id	0	32	3	Log / audit	aml
client_beneficial_owners	Natural persons who own or control a juridical client (beneficial owners)	PK id FK client_id	0	24	2	Transaction	aml
client_kyc_documents	Customer due diligence documents: IDs, registration certificates, board resolutions, EDD evidence	PK id FK client_id	0	24	2	Transaction	aml
client_signatories	Authorised signatories of a juridical client with the board resolution or certificate	PK id FK client_id	0	24	2	Transaction	aml
complaint_reminders	Acknowledgement and resolution deadline reminders of complaints	PK complaint_id+kind+sent_on	0	16	1	Log / audit	ic-compliance
complaints	Complaints register under RA 11765: complainant, product, deadlines, resolution	PK id UK complaint_number FK assigned_to, claim_id, client_id, insurance_company_id +1 JSONB documents, actions	0	80	9	Transaction	ic-compliance
compliance_fit_proper	Fit and proper declarations and checks of officers and staff	PK id FK user_id JSONB declarations, documents	0	32	3	Transaction	ic-compliance
compliance_licence_reminders	Licence expiry reminders sent	PK licence_id+expiry_date+days_before	0	16	1	Log / audit	ic-compliance

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
compliance_licences	Licences issued by the IC or another authority to the firm, its officers and individuals, with expiry	PK id FK referrer_id, superseded_by, user_id JSONB documents	0	48	5	Reference	ic-compliance
data_subject_requests	Register of data subject requests (DSR-): type, requester, party, date received, due date, status, assignee, outcome and the exports and anonymisation done	PK id UK request_number FK assigned_to JSONB actions	0	48	5	Log / audit	privacy
ic_statement_lines	Lines of the IC annual statement schedules mapped to GL accounts	PK id UK code	37	48	2	Reference	ic-compliance
personal_data_breach_reminders	Notification deadline reminders of breaches	PK breach_id+kind	0	16	1	Log / audit	data-breaches
personal_data_breaches	Personal data breach and security incident register with the NPC 72-hour notification	PK id UK breach_number FK dpo_user_id JSONB nature, data_categories, documents	0	48	5	Transaction	data-breaches
privacy_consent	Consent given, refused or withdrawn by a client or prospect per purpose (processing, marketing, sharing), with channel, notice version and evidence; never deleted	PK id	0	32	3	Log / audit	privacy

Integrations (12 tables)

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
bank_file_layouts	Layout of a bank bulk credit, InstaPay or PESONet upload file	PK code JSONB header_fields, detail_fields, trailer_fields	6	64	1	Reference	integrations (bank files)
bank_payment_batch_lines	One line per voucher in a bank payment batch, with the status from the bank	PK id FK batch_id, checkbook_id, disbursement_id, journal_id	0	32	3	Financial	integrations (bank files)
bank_payment_batches	Batches of payment vouchers paid through one bank account and layout	PK id UK batch_number FK layout_code, outbox_id	0	32	3	Financial	integrations (bank files)
coc_series	CTPL certificate of cover number series received from an insurer	PK id FK insurance_company_id	0	24	2	Reference	integrations (CTPL)
ctpl_authentications	CTPL cover authentications: COC number, vehicle identifiers, authentication result	PK id FK coc_series_id, insurance_company_id, outbox_id, policy_id	0	40	4	Transaction	integrations (CTPL)
insurer_api_mappings	Per insurer: API connector, broker code, product codes, request and response maps	PK id UK insurance_company_id FK connector_code JSONB product_map, request_map, response_map	0	24	2	Reference	integrations (insurer)
integration_attempts	One row per send attempt (duration, result, error) for the monitor	PK id FK outbox_id	0	24	2	Log / audit	integrations
integration_connectors	Configured connections to third parties: adapter, mode test or live, endpoint, credential variable names	PK code JSONB credential_env, options	8	32	1	Reference	integrations
integration_inbox	Messages received from a third party (webhook) or read from an imported file	PK id FK connector_code JSONB payload, result	0	32	3	Log / audit	integrations
integration_outbox	Every message to send through a connector: status, attempts, next attempt, last error	PK id UK idempotency_key FK connector_code JSONB payload, response	0	56	6	Temporary	integrations
message_templates	SMS and Viber text templates per event	PK code FK connector_code	5	32	1	Reference	integrations (messaging)

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
payee_bank_accounts	Bank accounts of payees credited by bank payment files	PK id	0	24	2	Reference	integrations (bank files)

Go-live data load and work management (4 tables)

Table	Purpose	Key columns	Rows	KB	Idx	Retention	Owner module
data_load_batches	Go-live workbooks uploaded (configuration or migration kit): validation, errors, load and reconciliation	PK id FK created_by, loaded_by JSONB sheets, loaded_counts, reconciliation	0	40	4	Log / audit	data-load
data_load_comparisons	Environment comparison reports of configuration and masters between environments	PK id FK created_by JSONB options, totals, sheets	0	32	3	Log / audit	data-load
data_load_rows	Rows of an uploaded go-live workbook with their validation result and loaded record	PK id FK batch_id JSONB data, errors	0	24	2	Temporary	data-load
work_tasks	Tasks and follow-ups of the My Work diary: due date, priority, reminder, related record	PK id UK source_key FK assigned_to	0	56	6	Transaction	my-work

4 Other database objects

4.1 Database facts

Item	Value (local test database)
PostgreSQL version	16.13 (Ubuntu 16.13-0ubuntu0.24.04.1)
Database size	28.6 MB (test data)
Server time zone	Asia/Manila
Tables (schema public)	260
Columns by type	text 2595, timestamp with time zone 590, numeric 493, integer 293, date 220, jsonb 166, bigint 116, boolean 93, ARRAY 22, time without time zone 1
Indexes	901 (440 unique incl. 260 primary keys, 71 partial, 1 GIN)
Foreign keys	468 (60 without a supporting index)
Identity sequences (serial / identity columns)	125
Document-number counters (table sequences)	0 counters for -
Extensions	pgcrypto 1.3, plpgsql 1.0
Application functions	accounting_period_lock_guard, backfill_risk_participants, cities_default_region, document_numbering_mirror_prefix, format_document_number, gl_accounts_defaults, jv_check_posting, next_document_number, next_number, numbering_business_date, numbering_fiscal_year, numbering_optional_token, numbering_period_key, numbering_prefix, numbering_start_number, pe_balance_before, ph_place_key, pii_blind_index, pii_decrypt, pii_encrypt, pii_json_key, pii_jsonb_needs, pii_protect_columns, pii_protect_jsonb, pii_setting, pii_store, policies_channel_inherit, quotes_channel_inherit, quotes_link_product, receipt_applications_collected_on, rp_insurer_id, rp_parts_from_doc, rp_share, rp_write_split, rpt_age_bucket, set_updated_at, user_effective_roles
Triggers	accounting_period_lock_guard_trg (accounting_periods), audit_log_pii (audit_log), bir_2307_certificates_pii (bir_2307_certificates), cities_region (cities), clients_pii (clients), commission_rates_updated (commission_rates), commission_referrers_pii (commission_referrers), document_numbering_mirror (document_numbering), document_numbering_updated (document_numbering), gl_accounts_defaults_trg (gl_accounts), insurer_rate_tables_updated (insurer_rate_tables), jv_check_posting_trg (journal_vouchers), leads_pii (leads), lgu_tax_rates_updated (lgu_tax_rates), package_bundles_updated (package_bundles), package_quotes_updated (package_quotes), package_sections_updated (package_sections), payment_gateways_updated (payment_gateways), payment_links_updated (payment_links), placements_pii (placements), policies_channel_inherit (policies), policies_pii (policies), premium_charge_rules_updated (premium_charge_rules), quotes_channel_inherit (quotes), quotes_link_product (quotes), quotes_pii (quotes), receipt_applications_collected_on (receipt_applications), regions_updated (regions), roles_updated (roles), users_updated (users)
Views / materialised views	bank_account_links, bank_book_lines
Migrations applied	149 (0001_core.sql to 0322_quote_covers_and_risk_fields.sql)
Application settings (app_settings)	659 keys in 64 groups
Scheduled jobs (scheduled_jobs)	35
Snapshot taken	2026-10-04T09:13:21+00:00

4.2 Indexes

901 indexes: 260 primary keys, 180 further unique indexes, 71 partial indexes and 1 GIN index (`master_records_data_idx` on `master_records.data`). The partial indexes serve hot subsets and conditional uniqueness: open direct-bill items, live refresh tokens, active entry matches, direct-billed policies, due recurring journals and close entries, active bank reconciliations and close runs, one lead co-insurer per record, one open renewal per policy, one pending approval per entity, one active document-number prefix, and codes that are unique among records not deleted.

Foreign keys without a supporting index

Migration `0146_foreign_key_indexes.sql` indexed the foreign keys of every table that grows. The 60 foreign keys below have no index whose first column is the foreign-key column. They are on small master and set-up tables or are maker-checker stamp columns, and are left without an index on purpose. `node backend/scripts/fk-index-report.js` lists them again after new migrations.

Table	Foreign-key columns without an index whose first column is the FK column
<code>access_reviews</code>	<code>created_by</code>
<code>bank_payment_batch_lines</code>	<code>checkbook_id</code> , <code>journal_id</code>
<code>bank_payment_batches</code>	<code>layout_code</code> , <code>outbox_id</code>
<code>bir_return_filings</code>	<code>supersedes</code>
<code>claim_document_items</code>	<code>document_id</code>
<code>claim_vehicle_releases</code>	<code>loa_id</code>
<code>commission_rates</code>	<code>product_id</code>
<code>commission_referrers</code>	<code>parent_referrer_id</code> , <code>user_id</code>
<code>cover_notes</code>	<code>insurance_company_id</code> , <code>product_id</code>
<code>coverages</code>	<code>policy_type_id</code>
<code>ctp_authentications</code>	<code>coc_series_id</code> , <code>outbox_id</code>
<code>document_signature_slots</code>	<code>signatory_id</code>
<code>fixed_asset_disposals</code>	<code>journal_id</code> , <code>reversal_journal_id</code> , <code>sales_invoice_id</code>
<code>fixed_assets</code>	<code>supplier_id</code> , <code>supplier_invoice_id</code>
<code>gl_accounts</code>	<code>parent_code</code>
<code>incentive_calculations</code>	<code>approved_by</code> , <code>created_by</code> , <code>rejected_by</code> , <code>submitted_by</code>
<code>insurer_api_mappings</code>	<code>connector_code</code>
<code>integration_inbox</code>	<code>connector_code</code>
<code>message_templates</code>	<code>connector_code</code>
<code>opening_balances</code>	<code>account_code</code>
<code>override_agreements</code>	<code>insurance_company_id</code>
<code>override_computations</code>	<code>insurance_company_id</code>
<code>petty_cash_funds</code>	<code>custodian_user_id</code> , <code>journal_id</code>
<code>policy_payments</code>	<code>confirmed_by</code> , <code>rejected_by</code> , <code>submitted_by</code>
<code>policy_types</code>	<code>product_id</code>
<code>post_dated_cheques</code>	<code>bank_id</code> , <code>replaced_by_id</code> , <code>replaces_id</code>
<code>product_components</code>	<code>template_id</code>
<code>product_templates</code>	<code>parent_id</code> , <code>product_id</code>
<code>remittance_approvals</code>	<code>action_by</code> , <code>delegated_to</code>
<code>remittance_delegations</code>	<code>delegate_id</code> , <code>delegator_id</code>
<code>remittance_items</code>	<code>created_by</code>
<code>report_schedules</code>	<code>job_id</code> , <code>report_code</code>

Table	Foreign-key columns without an index whose first column is the FK column
role_permissions	permission_id
sales_activities	task_id
supplier_payments	journal_id, reversal_journal_id
user_delegations	created_by
user_roles	role_id
vehicle_models	brand_id
vehicle_variants	model_id

Log tables and their indexes

Table	Indexes	Use
audit_log	PK; (entity, entity_id); (at); (username)	The audit trail endpoint (GET /api/settings/audit) filters by entity, entity id, username and a from / to business-date range, newest first, at most 1,000 rows.
login_history	PK; (user_id, at DESC); (at DESC)	Sign-in reviews and the housekeeping purge by date.
notifications	PK; (user_id, is_read, created_at DESC)	The per-user bell and unread count. Read notifications are purged by housekeeping.
email_outbox	PK; (status, created_at)	The outbox job selects <code>status = 'queued'</code> every 5 minutes; housekeeping purges sent and failed messages by date.
job_runs	PK; (job_id, started_at)	The duplicate-slot check of every scheduled run, the run history screen and the housekeeping purge.
refresh_tokens	PK; live tokens per user (partial); family	Expired and revoked rows are purged by housekeeping after 30 days.
generated_reports	PK; (created_at); (code)	Purged after <code>reports.retention_days</code> by the daily-reports job.

4.3 Views

Two views support bank reconciliation: `bank_account_links` (bank account masters with their GL cash account) and `bank_book_lines` (posted journal lines on bank cash accounts, the book side of matching). There are no materialised views.

4.4 Sequences

63 identity sequences (`<table>_id_seq`) back the serial primary keys. Document numbers do not use PostgreSQL sequences but the counter table `sequences`, one row per series and reset period (document 02).

4.5 Extensions, functions and triggers

Object	Detail
Extensions	plpgsql 1.0 (built in), pgcrypto 1.3 (<code>gen_random_bytes()</code> for primary-key defaults)

Object	Detail
next_document_number(code, branch, lob, date), format_document_number(), numbering_* helpers	Allocate and format the next number of a document series; <code>numbering_business_date()</code> gives today's date in <code>general.timezone</code> and is the default of date columns
next_number(), numbering_prefix()	Older numbering helpers kept for seed scripts
document_numbering_mirror_prefix() / trigger document_numbering_mirror	Copies a series prefix into the read-only setting <code>numbering.<code>.prefix</code>
jv_check_posting() / trigger jv_check_posting_trg on journal_vouchers	Refuses to post an unbalanced journal or one in a period that does not accept postings
accounting_period_lock_guard() / trigger on accounting_periods	Refuses to reopen a period locked by the year-end close
pe_balance_before()	Account balance before a date, including the opening balances of the fiscal year
user_effective_roles()	A user's roles plus the roles they inherit (<code>roles.inherits</code>)
rp_* functions, backfill_risk_participants()	Co-insurance share and split helpers used by migrations and reports
quotes_link_product() / trigger quotes_link_product	Links a quotation to its product
rpt_age_bucket(age, buckets)	Ageing bucket label for reports
gl_accounts_defaults() / trigger gl_accounts_defaults_trg	Derives the normal balance of an account from its type
set_updated_at() / triggers on users, roles, commission_rates, document_numbering	Maintain <code>updated_at</code>

4.6 Application settings by group

`app_settings` holds 351 configuration keys in 36 groups, seeded from `backend/src/db/seeds/settings.json`, SQL seed files and migrations, and edited in Master > Configuration and System Settings. Every key the code reads is seeded (`npm run check:settings`, `test/configuration.test.js`).

Group	Keys	Group	Keys	Group	Keys
access	4	eis	12	payments	5
accounting	74	email	10	period_end	1
aml	18	endorsements	6	placement	9
bank_payments	2	finance	5	policies	9
bank_reconciliation	6	fleet	4	policy	4
billing	4	general	10	premium	5
bir	17	golive	2	privacy	9
branding	7	housekeeping	9	product	4
campaigns	4	incentive	5	quotations	15
cas	9	insurer_integration	1	quote	4
channels	2	insurer_reconciliation	2	receipts	7
claims	25	integrations	3	reinsurance	10
collections	7	invoice	14	remittance	13

Group	Keys	Group	Keys	Group	Keys
commission	12	leads	13	renewals	30
complaints	8	limits	7	reports	24
compliance	14	marine	4	security	19
credit	7	messaging	8	support	4
ctpl	7	motor_programmes	4	system	4
currency	4	myWork	5	tax	5
dashboard	3	notification	6	uploads	4
direct_bill	11	numbering	85		
documents	10	packages	4		
Total	659				

Settings relevant to operations: `security.*` (password policy, rate limits, two-factor roles, scoped roles), `limits.*` (lockout, idle time-out, quote validity, renewal notice days), `notification.*` (e-mail on or off, sender), `housekeeping.*` (retention days per table), `reports.retention_days` (90), `reports.download_link_ttl_hours` (72), `reports.max_rows` (50,000), `uploads.*` (allowed types and sizes), `general.timezone` (Asia/Manila), `accounting.account.*` (Account Determination), `bank_reconciliation.*`, `bir.*`, `placement.*` and `numbering.*` (prefix mirrors of the 52 document series).

4.7 Scheduled jobs

15 rows in `scheduled_jobs`, 10 of them enabled (document 01, section on scheduled jobs). Report schedules add rows with the code `report-<id>`.

5 Related documents

This document is one of eleven that together form the BrokerVerse OOTB Solution Architecture. They are maintained and issued together (source and build: [docs/architecture/README.md](#)).

No.	Document	File
01	Solution Component Diagram and Application Architecture	01_BrokerVerse_Solution_Component_Diagram_Application_Architecture.pdf
02	Database Design	02_BrokerVerse_Database_Design.pdf
03	Database Inventory (this document)	03_BrokerVerse_Database_Inventory.pdf
04	Technology Stack	04_BrokerVerse_Technology_Stack.pdf
05	Shared Service Components	05_BrokerVerse_Shared_Service_Components.pdf
06	Capacity and Performance	06_BrokerVerse_Capacity_and_Performance.pdf
07	High Availability and Resiliency	07_BrokerVerse_High_Availability_and_Resiliency.pdf
08	RTO and RPO	08_BrokerVerse_RTO_and_RPO.pdf
09	Backup and Recovery	09_BrokerVerse_Backup_and_Recovery.pdf
10	Data Archival, Housekeeping and Restoration	10_BrokerVerse_Data_Archival_Housekeeping_and_Restoration.pdf
11	Monitoring	11_BrokerVerse_Monitoring.pdf

6 Glossary

Terms and abbreviations used in this document.

Term	Meaning
Account determination	Settings accounting.account.<role> that give the GL account of each account role (cash in bank, premium receivable, due to insurer, commission income ...) used by the posting rules.
API	Application programming interface; here the BrokerVerse REST API under /api served by the Node.js backend.
ATC	Alphanumeric tax code of the BIR for a type of withholding, printed on BIR Form 2307.
Audit log / audit trail	Table audit_log: who changed which record, when, from which IP, with the before and after values.
bcrypt	Adaptive password-hashing function (bcryptjs library) used for user passwords.
BIR	Bureau of Internal Revenue (Philippines): tax authority whose rules drive record keeping and withholding tax certificates.
BIR Form 2307	Certificate of creditable tax withheld at source, issued by the payor to the payee each quarter.
Broker slip	Request for quotation (BS-) that the broker sends to several insurers for one client risk; the answers are recorded as insurer offers.
Cession	The share of a policy's risk and premium passed to a reinsurer under a treaty or facultatively.
Co-insurance	Placement of one risk with several insurers, one of them the lead, each taking a share; premium, commission and claims are split by share.
Cron	Time-based schedule expression (minute hour day month weekday) used by the scheduled jobs.
CTPL	Compulsory Third Party Liability motor insurance (Philippines).
Debit note (DN)	Commission debit note raised by the broker to an insurer for direct-billed policies.
Direct bill	Billing mode in which the insurer collects the premium and the broker bills the insurer for its commission.
DST	Documentary Stamp Tax (Philippines), part of the gross premium.
Endorsement	Change to an issued policy (details, cover, premium or cancellation).
EWT	Expanded Withholding Tax (Philippines), e.g. withheld by an insurer on commission (BIR Form 2307).
Fiscal year	Accounting year (FY2026) with twelve periods and an adjustment period 13 used by the year-end close.
FK	Foreign key: column that references the primary key of another table.
GIN	Generalised inverted index (PostgreSQL), used for JSONB searches.
HMAC	Keyed-hash message authentication code; signs file links and hashes one-time codes.
Housekeeping	Daily job that deletes operational rows (job runs, sent e-mails, sign-in history, expired tokens, read notifications) after the retention days in System Settings.
IC	Insurance Commission (Philippines): regulator of insurers and brokers.
JSONB	PostgreSQL binary JSON column type, used for flexible document parts of records.
JV	Journal voucher: balanced set of debit and credit ledger lines.
KYC	Know your customer: identification data required before a policy is issued.
LGT	Local Government Tax (Philippines), part of the gross premium.
Maker-checker	Control in which a record created or submitted by one user must be approved by a different user.
Migration	Numbered SQL file in backend/src/db/migrations applied once, in order, on API start.

Term	Meaning
Month-end close	Run (MEC-) that posts the accruals, recurring journals and valuations of a period, checks the checklist and, once approved, closes the period.
OR	Official receipt issued for premium received.
PK	Primary key: column(s) that uniquely identify a row.
Posting rule	Versioned definition of the journal lines for one business event (policy issued, receipt applied ...); every system journal is built from it.
PV	Payment voucher (disbursement) to an insurer, referrer, client or supplier.
Receivable / bill	Premium bill (INV-) raised when a policy, endorsement or renewal is issued.
Remittance	Payment of collected premium, net of commission, from the broker to the insurer.
RPO	Recovery point objective: the maximum acceptable data loss, measured in time.
RTO	Recovery time objective: the maximum acceptable time to restore service.
Seed	Idempotent data load run on every API start: reference data always, sample data only when SEED_SAMPLE_DATA is on.
SLA	Service level agreement / target time, e.g. for remittance approvals.
Token version	users.token_version, carried in every access token; raising it ends all sessions of the user.
TOTP / 2FA	Time-based one-time password (RFC 6238) used for two-factor authentication.
Treaty	Reinsurance contract under which risks are ceded automatically within agreed limits.
UAT	User acceptance testing environment.
VAT	Value-added tax (12 % in the Philippines).
WHT	Withholding tax deducted from payments such as referrer commission.
Year-end close	Run (YEC-) that posts the closing entries in period 13, carries the balances into the next year and locks the year.