



Data Dictionary

BrokerVerse OOTB database

Prepared by – **iorta TechNXT**

Version – **1.1**

Date – **04 October 2026**

TABLE OF CONTENTS

1. Document Control.....	5
2. Acronyms.....	5
3. About this document.....	7
3.1 Sources.....	7
3.2 The companion workbook.....	8
3.3 Database at a glance.....	8
4. Conventions.....	10
4.1 Naming.....	10
4.2 Identifiers.....	10
4.3 Money, rates and shares.....	11
4.4 Dates and the business time zone.....	11
4.5 Audit columns.....	11
4.6 Status, soft delete and cancellation.....	12
4.7 JSON document columns.....	12
4.8 Keys, constraints and indexes.....	12
4.9 References without a foreign key.....	13
5. Data model by functional area.....	15
5.1 Overview.....	15
5.2 Party and client.....	15
5.3 Product and rating.....	16
5.4 Sales and quotation.....	17
5.5 Placement.....	18
5.6 Policy and endorsement.....	18
5.7 Billing, receipts and payments.....	19
5.8 Remittance and insurer accounting.....	20
5.9 Commission.....	21
5.10 Claims.....	22
5.11 Renewals.....	22
5.12 General ledger and period end.....	23
5.13 Bank and insurer reconciliation.....	24
5.14 Credit control.....	24
5.15 Reinsurance.....	25
5.16 Incentives.....	26
5.17 Security and audit.....	26
5.18 Configuration and schedules.....	26
5.19 Distribution and marketing.....	27

5.20 Fleet, marine and motor claims.....	28
5.21 Payables and fixed assets.....	29
5.22 BIR returns and invoicing.....	29
5.23 Compliance.....	30
5.24 Integrations.....	31
6. Status lifecycles.....	32
6.1 Sales, placement and policy.....	32
6.2 Money and accounting.....	32
6.3 Claims, renewals and other areas.....	33
7. Personal data and retention.....	35
7.1 Personal data under the Data Privacy Act.....	35
7.2 Tables and columns holding personal data.....	35
7.3 Protection in the database.....	39
7.4 Retention.....	39
8. Appendix A: Table list.....	41
8.1 Party and client.....	41
8.2 Product and rating.....	41
8.3 Sales and quotation.....	42
8.4 Placement.....	42
8.5 Policy and endorsement.....	42
8.6 Billing, receipts and payments.....	43
8.7 Remittance and insurer accounting.....	43
8.8 Commission.....	44
8.9 Claims.....	44
8.10 Renewals.....	44
8.11 General ledger and period end.....	44
8.12 Bank and insurer reconciliation.....	45
8.13 Credit control.....	46
8.14 Reinsurance.....	46
8.15 Incentives.....	46
8.16 Security and audit.....	47
8.17 Configuration and schedules.....	47
8.18 Distribution and marketing.....	48
8.19 Fleet, marine and motor claims.....	49
8.20 Payables and fixed assets.....	49
8.21 BIR returns and invoicing.....	49
8.22 Compliance.....	50
8.23 Integrations.....	50

9. Document Sign-Off.....	52
----------------------------------	-----------

1. Document Control

Date	Version	Author & Business Unit Info	Reviewed By & Business Unit Info	Approved By & Business Unit Info	Change History
04 October 2026	1.1.1	iorta TechNXT			Version 1.1.1: release figures aligned (packages B and G merged; migrations to 0331, where 0330 and 0331 add a setting and a trigger and no table or column). Version 1.1: regenerated at migration 0322 (reference data only): Philippine geography, My Work, go-live workbench, AML/CFT, IC and NPC compliance, BIR, operations and accounting, distribution, integrations, e-signatures; encryption of personal identifiers

2. Acronyms

Acronym / Symbol	Definition / Meaning
OOTB	Out of the box
BIR	Bureau of Internal Revenue
IC	Insurance Commission
DPA	Data Privacy Act of 2012 (Republic Act No. 10173)
NPC	National Privacy Commission
FK	Foreign key
PK	Primary key
GL	General ledger

JV	Journal voucher
OR	Official receipt
PV	Payment voucher
DN	Debit note
EWT	Expanded withholding tax
WHT	Withholding tax
VAT	Value-added tax
DST	Documentary stamp tax
LGT	Local government tax
FST	Fire service tax
LGU	Local government unit
TIN	Tax identification number
ATC	Alphanumeric tax code
TOTP	Time-based one-time password
JSON	JavaScript Object Notation
LOB	Line of business
SLA	Service level agreement
PSGC	Philippine Standard Geographic Code
AML	Anti-money laundering
CFT	Countering the financing of terrorism
AMLC	Anti-Money Laundering Council
CTR	Covered transaction report
STR	Suspicious transaction report
EDD	Enhanced due diligence
KYC	Know your customer
CAS	Computerized accounting system
EIS	Electronic Invoicing System
EOPT	Ease of Paying Taxes Act (RA 11976)
CTPL	Compulsory third party liability
COC	Certificate of cover
LOA	Letter of authority

PDC	Post-dated cheque
AP	Accounts payable

3. About this document

This data dictionary describes the database of BrokerVerse OOTB: what each functional area stores, the key tables and how they relate, the conventions every table follows, the main status lifecycles and the columns that hold personal data. It is written for the broker's finance, operations and IT staff who read reports, run data migration and reconcile figures, and for the support team that maintains the system after go-live.

The column-level detail is in the companion workbook

BrokerVerse_Data_Dictionary.xlsx. This document summarises it and explains the model. Where the two differ, the workbook is the more detailed reference.

3.1 Sources

All facts come from the application and the database:

- the migration files in backend/src/db/migrations (151 files, 0001_core.sql to 0331_pii_client_identifiers.sql), including the comments written next to the columns;
- among them the migrations of package B, Insurance Commission and data privacy compliance (0270 to 0277), and package G, sales activities, product covers in the quotation and fixed asset disposal (0320 to 0322), both merged on 04 October 2026, and the two release verification migrations 0330 (EIS outbox restart safety setting) and 0331 (encryption of the client identifiers of the AML/CFT onboarding), which add no table or column;
- the seed files in backend/src/db/seeds and the seed step backend/src/db/seed.js;
- the module code in backend/src/modules (status vocabularies, validation, posting) and the scheduled jobs in backend/src/jobs;

- the personal data catalogue of the client data masking tool (backend/scripts/lib/pii-catalogue.js) for the classification of personal data;
- the catalogue of a new PostgreSQL database built on 04 October 2026 with all these migrations and the reference seed data only (SEED_SAMPLE_DATA=false): tables, columns, keys, indexes, constraints and row counts.

Row counts in this document and in the workbook are those of the reference data a new database starts with: masters, the Philippine geography, settings, posting rules, number series, report definitions and jobs. Transaction tables are empty. They show what the broker receives out of the box, not production volumes.

The pipeline that regenerates the workbook and the generated parts of this document is in docs/package/tools/data-dictionary (ddpaths.py describes the steps). Migration numbers 0323 to 0329 are unused.

3.2 The companion workbook

Sheet	Content
Summary	Counts of tables, columns, keys, indexes, constraints and settings; columns by data type; tables and rows by functional area.
Tables	One row per table and view: functional area, owning module, description, primary key, rows of reference data, number of columns, the migration that created it, retention class and whether it holds personal data.
Columns	One row per column (4,589 rows): position, data type, length or precision, nullable, default, primary key, foreign key target, uniqueness, personal data class, the migration that added it and a business description.
Relationships	All 468 foreign keys: child and parent table and columns, delete and update rule, functional areas and whether an index supports the key.
Indexes	All 901 indexes: kind, method, columns or expression and the condition of partial indexes.
Reference values	Status vocabularies from the code, allowed values of CHECK constraints, values documented in the migrations, all 659 application settings with group, label and seeded value, master types and master records, document number series, roles, tax codes, bank transaction types, the month-end checklist, scheduled jobs and posting rule events.

3.3 Database at a glance

Item	Value (reference data only)
Database engine	PostgreSQL, schema public
Migrations applied	149 (0001_core.sql to 0322_quote_covers_and_risk_fields.sql)
Tables	260
Views	2 (bank_account_links, bank_book_lines)
Columns	4,548 in tables, 4,589 including the views
Foreign keys	468 (369 no action, 77 cascade, 22 set null)
Indexes	901 (260 primary keys, 180 further unique, 71 partial, 1 GIN)
CHECK constraints	390
Application settings	659 keys in 64 groups
Rows in all tables	8,025 (reference data a new database starts with)
Columns holding personal data	367 in 126 tables

Compared with issue 1.0 (migration 0216, loaded test database), the model grew by 93 tables. Migrations 0243 to 0322 add the areas Distribution and marketing, Fleet, marine and motor claims, Payables and fixed assets, BIR returns and invoicing, Compliance and Integrations, and tables in the existing areas (cover notes, post-dated cheques, claim documents, facultative reinsurance, override commission, KYC of juridical clients, go-live data load, My Work, e-signatures). Each is described below where it belongs.

4. Conventions

4.1 Naming

- Tables and columns are lower case with underscores (journal_vouchers, premium_total). Table names are plural nouns (policies, receipts); line and child tables add a suffix (receipt_lines, posting_rule_lines, renewal_notices).
- A foreign-key column is named after the parent with _id (policy_id, client_id, insurance_company_id). Where a table refers to the same parent more than once, the column says the role: renewed_from, new_policy_id, reversal_of, booking_jv_id, accrual_jv_id, owner_user_id, handler_user_id.
- Stamps end in _at (date and time) and _by (user): approved_at, approved_by. Calendar dates end in _date (jv_date, due_date, loss_date). Flags start with is_ or read as a yes or no question (is_open_item, allow_manual, per_participant).
- Readable document numbers end in _number (policy_number, receipt_number, jv_number). Rates and shares say their unit where it matters: _pct and _percent hold percent, commission_rate holds a fraction.
- Codes taken from settings or masters keep the code of the source (branch_code, account_code, gl_account_code, type_code).

4.2 Identifiers

Kind	How it works
Text key with prefix (103 tables)	Business records. The database generates a prefix and random hexadecimal characters, for example pol_ + 16 characters for a policy, qt_ for a quotation, or_ for a receipt, jv_ for a journal voucher. The ids cannot be guessed and never collide across tables. commission_referrers and reinsurers use a readable code instead (for example ref-dcruz, RE001).
Sequential number (125 tables)	Masters, lines and logs (integer or bigint from a sequence): countries, banks, insurers, products, journal_lines, audit_log, login_history, claim_history, risk_participants.
Natural or composite key (the other tables)	Codes that are themselves the key: app_settings(key), gl_accounts(code), tax_codes(code), accounting_periods(period), fiscal_years(code), master_types(code), sequences(name, period), opening_balances(fiscal_year, account_code), role_permissions(role_id, permission_id).

Business numbers (QT-2026-00001, POL-2026-00001, OR-2026-00019, JV-, BS-, PS-, REM-, DN-, BRC-, MEC-) are separate unique columns, never primary keys. Every number comes from a series of the Document Numbering master (document_numbering, 85 series). The SQL function next_document_number() locks the counter row in sequences until the transaction ends, so two users never receive the same number and a cancelled save gives its number back. The pattern tokens are

{PREFIX} {YYYY} {YY} {MM} {FY} {BRANCH} {LOB} {SEQ}; the reset rule is yearly, fiscal_yearly, monthly or never.

4.3 Money, rates and shares

- Amounts are numeric: 310 columns are numeric(14,2) and 102 are numeric(16,2) (sums insured, credit limits, bank statement and reconciliation figures, statement and certificate totals, treaty capacity). The application rounds every result to two decimals with half away from zero, the same rule as PostgreSQL round(numeric, 2).
- The currency of a document is in a currency column (PHP by default) where a document can be in another currency; journal_lines carry currency_code, exchange_rate and foreign_amount. All ledger amounts are in the base currency of the Currency master (PHP); journal vouchers convert at the dated Exchange Rate in force on the voucher date.
- Commission rates are fractions: commission_rate 0.15 means 15% (insurance_companies, commission_rates, insurer_rate_tables, risk_participants). Tax rates in tax_codes.rate and premium_charge_rules.rate are percent (12 means 12%). Co-insurance shares (share_percent, offered_share) are percent from 0 to 100.
- Debit and credit are separate non-negative columns on journal_lines and bank_statement_lines; a journal line has either a debit or a credit (CHECK constraint).

4.4 Dates and the business time zone

- Calendar dates (inception, expiry, due, loss, receipt, voucher, statement and period dates) are date columns (217 columns). They carry no time and cannot shift with the time zone.
- Instants (creation, approval, posting, sending) are timestamptz (590 columns): stored as an absolute point in time and shown in local time.
- "Today" is the business date in the time zone of the setting general.timezone, seeded as **Asia/Manila**. Date columns that default to today use the function numbering_business_date() (migration 0145_business_date_defaults.sql), so a record created between 00:00 and 08:00 Manila time gets the Manila date, not the date of the server clock, which runs on UTC. Document numbering, period assignment, reports and scheduled jobs use the same business date.
- Accounting periods are keyed YYYY-MM; period 13 of a fiscal year is the year-end adjustment period. A journal falls in the period of its jv_date.
- The screens show dates as DD/MM/YYYY (general.date_format). This document writes dates as 03 October 2026.

4.5 Audit columns

Column	Tables	Meaning
created_at	192	Date and time the row was created.
created_by	157	User id of the creator.
updated_at	148	Date and time of the last change; set by the application, and by triggers on users, roles, commission_rates and

Column	Tables	Meaning
		document_numbering.
updated_by	107	User id of the last change.
Maker-checker stamps	many	submitted_by / submitted_at, approved_by / approved_at, rejected_by / rejected_at, posted_by / posted_at, decided_by / decided_at.

Every create, update, approval, posting and sign-in related event is also written to audit_log (who, when, which record, action, values before and after, IP address). Domain histories add detail where it is needed: claim_history, claim_field_changes, renewal_activities, renewal_notices, collection_actions, period_status_history, bank_reconciliation_history, remittance_approvals.history, login_history, password_history and job_runs.

4.6 Status, soft delete and cancellation

- Almost every business table has a status column (171 tables). Statuses are stored as lower-case codes in most tables; some older modules store the label (Accrued, Paid, Active). The screens map codes to labels, for example a quotation with status sent shows as **PendingCustomer**. The values of each status column are in the workbook, sheet Reference values.
- Masters are not deleted while in use: they become inactive, and generic master records get the status deleted; unique indexes on codes are partial (WHERE status <> 'deleted') so a code can be reused after deletion.
- Leads, quotations and bank statements carry deleted_at (soft delete). A draft quotation is the only business record deleted physically.
- Financial documents are never deleted. A receipt is cancelled, a journal is reversed or corrected by another journal (reversal_of, reversed_by_jv, correction_of), a BIR Form 2307 certificate is cancelled (cancelled_at), a debit note collection is reversed.

4.7 JSON document columns

166 columns are jsonb. They hold the parts of a record whose structure depends on the product or the screen: the full document of a quotation, broker slip, placement or policy (doc), vehicle and cover selections, claim details, endorsement changes, configuration values (app_settings.value), master record fields (master_records.data) and before and after values of the audit trail. Anything that is searched, totalled, joined or reported on is kept in ordinary columns. The workbook marks each JSON column and describes its content.

4.8 Keys, constraints and indexes

- **Foreign keys.** 468 foreign keys. 369 use no action: a referenced record cannot be deleted while it is used. 77 cascade: lines and histories that have no meaning without their parent (journal lines, receipt lines, claim history, renewal notices, role grants, match items). 22 set the reference to empty when the parent goes. 64 foreign keys point to users; other user columns (created_by, approved_by) hold the user id without a foreign key.

- **Supporting indexes.** 60 foreign keys have no index whose first column is the foreign-key column. They are on small master and set-up tables or are maker-checker stamp columns. The sheet Relationships flags them.
- **CHECK constraints.** 390 constraints protect allowed values (statuses, kinds, rate bases), number ranges (rates, shares, instalment counts) and rules that span columns (a journal line has a debit or a credit, a limit is for a role or for a user, a delegation ends after it starts).
- **Unique and partial indexes.** Business numbers and codes are unique. Partial unique indexes enforce rules such as one active instalment plan per bill, one pending warranty extension per policy, one lead insurer per co-insured record and one open renewal per policy.
- **Triggers.** `jv_check_posting` refuses to post a journal that is unbalanced, has fewer than two lines or falls in a period that does not accept postings. `accounting_period_lock_guard` refuses to reopen a period locked by the year-end close. Further triggers keep `updated_at`, derive the normal balance of a GL account and mirror number series prefixes into settings. With package B, triggers on `clients`, `leads`, `commission_referrers`, `bir_2307_certificates`, the JSON documents of quotations, placements and policies and `audit_log` encrypt personal identifiers before they are stored (chapter 6).

4.9 References without a foreign key

Some tables refer to more than one kind of parent, so the reference is a pair of columns without a foreign key:

Table	Columns	Refers to
<code>risk_participants</code>	<code>entity_type</code> , <code>entity_id</code>	A broker slip, quotation, placement or policy (co-insurance participants).
<code>package_sections</code>	<code>entity_type</code> , <code>entity_id</code>	A bundle quotation or a package policy.
<code>journal_vouchers</code>	<code>reference_type</code> , <code>reference_id</code>	The source document of a journal (Policy, Receipt, Disbursement, Commission, Endorsement, Claim ...).
<code>documents</code>	<code>entity</code> , <code>entity_id</code>	The record a stored file belongs to.
<code>audit_log</code> , <code>notifications</code> , <code>email_outbox</code> , <code>agent_events</code>	<code>entity</code> , <code>entity_id</code>	The record the entry is about.
<code>remittance_approvals</code>	<code>entity</code> , <code>entity_id</code>	A remittance or a remittance work item.
<code>payment_links</code>	<code>target_type</code> , <code>target_id</code>	A bundle quotation, quotation or policy.
<code>bank_statement_lines</code> , <code>bank_statements</code> , <code>bank_rec_matches</code>	<code>bank_account_id</code>	A bank account master record (<code>master_records</code> , type bank-account).
<code>work_tasks</code>	<code>entity</code> , <code>entity_id</code>	The record a task is about (client, policy, claim, quotation, renewal, collection item).
<code>integration_outbox</code> , <code>integration_inbox</code>	<code>entity</code> , <code>entity_id</code>	The business record a message was sent or received for.
<code>aml_alerts</code> , <code>aml_report_items</code>	<code>reference_type</code> , <code>reference_id</code>	The transaction a monitoring rule raised an alert on (receipt, policy, claim

Table	Columns	Refers to
		payment).
sales_invoices	source_type, source_id	The commission, fee, override settlement or asset disposal invoiced.
e_signatures, payee_bank_accounts	owner_type, owner_id / payee_type, payee_id	A signatory or a user; an insurer, referrer, client or supplier.

5. Data model by functional area

5.1 Overview

Functional area	Tables	Key tables
Party and client	14	clients, insurance_companies, client_beneficial_owners
Product and rating	15	products, product_templates, premium_charge_rules
Sales and quotation	9	leads, quotes, payment_links
Placement	4	broker_slips, insurer_offers, placements, risk_participants
Policy and endorsement	5	policies, endorsements, cover_notes
Billing, receipts and payments	17	receivables, receipts, receipt_applications, disbursements
Remittance and insurer accounting	12	remittances, direct_bill_items, commission_debit_notes
Commission	8	commissions, commission_rates, override_agreements
Claims	6	claims, claim_settlement_movements, claim_document_items
Renewals	7	renewals, renewal_quotes
General ledger and period end	20	journal_vouchers, journal_lines, gl_accounts, posting_rules, accounting_periods
Bank and insurer reconciliation	13 + 2 views	bank_statements, bank_rec_matches, bank_reconciliations, insurer_statements
Credit control	7	collection_items, premium_instalment_plans
Reinsurance	10	reinsurance_treaties, cessions, fac_placements
Incentives	3	incentive_programs, incentive_results
Security and audit	16	users, roles, audit_log
Configuration and schedules	24	app_settings, master_records, document_numbering, scheduled_jobs, data_load_batches
Distribution and marketing	13	lead_assignment_rules, distribution_channels, motor_programmes, campaigns
Fleet, marine and motor claims	8	fleet_schedules, open_covers, claim_repair_estimates
Payables and fixed assets	7	supplier_invoices, supplier_payments, fixed_assets
BIR returns and invoicing	6	bir_return_filings, sales_invoices, eis_submissions
Compliance	24	aml_risk_assessments, aml_cases, compliance_licences, complaints, personal_data_breaches
Integrations	12	integration_connectors, integration_outbox, ctpl_authentications, bank_payment_batches

5.2 Party and client

The client is the insured party. A client is created from a lead when a quotation is converted, by bulk upload or directly on the client screen. Individual and corporate clients share one table (`client_type`); identity, contact and address fields are columns, further screen fields are in extra. Insurers (principals) carry the commission rate used when the rate matrix has no rate, the premium payment warranty days, the remittance terms and the default billing mode. The address masters (countries → regions → states (provinces) → cities (cities and municipalities) → districts (barangays), and postal_codes, from the Philippine Standard Geographic Code, 2nd quarter 2026) feed the address fields. The table states keeps its earlier name; every

screen calls it Province. The full barangay list is an optional load (backend/scripts/load-barangays.js). A juridical client is onboarded with its signatories, beneficial owners and due diligence documents before its first policy (AML/CFT). Branches and signatories are printed on documents.

Table	Holds
clients	Insured parties: code, type, names, birth date, contact, address, TIN, owner, credit limit.
insurance_companies	Insurers: code, name, TIN, contact, default commission rate, premium warranty days, remittance terms days, default billing mode.
banks	Banks and mortgagees. Bank accounts of the broker are master records of type bank-account.
branches, signatories	Broker branches and the persons who sign documents.
countries, regions, states, cities, districts, postal_codes	Address masters (PSGC codes on regions, provinces, cities / municipalities and barangays).
client_signatories, client_beneficial_owners, client_kyc_documents	Signatories and beneficial owners of a juridical client and the customer due diligence documents (AML/CFT onboarding).

From	To	Meaning
clients.lead_id	leads	Lead the client was converted from (unique when set).
clients.owner_user_id	users	Account executive who owns the client.
states.country_id, cities.state_id, districts.city_id	address masters	Province within a country, city within a province, barangay within a city.
states.region_id, cities.region_id	regions	Region of a province and of a city or municipality (migration 0250).
client_signatories.client_id, client_beneficial_owners.client_id, client_kyc_documents.client_id	clients	KYC records of a client.

5.3 Product and rating

Products are the lines sold (motor, fire, marine, casualty, engineering, accident, employee benefits). Each product has policy types and, for motor, the cover options for bodily injury, property damage and personal accident. The product configurator keeps versioned templates with their components (covers, rating factors, taxes, rules, documents) and the risk definitions per line. Premium charges (VAT or premium tax, DST, FST, LGT) are computed from premium_charge_rules and the LGT rates per province or city. Packaged products combine several products in one bundle; insurer rate tables price each section for the quick quote comparison.

Table	Holds
products, policy_types, coverages	Product catalogue, policy types per product, motor cover options.
product_templates, product_components	Versioned product templates and their components (JSON).
product_risk_mappings, product_risk_sections	Risk fields and risk sections per product or line.
premium_charge_rules, lgu_tax_rates	Tax and charge rules with effective dates; LGT rate per LGU.
package_bundles, package_bundle_sections, insurer_rate_tables	Bundles, their sections and the insurer rates used to price them.
vehicle_brands, vehicle_models,	Vehicle make, model and variant lists for

Table	Holds
vehicle_variants	motor quotations.

From	To	Meaning
policy_types.product_id	products	Policy type of a product.
coverages.policy_type_id	policy_types	Cover option of a policy type.
product_templates.product_id, parent_id	products, product_templates	Template of a product; version derived from an earlier one.
product_components.template_id	product_templates	Component of a template (deleted with it).
package_bundle_sections.bundle_id, product_id	package_bundles, products	Section of a bundle and its product.
insurer_rate_tables.insurance_company_id, product_id	insurance_companies, products	Rate of an insurer for a product.
lgu_tax_rates.city_id	cities	City whose LGT rate applies.

5.4 Sales and quotation

A lead is a prospect with its contact data, product interest, source and owner. A quotation (quotes) is prepared for a lead or a client, for a product, policy type and insurer; motor quotations keep the vehicle and cover selections, all quotations keep the full document in doc with the premium breakdown. The customer accepts through an e-mailed approval link (only the hash of the token is checked) or staff record the answer in quote_customer_responses. Converting an accepted quotation issues the policy. Packaged products have their own bundle quotations with one priced section per product. Payment links let a client pay a quotation, a bundle quotation or a policy's open premium online through a gateway; every gateway notification is logged in payment_events.

Table	Holds
leads	Prospects: number, type, names, contact, address, product interest, source, status, owner.
quotes	Quotations: number, lead or client, product, insurer, vehicle and covers, premium, taxes, commission, approval link, status.
quote_customer_responses	Customer answers recorded by staff, with channel, outcome and evidence.
package_quotes, package_sections	Bundle quotations and their priced sections (also the sections of a package policy).
payment_gateways, payment_links, payment_events	Online payment set-up, payment requests and the gateway notification log.
agent_events	Calendar events and reminders of a user.

From	To	Meaning
quotes.lead_id, client_id	leads, clients	Prospect or client quoted.
quotes.product_id, policy_type_id, insurance_company_id	masters	What is quoted and with which insurer.
quotes.broker_slip_id	broker_slips	Broker slip the quotation was prepared from (placement journey).
quotes.policy_id	policies	Policy issued from the quotation.
quote_customer_responses.quote_id	quotes	Response to a quotation.
package_quotes.bundle_id, policy_id	package_bundles, policies	Bundle quoted; package policy issued.
payment_links.gateway_code,	payment_gateways,	Gateway used; official receipt

From	To	Meaning
receipt_id	receipts	created from the payment.
payment_events.link_id	payment_links	Notification about a payment link.

5.5 Placement

Placement is the journey for risks that need terms from several insurers. A broker slip describes the risk and the covers requested and is sent to several insurers; each answer is an insurer offer (premium, rate, taxes, deductibles, validity, share offered) or a decline. The selected offers become a quotation or a placement slip, the firm order to the chosen insurers. When the risk is co-insured, `risk_participants` holds the lead insurer and the co-insurers with their shares, premium, taxes and commission; the same table serves the broker slip, quotation, placement and policy. The policy is issued when every participant has bound.

Table	Holds
broker_slips	Broker slips (BS-): client or lead, product, risk details, requested covers, response due date, status.
insurer_offers	Offers (OFR-) or declines from each insurer on a slip; the selected flag.
placements	Placement slips (PS-): lead insurer, premium, taxes, billing mode, binding and issue stamps, policy issued.
risk_participants	Co-insurance participants: insurer, lead flag, share, premium, taxes, commission, binding confirmation.

From	To	Meaning
insurer_offers.broker_slip_id	broker_slips	Offer on a slip (deleted with the slip).
broker_slips.quote_id	quotes	Quotation slip prepared from the selected offers.
placements.broker_slip_id, quote_id	broker_slips, quotes	Origin of the placement.
placements.policy_id	policies	Policy issued from the placement.
risk_participants.insurance_company_id	insurance_companies	Participating insurer; the parent record is given by <code>entity_type</code> and <code>entity_id</code> .

5.6 Policy and endorsement

The policy is the central record. It points to the client, product, policy type, insurer (the lead insurer when co-insured), the quotation or placement it came from and the policy it renews. `billing_mode` decides the money flow: **broker** (the broker bills and collects the premium and remits it to the insurer) or **direct** (the insurer bills the client and the broker bills its commission to the insurer). Endorsements change an issued policy, re-price it and may raise their own bill or return premium; a cancellation is an endorsement. Front-office staff capture premium payments on a policy in `policy_payments` until Accounting confirms them and issues the official receipt.

Table	Holds
policies	Policies: number, client, product, insurer, term, sum insured, premium, taxes, commission, billing mode, payment status, renewal links, status.
endorsements	Endorsements and cancellations: type, changes, premium change, billing link, status.
package_endorsements	Changes of one section of a package policy and the additional

Table	Holds
	premium.
policy_payments	Payments captured on a policy awaiting confirmation by Accounting.
cover_notes	Cover notes (binders) issued from a quotation or placement while the insurer's policy is pending; superseded by the policy.

From	To	Meaning
policies.client_id, product_id, policy_type_id, insurance_company_id	masters and clients	Insured, product and insurer of the policy.
policies.quote_id, placement_id, lead_id	quotes, placements, leads	Origin of the policy.
policies.renewed_from	policies	Expiring policy this one renews (renewed_to holds the reverse link).
endorsements.policy_id, receivable_id	policies, receivables	Policy changed; bill raised for the additional premium.
policy_payments.policy_id, receivable_id, receipt_id	policies, receivables, receipts	Payment captured, bill paid and receipt issued on confirmation.
cover_notes.quote_id, placement_id, policy_id	quotes, placements, policies	Origin of the cover note and the policy that superseded it.

5.7 Billing, receipts and payments

Issuing a broker-billed policy, endorsement or renewal raises a premium bill (receivables, INV-) and its booking journal. For a co-insured policy receivable_participants splits the bill per insurer. An official receipt (receipts, OR-) has lines per policy, and receipt applications allocate the money to the bills and link the posting journal. Return premium and cancellations reduce a bill through receivable_credits; small differences are written off with a reason from write_off_reasons. Payments out are payment vouchers (disbursements, PV-) that settle invoice lists (amounts due to insurers, clients or referrers) and may be paid by cheque (checkbooks). Petty cash funds have their own requests, payments, receipts and replenishments.

Table	Holds
receivables	Premium bills: number, policy, client, amount, balance, due date, ageing, booking journal, status.
receivable_participants	Insurer shares of a co-insured bill: gross, commission, taxes, due to insurer.
receivable_credits	Return premium and cancellation credits applied to a bill, with the refund part.
receipts, receipt_lines, receipt_applications	Official receipts, their lines per policy and the application to bills.
write_off_reasons	Write-off reasons with GL account and maximum amount.
disbursements, invoice_lists, checkbooks	Payment vouchers, the invoice lists they settle and cheques.
petty_cash_funds, petty_cash_requests, petty_cash_request_lines, petty_cash_disbursements, petty_cash_receipts, petty_cash_replenishments	Petty cash.
post_dated_cheques	Post-dated cheques on hand against bills; depositing one on its date creates the official receipt.

From	To	Meaning
receivables.policy_id, client_id, booking_jv_id	policies, clients, journal_vouchers	Bill of a policy and the journal that booked it.
receipt_lines.receipt_id	receipts	Line of a receipt (deleted with it).
receipt_applications.receipt_id, receipt_line_id, receivable_id, journal_id	receipts, receivables, journal_vouchers	Money of a receipt line applied to a bill, and the posting journal.
receivable_credits.receivable_id, journal_id	receivables, journal_vouchers	Credit on a bill and its journal.
invoice_lists.disbursement_id	disbursements	Invoice list settled by a payment voucher.
checkbooks.disbursement_id, invoice_list_id	disbursements, invoice_lists	Cheque issued for a voucher.
petty_cash_*.fund_id	petty_cash_funds	Movements of a petty cash fund.
post_dated_cheques.receivable_id, receipt_id, replaced_by_id	receivables, receipts, post_dated_cheques	Bill the cheque pays, receipt created on deposit, replacement cheque.

5.8 Remittance and insurer accounting

Broker-billed premium collected from clients is remitted to the insurers net of commission. A remittance (REM-) has lines per policy; for a co-insured policy remittance_allocations splits each collection by insurer share. Settlements, adjustments and exceptions are remittance work items, and remittance_approvals is the multi-level approval register with SLA and history. Refunds due from an insurer on premium already remitted are held in insurer_refund_credits and netted against the next remittance. For direct-billed policies the broker's commission is a receivable from the insurer: direct_bill_items are billed on commission debit notes (DN-) and settled by debit note collections (cash plus EWT supported by BIR Form 2307). The client's own payment to the insurer is recorded in direct_bill_client_payments for follow-up only; it posts no journal.

Table	Holds
remittances, remittance_lines	Remittance bills to insurers and the policies included.
remittance_allocations	Co-insurance split of each collection by insurer.
remittance_items, remittance_approvals	Work items and approval requests (approval limits and delegations: authority_limits, user_delegations).
insurer_refund_credits	Refunds due from insurers, netted against later remittances.
direct_bill_items, commission_debit_notes, commission_debit_note_lines, commission_debit_note_collections	Direct-bill commission receivable, debit notes and their collection.
direct_bill_client_payments	Client payments made directly to the insurer (no journal).

From	To	Meaning
remittance_lines.remittance_id, policy_id	remittances, policies	Policy in a remittance (deleted with the remittance).
remittances.insurance_company_id	insurance_companies	Insurer paid.
remittance_allocations.receipt_application_id,	receipt_applications, invoice_lists	Collection split and the invoice list that remitted it.

From	To	Meaning
invoice_list_id		
direct_bill_items.debit_note_id, policy_id, booking_jv_id	commission_debit_notes, policies, journal_vouchers	Commission item billed on a debit note, its policy and booking journal.
commission_debit_note_lines.debit_note_id, item_id	commission_debit_notes, direct_bill_items	Lines of a debit note.
commission_debit_note_collections.debit_note_id, journal_id	commission_debit_notes, journal_vouchers	Collection against a debit note and its journal.

5.9 Commission

Commission (commissions) here is the referrer commission (comsub) paid to sub-agents and external referrers. One line is created per policy or endorsement and per referrer in the referral chain (chain_position); the line shows the brokerage the broker earns, the comsub (a fixed amount plus a percent of net premium), withholding tax and the net payable. The line links to its accrual and payment journals and to the payment voucher that paid it. When premium is returned or a policy cancelled, commission_adjustments records the reduction, reversal or clawback. The broker's own commission rate for a new policy comes from commission_rates (insurer, product, line, new or renewal, effective dates), else from the insurer's default rate.

Table	Holds
commissions	Referrer commission lines: basis, rates, comsub, withholding, net, journals, voucher, status.
commission_adjustments	Reductions, reversals and clawbacks of commission lines.
commission_rates	Broker commission rate matrix with effective dates.
commission_referrers	Referrers and sub-agents: hierarchy, withholding rate, payout bank account.
override_agreements, override_agreement_tiers, override_computations, override_settlements	Overriding, profit and contingent commission from insurers: agreements and tiers, computed amounts (accrued) and settlements (invoiced and posted).

From	To	Meaning
commissions.policy_id, endorsement_id, referrer_id	policies, endorsements, commission_referrers	Source and payee of the commission line.
commissions.accrual_jv_id, payment_jv_id, disbursement_id	journal_vouchers, disbursements	Accrual and payment journals and the paying voucher.
commission_adjustments.commission_id	commissions	Line adjusted.
commission_referrers.parent_referrer_id	commission_referrers	Referrer hierarchy.
override_computations.agreement_id, override_settlements.computation_id	override_agreements, override_computations	Computation under an agreement and its settlement.

5.10 Claims

A claim belongs to a policy and client and carries the loss details, the estimate, approved and settled amounts and the handler. Motor claims keep driver and third-party details in JSON. Every status change is in `claim_history` and every field change in `claim_field_changes`. Settlement cash is recorded in `claim_settlement_movements`: funds received from each insurer and payments to the claimant, each with its journal. Recoveries from reinsurers are in the reinsurance area.

Table	Holds
claims	Claims: number, policy, client, loss date, type, place, amounts, handler, adjuster, settlement, status.
claim_history, claim_field_changes	Status history and field-level change trail.
claim_settlement_movements	Funds received from insurers and paid to claimants, with journals.
claim_document_items, claim_document_reminders	Document checklist of a claim (copied from the checklist master) and the reminders sent for missing documents.

From	To	Meaning
claims.policy_id, client_id	policies, clients	Policy and insured of the claim.
claim_history.claim_id, claim_field_changes.claim_id	claims	Histories (deleted with the claim).
claim_settlement_movements.claim_id, insurance_company_id, journal_id	claims, insurance_companies, journal_vouchers	Settlement cash movement, paying insurer and journal.
claim_document_items.claim_id, document_id	claims, documents	Required document of a claim and the file received.

5.11 Renewals

The renewal pipeline job creates a renewal case for each policy approaching expiry. The case tracks notices sent, contact attempts, the renewal quotation (re-rating with loading and discounts), approval and the outcome: the renewal policy or a lapse. Renewal batches send notices and quotations for many policies at once through the background queue. Win-back campaigns target lapsed business.

Table	Holds
renewals	Renewal cases: expiring policy, client, old and new premium, notice stage, contact attempts, type, status, renewal policy.
renewal_quotes	Renewal quotations with loading, discount and variance.
renewal_notices, renewal_activities	Notices sent and contact activities.
renewal_batches, renewal_batch_policies	Batch runs and the policies in them.
winback_campaigns	Win-back campaigns.

From	To	Meaning
renewals.policy_id, new_policy_id	policies	Expiring policy and the renewal policy issued.
renewal_quotes.renewal_id, renewal_notices.renewal_id, renewal_activities.renewal_id	renewals	Quotation, notices and activities of a case (deleted with it).
renewal_batch_policies.batch_id, policy_id, renewal_id	renewal_batches, policies, renewals	Policy in a batch run.

5.12 General ledger and period end

Every system journal is built from a posting rule: the rule of a business event (for example `policy.issue.broker_billed`, `receipt.apply`, `remittance.settlement`) has versions with an effective date and lines that name a GL account or an account role. Account roles resolve to GL accounts through the Account Determination settings `accounting.account.<role>`. A line marked per participant is split across co-insurers by share. Changes to posting rules and account determination wait for a second user's approval (`accounting_config_changes`). Journal vouchers hold balanced journal lines on the chart of accounts; open-item accounts are matched debit to credit in `entry_matches`. Periods 1 to 12 and the adjustment period 13 of each fiscal year are opened, soft-closed, closed and locked; the month-end close run posts accruals and recurring journals, checks the checklist and closes the period. The year-end close posts the closing entries, carries the balances into `opening_balances` of the next year and locks the year. Tax codes hold VAT, EWT with ATC, DST and LGT; BIR Form 2307 certificates are kept per payee or payor and quarter.

Table	Holds
<code>gl_accounts</code>	Chart of accounts: type, category, financial statement group, normal balance, open-item and manual-use flags.
<code>journal_vouchers</code> , <code>journal_lines</code>	Journals and their debit and credit lines with client, policy, insurer, branch and department tags.
<code>entry_matches</code>	Open-item matching of debit and credit lines, with write-off.
<code>posting_rules</code> , <code>posting_rule_lines</code> , <code>accounting_config_changes</code>	Posting rule versions, their lines and pending configuration changes.
<code>fiscal_years</code> , <code>accounting_periods</code> , <code>period_status_history</code>	Fiscal years, periods and every period status change.
<code>period_close_checklist</code> , <code>period_close_runs</code> , <code>period_close_run_checks</code> , <code>period_close_entries</code>	Month-end checklist, close runs, check results and close journals.
<code>recurring_journals</code> , <code>recurring_journal_runs</code>	Recurring and accrual journal templates and their occurrences.
<code>year_end_runs</code> , <code>opening_balances</code>	Year-end close runs and the opening balances they carry forward (or loaded at go-live).
<code>tax_codes</code> , <code>bir_2307_certificates</code>	Tax codes and BIR Form 2307 certificates.

From	To	Meaning
<code>journal_lines.jv_id</code>	<code>journal_vouchers</code>	Lines of a journal (deleted with a draft journal).
<code>journal_lines.policy_id</code> , <code>client_id</code>	<code>policies</code> , <code>clients</code>	Subsidiary-ledger tags of a line.
<code>journal_vouchers.posting_rule_id</code>	<code>posting_rules</code>	Rule version the journal was built from.
<code>journal_vouchers.reversal_of</code> , <code>reversed_by_jv</code> , <code>correction_of</code>	<code>journal_vouchers</code>	Reversal and correction chain.
<code>entry_matches.debit_line_id</code> , <code>credit_line_id</code>	<code>journal_lines</code>	Lines matched as an open item.
<code>posting_rule_lines.rule_id</code>	<code>posting_rules</code>	Lines of a rule version.
<code>accounting_periods.fiscal_year</code> , <code>opening_balances.fiscal_year</code>	<code>fiscal_years</code>	Periods and opening balances of a year.
<code>period_close_runs.period</code>	<code>accounting_periods</code>	Period closed by a run.
<code>year_end_runs.closing_jv_id</code> , <code>transfer_jv_id</code>	<code>journal_vouchers</code>	Closing and retained-earnings transfer journals.

5.13 Bank and insurer reconciliation

Bank statements are imported with a statement format (or keyed) into `bank_statements` and `bank_statement_lines`; a line hash refuses duplicates. Matches link bank lines to the journal lines on the GL cash account of the bank account (the view `bank_book_lines` gives that book side). Unmatched bank items such as charges and interest are posted with a bank transaction type. The monthly bank reconciliation stores the statement figures and, once approved, locks the matches cleared up to its date. Insurer statements of account (premium remittance confirmations or commission statements) are imported with a per-insurer column mapping and matched line by line to remittance lines, debit note lines or policies; differences are resolved with a note or an adjustment journal posted on approval.

Table	Holds
<code>bank_statement_formats</code> , <code>bank_transaction_types</code> , <code>bank_match_rules</code>	File layouts, bank-side transaction types and automatic matching rules.
<code>bank_statements</code> , <code>bank_statement_lines</code>	Imported or keyed statements and their lines.
<code>bank_rec_matches</code> , <code>bank_rec_match_items</code>	Matches and the bank and book lines in each.
<code>bank_reconciliations</code> , <code>bank_reconciliation_history</code>	Monthly reconciliation statements and their status history.
<code>bank_account_links</code> , <code>bank_book_lines</code> (views)	Bank accounts with their GL account; posted lines on bank cash accounts.
<code>insurer_statement_formats</code> , <code>insurer_statements</code> , <code>insurer_statement_lines</code> , <code>insurer_statement_resolutions</code>	Insurer statement layouts, imported statements, lines with match results and resolutions.

From	To	Meaning
<code>bank_statement_lines.statement_id</code>	<code>bank_statements</code>	Line of a statement.
<code>bank_rec_match_items.match_id</code> , <code>bank_line_id</code> , <code>journal_line_id</code>	<code>bank_rec_matches</code> , <code>bank_statement_lines</code> , <code>journal_lines</code>	Bank side and book side of a match.
<code>bank_reconciliation_history.rec_id</code>	<code>bank_reconciliations</code>	Status change of a reconciliation.
<code>insurer_statement_lines.statement_id</code> , <code>policy_id</code>	<code>insurer_statements</code> , <code>policies</code>	Line of an insurer statement and the policy it concerns.
<code>insurer_statement_resolutions.line_id</code> , <code>journal_id</code>	<code>insurer_statement_lines</code> , <code>journal_vouchers</code>	Resolution of a line and the adjustment journal.

5.14 Credit control

Credit control applies to broker-billed business. Collection items follow up open bills with assignments, commitments and escalation; every call, e-mail or visit is a collection action. A premium bill can be split into instalments without changing the bill in the ledger. The premium warranty monitor lists policies whose premium is unpaid near or past the warranty deadline; Accounting sends reminders, requests a deadline extension (approved by a second user holding approve:credit-control) or requests the cancellation of a breached policy, which creates a draft cancellation endorsement for Operations. A client credit limit is checked when a new policy is issued and every policy issued beyond it is logged for Accounting to acknowledge.

Table	Holds
<code>collection_items</code> , <code>collection_actions</code>	Follow-up of open bills and the actions taken.

Table	Holds
premium_instalment_plans, premium_instalments	Instalment plans of a bill and their due dates and amounts.
premium_warranty_extensions, premium_warranty_actions	Warranty deadline extension requests and monitor actions.
client_credit_exceptions	Policies issued beyond a client's credit limit (clients.credit_limit).

From	To	Meaning
collection_items.receivable_id	receivables	Bill followed up (one item per bill).
collection_actions.collection_id	collection_items	Actions on an item (deleted with it).
premium_instalment_plans.receivable_id, policy_id	receivables, policies	Bill split into instalments.
premium_instalments.plan_id	premium_instalment_plans	Instalments of a plan.
premium_warranty_actions.extension_id	premium_warranty_extensions	Action taken on an extension request.
client_credit_exceptions.client_id, policy_id	clients, policies	Client over limit and the policy that took it there.

5.15 Reinsurance

Reinsurers and treaties (type, capacity, share, retention) are set up in the reinsurance module. A cession passes part of a policy's sum insured and premium to a treaty or, facultatively, to one reinsurer. Recoveries claim the reinsured part of a loss. Bordereaux report cessions or claims to reinsurers, and reconciliations compare the broker's figures with the reinsurer's statement, with exceptions to resolve.

Table	Holds
reinsurers, reinsurance_treaties	Reinsurers and treaties.
cessions	Treaty and facultative cessions per policy.
reinsurance_recoveries	Claim recoveries from reinsurers.
reinsurance_bordereaux, reinsurance_reconciliations, reinsurance_exceptions	Bordereaux, statement reconciliations and their exceptions.
fac_placements, fac_placement_shares, fac_settlements	Facultative slips placed by the broker as reinsurance broker, the reinsurers' lines and the premium settlements.

From	To	Meaning
cessions.policy_id, treaty_id, facultative_reinsurer_id	policies, reinsurance_treaties, reinsurers	Policy ceded and where.
reinsurance_recoveries.claim_id, cession_id, treaty_id	claims, cessions, reinsurance_treaties	Claim recovered under a cession.
reinsurance_exceptions.reconciliation_id	reinsurance_reconciliations	Exception found in a reconciliation.
fac_placements.cedant_id, policy_id	insurance_companies, policies	Cedant offering the risk and the original policy.
fac_placement_shares.placement_id, reinsurer_id	fac_placements, reinsurers	Line of a reinsurer on a slip.
fac_settlements.placement_id, share_id, journal_id	fac_placements, fac_placement_shares, journal_vouchers	Premium received or paid and its journal.

5.16 Incentives

Incentive programmes define the measure (premium, policies, conversion), targets, tiers and eligibility. A calculation batch computes the results of a period for every participant and goes through maker-checker approval before payment.

Table	Holds
incentive_programs	Programmes: measure, target, stretch target, structure, eligibility, frequency.
incentive_calculations	Calculation batches with approval, journals and payment.
incentive_results	Result and payout per programme, participant and period.

From	To	Meaning
incentive_results.program_id, calculation_id, agent_user_id	incentive_programs, incentive_calculations, users	Result of a participant in a programme and batch.

5.17 Security and audit

Users sign in with a username and password (bcrypt hash only) and, where required by role, a second factor (TOTP secret stored encrypted). Roles carry permissions (read:<module>, write:<module>, approve:<area>) and may inherit another role. Refresh tokens are rotated and revoked by family. The access control tables add the authority matrix (approval limits per role or user and transaction type, effective once a second administrator approves), segregation-of-duties rules, out-of-office delegations and periodic access reviews. audit_log and login_history are the audit trail; audit_log.source (migration 0247) tells whether a change came from a screen, a job, an import or a script. Eight roles are seeded, including the Compliance Officer (AML/CFT) of migration 0263; package B adds the permission view:pii (full personal identifiers).

Table	Holds
users, roles, permissions, user_roles, role_permissions	Users, roles, permissions and their assignments.
refresh_tokens, password_resets, password_history, login_history	Sessions, reset codes (hash only), previous password hashes, sign-in attempts.
authority_transaction_types, authority_limits	Authority matrix.
sod_rules, user_delegations	Segregation-of-duties rules and delegations.
access_reviews, access_review_items	Access reviews and the decision per user.
audit_log	Audit trail of every change.

From	To	Meaning
user_roles.user_id, role_id	users, roles	Role assigned to a user.
role_permissions.role_id, permission_id	roles, permissions	Permission granted to a role.
authority_limits.role_code, user_id, transaction_type	roles, users, authority_transaction_types	Limit of a role or user for a transaction type.
sod_rules.role_a, role_b	roles	Conflicting pair of roles.
access_review_items.review_id, user_id	access_reviews, users	User reviewed in a campaign.

5.18 Configuration and schedules

Business parameters are keys of app_settings (659 keys in 64 groups), edited in Master > Configuration and System Settings; the workbook lists every key with its

group, label and seeded value. Masters without a table of their own are records of master_records described by master_types (fields, unique keys, screen). Document number series and their counters are in document_numbering and sequences. Scheduled jobs and their run history, the background queue, notifications, the e-mail outbox, stored files and the report catalogue complete the platform tables.

Table	Holds
app_settings	Configuration keys with JSON value, group, label and type.
master_types, master_records	Master screen registry and generic master records.
currencies	Currencies with the base flag (exactly one base currency, locked once a journal exists) and decimals. Exchange rates come only from the dated Exchange Rate master; the old exchange_rate column is kept for history and not read.
document_numbering, sequences	Number series and their counters per period.
scheduled_jobs, job_runs, job_queue	Cron jobs, run history and the background queue.
notifications, email_outbox, documents	In-app notifications, queued e-mails, registry of stored files.
report_definitions, report_schedules, generated_reports	Report catalogue, e-mailed schedules and generated files.
schema_migrations	Applied migration files.
data_load_batches, data_load_rows, data_load_comparisons	Go-Live Data Workbench: uploaded configuration and migration workbooks, their rows with validation results, and the environment comparison reports.
work_tasks	Tasks and follow-ups of Operations > My Work (due date, priority, reminder, related record).
e_signatures, document_signature_slots	Signature images with consent and capture details, and which signature prints in which slot of which document.
report_builder_reports, bi_extract_runs	Reports designed in Reports > Report Builder and the runs of the BI extract.

From	To	Meaning
master_records.type_code	master_types	Record of a master type.
job_runs.job_id	scheduled_jobs	Run of a job.
report_schedules.report_code, job_id	report_definitions, scheduled_jobs	Report sent by a schedule and the job that runs it.
data_load_rows.batch_id	data_load_batches	Row of an uploaded workbook.
document_signature_slots.signatory_id	signatories	Named signatory of a slot.

5.19 Distribution and marketing

New prospects are routed by lead assignment rules (branch, line of business, source, channel, territory) and every assignment is kept. Distribution channels hold dealer groups and branches, financing banks and affinity partners in one hierarchy; a channel can pay premiums through a client billing account. Brand-new vehicle dealer programmes set the insurer, rate and CTPL terms for the cars a dealer sells; dealer sales are uploaded in batches and become quotations or policies. Comparison reports present the insurer options to a client. Campaigns e-mail consenting clients and prospects in a segment; recipients are recorded with consent, result and opt-out. Package G adds the sales activity log.

Table	Holds
lead_assignment_rules, lead_assignment_history	Assignment rules and every assignment or reassignment of a prospect.
distribution_channels, channel_billing_accounts	Channel hierarchy and the client account a channel is billed through.
motor_programmes, dealer_sales_batches, dealer_sales	Dealer programmes, uploaded sales batches and each vehicle sold.
comparison_reports	Client comparison and recommendation reports.
campaigns, campaign_segments, campaign_templates, campaign_recipients	Campaigns, their audience, e-mail template and recipients.
sales_activities	Calls, meetings, e-mails and visits on a prospect, quotation or client (package G).

From	To	Meaning
lead_assignment_history.lead_id, rule_id	leads, lead_assignment_rules	Prospect assigned and the rule that matched.
distribution_channels.parent_id, bank_id, referrer_id	distribution_channels, banks, commission_referrers	Parent channel, bank of a financing bank channel, referrer paid for the channel.
motor_programmes.dealer_channel_id, bank_channel_id, insurance_company_id	distribution_channels, insurance_companies	Dealer, financing bank and insurer of a programme.
dealer_sales.batch_id, programme_id, quote_id, policy_id	dealer_sales_batches, motor_programmes, quotes, policies	Sale in a batch and the business created from it.
comparison_reports.broker_slip_id, client_id, lead_id	broker_slips, clients, leads	Request for quotation compared and the party it is for.
campaigns.segment_id, template_id, campaign_recipients.campaign_id	campaign_segments, campaign_templates, campaigns	Audience and template of a campaign; its recipients.
sales_activities.task_id	work_tasks	Follow-up task created in My Work for the next step.

5.20 Fleet, marine and motor claims

A fleet schedule puts many vehicles of a client under one motor policy; vehicles are added and removed by endorsement. A marine open cover is the contract of a client with an insurer for its shipments; certificates are issued per shipment and declared monthly, and each declaration is billed. Motor claim repairs record the repair shop's estimates and their approval, the letter of authority to the shop and the release of the repaired vehicle.

Table	Holds
fleet_schedules, fleet_vehicles	Fleets and their vehicles with premium, additions and deletions.
open_covers, open_cover_certificates, open_cover_declarations	Open cover contracts, certificates per shipment and monthly declarations.
claim_repair_estimates, claim_loas, claim_vehicle_releases	Repair estimates, letters of authority and vehicle releases of a motor claim.

From	To	Meaning
fleet_schedules.client_id, policy_id, channel_id	clients, policies, distribution_channels	Client, policy and channel of a fleet.
fleet_vehicles.fleet_id, added_endorsement_id,	fleet_schedules, endorsements	Vehicle of a fleet and the endorsements that added or

From	To	Meaning
deleted_endorsement_id		removed it.
open_cover_certificates.open_cover_id, declaration_id	open_covers, open_cover_declarations	Certificate under a cover and the declaration that reported it.
open_cover_declarations.receivable_id	receivables	Premium bill of a declaration.
claim_repair_estimates.claim_id, claim_loas.claim_id, claim_vehicle_releases.loa_id	claims, claim_loas	Repair records of a claim.

5.21 Payables and fixed assets

The accounts payable sub-ledger holds supplier invoices with input VAT and expanded withholding tax, approved by maker-checker and posted through rule ap.invoice, and supplier payments allocated to the invoices they settle (ap.payment). The fixed asset register depreciates each asset straight-line and posts the monthly depreciation (fa.depreciation); package G adds the disposal by sale or write-off with the gain or loss (fa.disposal). Suppliers are generic master records of type supplier.

Table	Holds
supplier_invoices, supplier_invoice_lines	Supplier invoices and their expense lines.
supplier_payments, supplier_payment_allocations	Payments to suppliers and their allocation to invoices.
fixed_assets, fixed_asset_depreciation, fixed_asset_disposals	Asset register, monthly depreciation and disposals.

From	To	Meaning
supplier_invoices.supplier_id, journal_id	master_records, journal_vouchers	Supplier and the journal posted on approval.
supplier_payment_allocations.payment_id, invoice_id	supplier_payments, supplier_invoices	Part of a payment applied to an invoice.
fixed_assets.supplier_invoice_id	supplier_invoices	Invoice the asset was bought on.
fixed_asset_depreciation.asset_id, journal_id	fixed_assets, journal_vouchers	Depreciation of a month and its journal.
fixed_asset_disposals.asset_id, sales_invoice_id, journal_id	fixed_assets, sales_invoices, journal_vouchers	Disposal, its sales invoice and journal.

5.22 BIR returns and invoicing

The figures of the withholding and percentage tax returns (0619-E, 1601-EQ, 1604-E with its alphalist DAT files, 2551Q) are computed live from the ledger and the BIR Form 2307 certificates; bir_return_filings records each filing with its reference, payment and any amended return. Sales invoices under the Ease of Paying Taxes Act are the broker's primary documents for commission, fees and override commission; every invoice and cancellation is queued for the BIR Electronic Invoicing System. The CAS registration pack prints the loose-leaf books with running page numbers.

Table	Holds
bir_return_filings	Filing record of each return period and form.
sales_invoices, sales_invoice_lines, sales_invoice_payments	Sales invoices, their lines and the payments received.
eis_submissions	E-invoice submissions to the EIS with status,

Table	Holds
cas_book_prints	attempts and reply. Loose-leaf books printed per period with page ranges.

From	To	Meaning
bir_return_filings.supersedes	bir_return_filings	Amended return replacing an earlier filing.
sales_invoice_lines.invoice_id, sales_invoice_payments.invoice_id	sales_invoices	Lines and payments of an invoice.
eis_submissions.invoice_id	sales_invoices	Submission of an invoice or its cancellation.

5.23 Compliance

Compliance holds the AML/CFT records of the Compliance menu and, with package B, the Insurance Commission and data privacy registers. The customer risk rating scores each client with `aml_risk_factors`; high-risk clients need an enhanced due diligence review. Parties are screened against the lists loaded in `aml_screening_lists` (or a commercial provider); potential matches are cleared or confirmed. Monitoring rules raise alerts on covered and suspicious transactions; the compliance officer works them in cases and generates the AMLC report files. The licence register blocks payouts to referrers whose licence has lapsed, fit and proper records cover officers and staff, complaints follow the RA 11765 deadlines and the breach register follows the NPC 72-hour notification. Consents and data subject requests (migration 0221) are part of this area.

Table	Holds
<code>aml_risk_factors</code> , <code>aml_risk_assessments</code> , <code>aml_edd_reviews</code>	Risk scoring table, every rating made and enhanced due diligence reviews.
<code>aml_screening_lists</code> , <code>aml_list_versions</code> , <code>aml_list_entries</code>	Screening lists, their loaded versions and names.
<code>aml_screenings</code> , <code>aml_screening_hits</code> , <code>aml_provider_requests</code>	Screening runs, potential matches and requests to a screening provider.
<code>aml_rules</code> , <code>aml_alerts</code> , <code>aml_cases</code>	Monitoring rules, alerts and case files.
<code>aml_reports</code> , <code>aml_report_items</code>	CTR and STR files in the AMLC layout and the transactions in them.
<code>compliance_licences</code> , <code>compliance_licence_reminders</code> , <code>compliance_fit_proper</code>	Licence register with expiry reminders; fit and proper records (package B).
<code>ic_statement_lines</code>	Mapping of GL accounts to the lines of the IC annual statement (package B).
<code>complaints</code> , <code>complaint_reminders</code>	Complaints register and its deadline reminders (package B).
<code>personal_data_breaches</code> , <code>personal_data_breach_reminders</code>	Breach register and its notification reminders (package B).
<code>privacy_consents</code> , <code>data_subject_requests</code>	Consents per purpose and the register of data subject requests.

From	To	Meaning
<code>aml_risk_assessments.client_id</code> , <code>aml_edd_reviews.assessment_id</code>	<code>clients</code> , <code>aml_risk_assessments</code>	Rating of a client and the EDD it triggered.
<code>aml_screening_hits.screening_id</code> , <code>entry_id</code> , <code>case_id</code>	<code>aml_screenings</code> , <code>aml_list_entries</code> , <code>aml_cases</code>	Match found by a screening and the case it was escalated

From	To	Meaning
		to.
aml_alerts.rule_code, client_id, case_id	aml_rules, clients, aml_cases	Alert of a rule on a client's transaction and its case.
aml_report_items.report_id, alert_id	aml_reports, aml_alerts	Transaction reported in a file.
compliance_licences.referrer_id, superseded_by	commission_referrers, compliance_licences	Licence of a referrer and the licence that renewed it.
complaints.client_id, policy_id, claim_id, insurance_company_id	clients, policies, claims, insurance_companies	Subject of a complaint.

5.24 Integrations

Every connection to a third party goes through one framework: a connector (adapter, test or live mode, endpoint, names of the environment variables that hold the credentials), an outbox with retries and an attempt log, and an inbox for messages received. SMS and Viber texts come from message templates. CTPL covers are authenticated with a COC number from the insurer's series. Insurer API mappings say how a policy issuance request and the answers are mapped per insurer. Bank payment files pay a batch of vouchers in one bank upload with the layout of the bank.

Table	Holds
integration_connectors, integration_outbox, integration_attempts, integration_inbox message_templates	Connectors, messages to send, attempts and messages received.
coc_series, ctpl_authentications	SMS and Viber templates per event.
	COC number series and the authentication of each CTPL cover.
insurer_api_mappings	API mapping per insurer.
bank_file_layouts, payee_bank_accounts, bank_payment_batches, bank_payment_batch_lines	Bank file layouts, payee accounts, payment batches and their lines.

From	To	Meaning
integration_outbox.connector_code, integration_attempts.outbox_id	integration_connectors, integration_outbox	Message of a connector and its attempts.
ctpl_authentications.coc_series_id, policy_id, outbox_id	coc_series, policies, integration_outbox	COC allocated to a policy and the request sent.
insurer_api_mappings.insurance_company_id, connector_code	insurance_companies, integration_connectors	Insurer and the connector of its API.
bank_payment_batches.layout_code, outbox_id	bank_file_layouts, integration_outbox	Layout of the file and the message that delivered it.
bank_payment_batch_lines.batch_id, disbursement_id, journal_id	bank_payment_batches, disbursements, journal_vouchers	Voucher paid in a batch and its journal.

6. Status lifecycles

The tables below give the main status flows. The values are the codes stored in the database; screen labels are given where they differ. The complete vocabularies, including the allowed values enforced by CHECK constraints, are in the workbook, sheet Reference values.

6.1 Sales, placement and policy

Record	Status flow	Notes
Lead (leads.status)	New → Contacted → Qualified → QuoteGenerated → Converted; or Lost	QuoteGenerated is set when the first quotation is created; Converted when the lead becomes a client.
Quotation (quotes.status)	draft (Draft) → sent (PendingCustomer) → accepted (CustomerAccepted) → submitted (SubmittedToInsurer) → approved → converted (ConvertedToPolicy); or rejected, dropped, expired	Sending e-mails the approval link. A recorded customer response sets accepted, rejected or back to draft (quotations.customer_response_status). Conversion is allowed from the statuses in quotations.convertible_statuses (CustomerAccepted, Approved). The quotation expiry job sets expired.
Broker slip (broker_slips.status)	draft → submitted → responses-in → closed; or cancelled	
Insurer offer (insurer_offers.status)	pending → offered or declined	The chosen offers carry selected.
Placement slip (placements.status)	draft → sent → bound → issued; or declined, cancelled	Bound when every participant has confirmed (risk_participants.confirmed_at).
Policy (policies.status)	active → expired, renewed or cancelled	The policy expiry job sets expired; issuing the renewal sets renewed; a cancellation endorsement sets cancelled. payment_status follows the premium: Pending, Reviewing, Partial, Completed, Refunded.
Endorsement (endorsements.status)	draft → submitted (PendingCustomer) → approved → completed; or cancelled-initiated, rejected, cancelled	
Payment capture (policy_payments.status)	submitted → confirmed or rejected	Confirmation by Accounting issues the official receipt.
Payment link (payment_links.status)	pending → paid, failed, expired, cancelled or review	apply_status: not_applied → applied, awaiting_issue or error.

6.2 Money and accounting

Record	Status flow	Notes
Premium bill (receivables.status)	open → partial → paid; or credited, written-off, cancelled	
Official receipt (receipts.status)	posted → cancelled	Receipt applications: applied → reversed.
Payment voucher (disbursements.status)	draft → for-approval → approved → paid; or rejected	Cheque (checkbooks.status): Pending → Approved → Printed; or Cancelled. Invoice list: open → in-voucher → paid; or cancelled.

Record	Status flow	Notes
Remittance (remittances.status)	draft → for-approval → approved → settled; or rejected	
Direct-bill item (direct_bill_items.status)	unbilled → billed → collected; or cancelled	
Commission debit note (commission_debit_notes.status)	draft → for-approval → open → partial → collected; or rejected, cancelled	
Commission line (commissions.status)	Accrued → Eligible → Approved → Paid	Eligible once the premium is collected. A reversal after payment sets the clawback flag.
Journal voucher (journal_vouchers.status)	draft → for-approval → approved → posted; or rejected; posted → reversed	The trigger refuses an unbalanced journal or one in a period that does not accept postings.
Accounting period (accounting_periods.status)	open → soft_closed → closed → locked	Locked only by the year-end close; a locked period cannot be reopened.
Month-end close run (period_close_runs.status)	draft → in-progress → blocked or ready → pending-approval → soft-closed or closed; or cancelled	A blocking automatic check that fails gives blocked.
Year-end close run (year_end_runs.status)	draft → checked → closed → reversed; or cancelled	
Bank reconciliation (bank_reconciliations.status)	draft → prepared → approved; or cancelled	An approved reconciliation can be reopened with remarks.
Insurer statement (insurer_statements.status)	draft → submitted → approved; or cancelled	Adjustment journals post on approval.
Posting rule version (posting_rules.approval_status)	pending → approved or rejected	Configuration changes: pending → approved, rejected or withdrawn.

6.3 Claims, renewals and other areas

Record	Status flow	Notes
Claim (claims.status)	registered → in-review → pending-approval → approved → settled → closed; or rejected	Every change is written to claim_history.
Renewal case (renewals.status)	pipeline → notice-1 → notice-2 → final-notice → quoted → pending-approval → renewed; or lapsed	renewal_type records whether the renewal was regular, in the grace period or after lapse.
Instalment plan / warranty extension	plan: active or cancelled; extension: pending → approved or rejected	
Cession (cessions.status)	Pending → Confirmed; or Rejected, Cancelled	Recovery: Pending → Processing → Recovered; or Disputed, Rejected.
Incentive calculation (incentive_calculations.status)	Calculated → Pending Approval → Approved → Paid; or Rejected	
Authority limit (authority_limits.status)	pending → active → retired; or rejected	A changed limit is a new pending row that retires the old one on approval.
Access review	review: open → closed; item: pending → keep or revoke	
User (users.status)	active, inactive, locked	The dormant accounts job deactivates users who have

Record	Status flow	Notes
		not signed in for <code>access.dormant_days</code> .
Cover note (<code>cover_notes.status</code>)	active → superseded (policy issued) or expired; or cancelled	The cover note expiry job sets expired.
Post-dated cheque (<code>post_dated_cheques.status</code>)	on-hand → deposited → cleared; or bounced, replaced, returned, cancelled	Depositing creates the official receipt; nothing is posted while on hand.
Supplier invoice (<code>supplier_invoices.status</code>)	draft → for-approval → approved → partially-paid → paid; or rejected, cancelled	Posted on approval (<code>ap.invoice</code>).
Fixed asset (<code>fixed_assets.status</code>)	active → fully-depreciated or disposed	
Sales invoice (<code>sales_invoices.status</code>)	issued → cancelled	EIS submission: queued → sending → accepted; or rejected, failed, manual.
Override computation (<code>override_computations.status</code>)	draft → submitted → approved → partially-settled → settled; or rejected, cancelled	
Facultative slip (<code>fac_placements.status</code>)	draft → in-market → placed → bound → closed; or cancelled	
Fleet schedule / open cover	fleet: draft → issued; or cancelled. Open cover: draft → active → expired; or cancelled	
Bank payment batch (<code>bank_payment_batches.status</code>)	draft → for-approval → approved → file-generated → sent → completed; or cancelled	
Integration message (<code>integration_outbox.status</code>)	queued → processing → sent; or retry, failed, cancelled, skipped	
CTPL authentication (<code>ctpl_authentications.status</code>)	pending → requested → authenticated; or failed, cancelled	
AML case (<code>aml_cases.status</code>)	open → for-filing → filed → closed	Alert: open → escalated → reported or closed. Screening hit: open → cleared, escalated or confirmed.
Complaint (<code>complaints.status</code>)	received → acknowledged → in-progress → resolved → closed; or escalated	Package B.
Personal data breach (<code>personal_data_breaches.status</code>)	open → assessed → notified → closed	Package B.
Go-live workbook (<code>data_load_batches.status</code>)	validated or failed → loaded	
My Work task (<code>work_tasks.status</code>)	open → done or cancelled	

7. Personal data and retention

7.1 Personal data under the Data Privacy Act

BrokerVerse processes personal information of clients, prospects, claimants, drivers and third parties, beneficial owners and signatories of juridical clients, complainants, referrers, payees and staff users. The workbook classifies every column in the column **Personal data (RA 10173)** using four classes:

Class	Meaning	Columns
Personal information	Information from which the identity of an individual is apparent or can be reasonably ascertained (Section 3(g) of RA 10173): names, addresses, e-mail, phone, IP address, plate number.	164
Sensitive personal information	Section 3(l) of RA 10173: age (date of birth), government-issued identifiers such as the TIN, and health or offence-related details that claims may contain.	20
Credential / security secret	Password hashes, second-factor secrets, reset codes, tokens. Not personal information in themselves but must be protected as security data.	11
May contain personal information	Free text, JSON documents and stored files that hold personal information depending on what users enter or upload.	172

The classification is an assessment made from the column names, their use in the code and the personal data catalogue of the client data masking tool (backend/scripts/lib/pii-catalogue.js), which every new migration must complete (its test fails otherwise). The broker's Data Protection Officer should confirm it and record it in the register of processing activities.

7.2 Tables and columns holding personal data

In the table, Personal, Sensitive, Credential and May contain refer to the four classes above.

Table	Columns holding personal data
client_beneficial_owners	Personal: full_name, address Sensitive: birth_date, id_number May contain: pep_details
client_kyc_documents	May contain: description, storage_key, file_name
client_signatories	Personal: full_name Sensitive: birth_date, id_number
clients	Personal: first_name, last_name, company_name, display_name, email, phone, gender, address, city, state, country, postal_code, preferred_name, house_no, barangay, road, soi, moo, middle_name, place_of_birth, employer_name, trade_name Sensitive: tin, birth_date, id_number, registration_number May contain: extra, suffix, occupation, source_of_funds, pep_details
insurance_companies	Personal: contact_person, contact_email, contact_phone
signatories	Personal: name, designation, signature_key
agent_events	May contain: description

Table	Columns holding personal data
leads	Personal: first_name, last_name, company_name, display_name, email, phone, gender, address, city, state, country, postal_code, preferred_name, house_no, barangay, road, soi, moo Sensitive: birth_date, tax_number May contain: notes, extra
package_quotes	Personal: insured_name, location May contain: remarks, doc
payment_events	May contain: payload
payment_links	Personal: payer_name, payer_email, payer_mobile Credential: token, checkout_url May contain: outcome
quote_customer_responses	May contain: remarks, attachment_key, attachment_name
quotes	Personal: vehicle, approval_sent_to Credential: approval_token_hash, approval_token May contain: coverage, remarks, doc
broker_slips	Personal: insured_name May contain: risk_details, doc, remarks
insurer_offers	May contain: attachment_key, attachment_name, remarks
placements	Personal: insured_name May contain: doc, remarks
risk_participants	May contain: remarks
cover_notes	Personal: insured_name May contain: risk_description, conditions
endorsements	May contain: changes, remarks, document_key, completion
package_endorsements	May contain: remarks
policies	Personal: insured_name May contain: details, doc
policy_payments	May contain: proof_key, proof_file_name, remarks
checkbooks	Personal: customer_name
disbursements	Personal: payee_name, referrer_name May contain: transaction_description, remarks
petty_cash_disbursements	May contain: remarks
petty_cash_receipts	Personal: requester_name May contain: remarks
petty_cash_replenishments	May contain: remarks
petty_cash_requests	Personal: requester_name
post_dated_cheques	May contain: remarks
receipts	Personal: customer_name May contain: remarks
commission_debit_note_collections	May contain: remarks
commission_debit_note_lines	Personal: insured_name
commission_debit_notes	May contain: remarks
direct_bill_client_payments	May contain: proof_key, proof_file_name, remarks
remittance_approvals	May contain: remarks, history
remittance_items	May contain: data, remarks
remittance_lines	Personal: insured_name
remittances	Personal: agency_name May contain: remarks, data
commission_referrers	Personal: name, email, phone, bank_name, bank_account_no Sensitive: tin
override_agreements	May contain: remarks
override_computations	May contain: claims_note, remarks
override_settlements	May contain: remarks
claim_document_reminders	Personal: recipient_email
claim_field_changes	May contain: old_value, new_value

Table	Columns holding personal data
claim_history	May contain: note
claim_settlement_movements	Personal: bank_account, payee May contain: remarks
claims	Personal: loss_address, loss_city, loss_province Sensitive: driver, third_party May contain: description, details, policy_info, adjuster, settlement
renewal_activities	May contain: description, details
renewal_notices	Personal: recipient
renewals	May contain: remarks, coverage_details, accessories, approval_note
bir_2307_certificates	Personal: payee_name, payee_address, payor_name, payor_address Sensitive: payee_tin, payor_tin May contain: lines
journal_lines	May contain: memo
journal_vouchers	May contain: description
bank_rec_matches	May contain: remarks
bank_reconciliation_history	May contain: remarks
bank_reconciliations	May contain: reopen_remarks, remarks
bank_statement_lines	May contain: description, flag_remarks
bank_statements	May contain: remarks
insurer_statement_lines	Personal: insured_name
insurer_statement_resolutions	May contain: note
insurer_statements	May contain: remarks, approval_remarks
client_credit_exceptions	May contain: remarks
collection_actions	May contain: notes
collection_items	May contain: commitment_reason
premium_instalment_plans	May contain: remarks
premium_instalments	May contain: remarks
premium_warranty_actions	May contain: notes
premium_warranty_extensions	May contain: decision_remarks
cessions	Personal: insured May contain: notes
fac_placement_shares	May contain: notes
fac_placements	Personal: insured_name
reinsurance_recoveries	Personal: insured May contain: cash_call, documents, notes
reinsurers	May contain: contact
access_review_items	Personal: last_login_at May contain: remarks
audit_log	Personal: username, ip May contain: before_data, after_data
login_history	Personal: username, ip, user_agent
password_history	Credential: password_hash
password_resets	Credential: code, code_hash
refresh_tokens	Personal: device_id Credential: jti
users	Personal: username, display_name, first_name, last_name, email, phone, employee_code, department, designation, reporting_to, last_login_at, address_line, barangay, city, province, zip_code Sensitive: date_of_birth Credential: password_hash, totp_secret, totp_pending_secret
data_load_rows	May contain: data, errors
documents	May contain: storage_key, file_name
e_signatures	Personal: consent_ip

Table	Columns holding personal data
email_outbox	Personal: to_address, cc May contain: body_html, attachments
generated_reports	May contain: params
job_queue	May contain: payload, result
job_runs	May contain: output
master_records	Personal: name May contain: data
notifications	May contain: title, message
report_schedules	Personal: recipients
work_tasks	May contain: title, notes, completion_note
campaign_recipients	Personal: party_name, email
campaigns	May contain: notes
comparison_reports	Personal: prepared_for, sent_to
dealer_sales	Personal: buyer_first_name, buyer_last_name, buyer_company_name, buyer_email, buyer_phone, buyer_address, conduction_sticker, plate_number, chassis_number, engine_number
dealer_sales_batches	May contain: file_name
distribution_channels	Personal: address, contact_person, contact_email, contact_phone Sensitive: tin May contain: notes
motor_programmes	May contain: notes
claim_loas	May contain: remarks
claim_repair_estimates	Personal: adjuster_name May contain: decision_remarks
claim_vehicle_releases	Personal: released_to May contain: remarks
fleet_vehicles	Personal: plate_number, conduction_sticker, chassis_number, engine_number
open_cover_certificates	Personal: consignee
open_cover_declarations	May contain: notes
fixed_assets	Personal: custodian May contain: disposal_remarks
supplier_payments	May contain: remarks
bir_return_filings	May contain: figures, remarks
eis_submissions	May contain: payload, response
sales_invoice_lines	May contain: description
sales_invoices	Personal: buyer_name, buyer_address, buyer_business_style Sensitive: buyer_tin May contain: remarks
aml_cases	May contain: narrative
aml_edd_reviews	May contain: source_of_wealth, source_of_funds, purpose, findings, decision_notes
aml_provider_requests	May contain: request, response
aml_reports	May contain: amlc_notes
complaints	Personal: complainant_name, complainant_contact May contain: description, resolution, escalation_reason
compliance_fit_proper	Personal: person_name May contain: declarations, review_notes, remarks
compliance_licences	Personal: holder_name Sensitive: licence_number May contain: remarks
data_subject_requests	Personal: requester_name, requester_contact May contain: description, outcome, response_notes, actions
personal_data_breaches	Personal: reported_by May contain: description, assessment_notes, closure_notes

Table	Columns holding personal data
privacy_consent	May contain: evidence, withdrawal_reason
bank_payment_batch_lines	Personal: payee_name, account_number, account_name, email
bank_payment_batches	May contain: file_content, remarks
ctpl_authentications	Personal: plate_number, chassis_number, engine_number Sensitive: mv_file_number
integration_inbox	May contain: payload, result
integration_outbox	May contain: payload, response
payee_bank_accounts	Personal: payee_name, account_number, account_name, email

7.3 Protection in the database

- Passwords are stored only as bcrypt hashes; reset codes only as keyed hashes; the second-factor secret is encrypted with AES-256-GCM using the key in DATA_ENCRYPTION_KEY. Payment gateway credentials are not stored in the database but read from the environment.
- Access to the data in the application follows the role permissions; the authority matrix, segregation-of-duties rules and access reviews control who may approve and who holds which roles.
- Every change to a record is in audit_log with the user, time, IP address and the values before and after. Because the audit trail copies record values, it holds personal information too.
- With package B (migration 0277), TINs, government ID numbers and bank account numbers are encrypted in the database with the key in PII_ENCRYPTION_KEY (AES-256-CBC with an HMAC-SHA256 tag): clients.tin, leads.tax_number, commission_referrers.tin and bank_account_no, bir_2307_certificates.payee_tin, and the identifier keys inside the JSON documents of clients, leads, quotations, placements, policies and the audit trail. Blind indexes (*_bidx, keyed HMAC) keep search by exact value. The keys reach the database as session settings of the API connections; a session without them cannot write a new identifier.
- With package B (migration 0276), users without the permission view:pii receive TIN, ID, mobile, e-mail, bank account and birth date values partially masked in every screen and export (privacy.masking_enabled, privacy.pii_reveal_mode).
- Other columns are protected by database access control, encryption of the storage and of backups, and the application's permissions. See the Architecture, Infrastructure, Security and Privacy document.

7.4 Retention

The system has two kinds of retention. Operational rows are deleted by the daily housekeeping job after the number of days set in System Settings > Housekeeping (0 means keep forever). Business and financial records are never deleted by the system. The personal data of a client or prospect can be anonymised from a data subject request once privacy.retention_years (10 years after the last policy expiry)

has passed: names are replaced by an anonymised label and contact details, addresses, ID numbers, birth date and personal notes are cleared in the party and its prospects, policies, quotations, claims and slips, while numbers, amounts and dates stay (clients.anonymised_at, leads.anonymised_at).

Table	Rows deleted	Setting	Seeded days
job_runs	Job run history	housekeeping.job_runs_days	90
email_outbox	Sent e-mails	housekeeping.email_outbox_sent_days	180
email_outbox	Failed e-mails	housekeeping.email_outbox_failed_days	730
login_history	Sign-in attempts	housekeeping.login_history_days	365
refresh_tokens	Expired or revoked sessions	housekeeping.refresh_tokens_days	30
password_resets	Used or expired reset codes	housekeeping.password_resets_days	7
notifications	Read notifications	housekeeping.notifications_read_days	180
job_queue	Completed background jobs	housekeeping.job_queue_done_days	30
audit_log	Audit entries	housekeeping.audit_log_days	0 (keep); when set, never less than 2,557 days (7 years)
generated_reports	Generated report files	reports.retention_days (daily reports job)	90

Each table also carries a retention class in the workbook (sheet Tables):

Class	Tables	Handling
Financial	72	Ledger, bills, receipts, payments, commissions, remittances, reconciliations, tax certificates. Kept for the statutory record-keeping period; cancelled or reversed, never deleted.
Transaction	56	Leads, quotations, placements, policies, endorsements, claims, renewals, reinsurance. Kept for the life of the policy or claim plus the regulatory period.
Reference	85	Masters, settings, posting rules, number series, roles. Kept while in use; changes audited.
Log / audit	37	Audit trail, histories, sign-in history, job runs. Kept for the audit period.
Temporary	10	Tokens, reset codes, outbox, queue, notifications, generated files. Purged by housekeeping.

Recommendation, to be confirmed by the broker's Data Protection Officer and finance: set the retention period of financial and transaction records to the longest period required by the BIR, the Insurance Commission and the broker's own policy, and apply the DPA principle of proportionality to prospects that never became clients (leads with no quotation or policy). Erasure and blocking requests are handled from the data subject request register (Master > Data Privacy > Data Subject Requests): anonymisation is offered once privacy.retention_years has passed, and the records that a statutory retention period still requires are kept.

8. Appendix A: Table list

This appendix lists every table and view with a one-line description and the number of rows of reference data a new database starts with (transaction tables are empty). The columns of each table are in the workbook, sheet Columns.

8.1 Party and client

Table	Description	Rows
banks	Banks and mortgagees	17
branches	Broker branches	1
cities	Cities and municipalities (PSGC code, city class, ZIP code, region)	1,642
client_beneficial_owners	Natural persons who own or control a juridical client (beneficial owners)	0
client_kyc_documents	Customer due diligence documents: IDs, registration certificates, board resolutions, EDD evidence	0
client_signatories	Authorised signatories of a juridical client with the board resolution or certificate	0
clients	Clients (insured parties) with KYC fields and owner	0
countries	Countries	5
districts	Barangays (PSGC code) with postal code; master type Barangay	1,715
insurance_companies	Insurers (principals): contact, default commission rate, credit terms, billing mode	51
postal_codes	Postal code lookup (province, city, district)	1,846
regions	Philippine regions (PSGC code), above Province (migration 0250)	18
signatories	Authorised signatories for documents	0
states	Provinces (PSGC code, region); the table keeps its earlier name "states"	84

8.2 Product and rating

Table	Description	Rows
coverages	BI / PD / PA cover options with amount and premium	11
insurer_rate_tables	Insurer rates per product for the quick quote comparison of packaged products: rate basis, minimum premium, deductible, commission	0
lgu_tax_rates	Local government (LGT) tax rates per province or city with effective dates	10
package_bundle_sections	Sections of a bundle: product, default sum insured, rate, minimum premium and the insurers that may carry it	0
package_bundles	Packaged product bundles (for example a multi-line SME cover): segment, term, discount, online issue	0
policy_types	Policy types per product	14
premium_charge_rules	Premium charge rules (VAT, premium tax, DST, FST, LGT, other): method, rate, unit size, minimum and effective dates	6
product_components	Template components: covers, rating tables, rules, documents (JSONB data)	50
product_risk_mappings	Product / line-of-business risk definitions	8
product_risk_sections	Risk sections of a mapping with default rates	4
product_templates	Versioned product templates (config JSONB, rates, limits, insurers)	13
products	Insurance products / lines	19
vehicle_brands	Vehicle makes	8
vehicle_models	Vehicle models per make	19

Table	Description	Rows
vehicle_variants	Vehicle variants (body type, seating)	20

8.3 Sales and quotation

Table	Description	Rows
agent_events	Calendar events and reminders of a user (open items screen)	0
leads	Leads / prospects (individual or corporate), owner, status	0
package_quotes	Bundle quotations: client, location, premium, discount, taxes, commission and status	0
package_sections	Priced sections of a bundle quotation or package policy, each with its insurer, premium, taxes and commission	0
payment_events	Every notification received from a payment gateway (or simulated), valid or not: the payments log	0
payment_gateways	Online payment gateways (Dragonpay, PayMongo, sandbox): mode, methods, fee handling, link validity; credentials stay in the environment	3
payment_links	Payment links sent to a client to pay a package quotation, quotation or policy premium online, and the result	0
quote_customer_responses	Customer responses to a quotation recorded by staff (phone, Viber, meeting, signed form) as evidence of the status change	0
quotes	Quotations: vehicle / coverage JSONB, premium, taxes, commission, approval token hash	0

8.4 Placement

Table	Description	Rows
broker_slips	Broker slips (BS-): a client risk sent to several insurers for terms	0
insurer_offers	Insurer offers (OFR-) on a broker slip: premium, rate, taxes, deductibles, validity, share, or a decline	0
placements	Placement slips (PS-): firm order to the chosen insurers, binding per participant, policy issue	0
risk_participants	Co-insurance participants of a broker slip, quotation, placement or policy: lead, share, premium and commission	0

8.5 Policy and endorsement

Table	Description	Rows
cover_notes	Cover notes (binders) issued while the insurer policy is pending: cover period, status, superseding policy	0
endorsements	Policy endorsements and cancellations, premium delta, billing link	0
package_endorsements	Endorsements of one section of a package policy: change of sum insured and the additional premium billed	0
policies	Issued policies: term, premium, insurer, billing mode, details / doc JSONB	0
policy_payments	Premium payments captured on a policy, awaiting finance confirmation	0

8.6 Billing, receipts and payments

Table	Description	Rows
checkbooks	Cheques issued (instrument, approval, printing)	0
disbursements	Payment vouchers (PV-) to insurers, agents, clients; approval and payment	0
invoice_lists	Invoice lists (IL-) settled by a disbursement	0
petty_cash_disbursements	Petty cash payments (VAT, WHT, journal)	0
petty_cash_funds	Petty cash funds (size, limits, custodian, available cash)	0
petty_cash_receipts	Receipts into a petty cash fund	0
petty_cash_replenishments	Fund replenishments from bank	0
petty_cash_request_lines	Lines of a petty cash request	0
petty_cash_requests	Petty cash requests and approval	0
post_dated_cheques	Post-dated cheques received against bills, kept until their date, deposited into an official receipt or returned	0
receipt_applications	Application of receipt lines to bills, with journal link	0
receipt_lines	Receipt lines per policy (premium, taxes, EWT, discounts)	0
receipts	Official receipts (OR-) header: payer, amount, mode, status	0
receivable_credits	Return premium and cancellation credits applied to a bill, with the refund part and journal	0
receivable_participants	Per-insurer split of a co-insured bill: share, gross, commission, taxes, due to insurer	0
receivables	Premium bills (INV-) per policy / endorsement / renewal with balance and ageing	0
write_off_reasons	Write-off reasons with GL account and maximum amount	4

8.7 Remittance and insurer accounting

Table	Description	Rows
commission_debit_note_collections	Insurer payments against a debit note (cash, EWT, Form 2307)	0
commission_debit_note_lines	Policies / items on a debit note	0
commission_debit_notes	Commission debit notes (DN-) to insurers for direct-billed policies	0
direct_bill_client_payments	Client's premium payment made directly to the insurer on a direct-billed policy, with the insurer's receipt reference and proof; no journal is posted	0
direct_bill_items	Commission receivable items booked for direct-billed policies	0
insurer_refund_credits	Refunds due from insurers on returned premium already remitted; netted against the next remittance	0
remittance_allocations	Premium collected on a co-insured policy, split for remittance to each insurer	0
remittance_approvals	Multi-level approval requests with SLA and history	0
remittance_delegations	Approval delegations (period, transaction types, amount limit)	0
remittance_items	Remittance work items (settlements, adjustments, transfers, exceptions)	0
remittance_lines	Policies included in a remittance	0
remittances	Premium remittances / bills to insurers (REM-): gross, commission, net due, approval, settlement	0

8.8 Commission

Table	Description	Rows
commission_adjustments	Commission reversed or clawed back when premium is returned or a policy cancelled	0
commission_rates	Commission rate matrix: rate per insurer, product, line and policy type with effective dates	0
commission_referrers	Referrers / sub-agents (no sign-in): hierarchy, WHT rate, bank account	0
commissions	Commission lines per policy / endorsement and referrer: accrual, eligibility, approval, payment	0
override_agreement_tiers	Tiers of an override agreement: from and to value of the basis and the rate	0
override_agreements	Overriding, profit and contingent commission agreements with insurers: basis, period, lines	0
override_computations	Override commission computed for a period, accrued through rule override_commission.accrual	0
override_settlements	Settlement of an override computation by the insurer, with its sales invoice and journal	0

8.9 Claims

Table	Description	Rows
claim_document_items	Documents a claim needs, copied from the checklist master, with received and waived status	0
claim_document_reminders	Missing-document reminders sent to the claimant	0
claim_field_changes	Field-level audit trail of claim edits	0
claim_history	Claim status history	0
claim_settlement_movements	Claim settlement cash: funds received from each insurer and payments to the claimant, with journal	0
claims	Claims: loss details, estimate, approved and settled amounts, handler, lifecycle status	0

8.10 Renewals

Table	Description	Rows
renewal_activities	Contact and follow-up activities on a renewal	0
renewal_batch_policies	Policies in a renewal batch and their notice status	0
renewal_batches	Batch renewal notice runs	0
renewal_notices	Renewal notices sent (stage, method, recipient, status)	0
renewal_quotes	Renewal quotations (loading, discount, variance)	0
renewals	Renewal cases of expiring policies (status, notices, contact, premium old / new)	0
winback_campaigns	Win-back campaigns for lapsed business	0

8.11 General ledger and period end

Table	Description	Rows
accounting_config_changes	Pending, approved or rejected changes to posting rules and account determination (maker-checker); a change takes effect only on approval by a different user	0
accounting_periods	Periods 1 to 12 and adjustment period 13 per fiscal year: dates and status (open, soft_closed, closed,	0

Table	Description	Rows
	locked)	
bir_2307_certificates	BIR Form 2307 certificates issued and received, per payee and quarter	0
entry_matches	Open-item matching of debit and credit journal lines	0
fiscal_years	Fiscal years (FY2026): dates and status	0
gl_accounts	Chart of accounts (type, statement group, normal balance, open-item flag)	133
journal_lines	Journal lines: account, debit / credit, branch, department, client / policy tags	0
journal_vouchers	Journal vouchers (JV-): source, status, maker-checker, reversal / correction links	0
opening_balances	Opening balances per fiscal year and account: carried forward by the year-end close or loaded at go-live	0
period_close_checklist	Month-end checklist items (automatic or manual, severity)	12
period_close_entries	Journals created by a close run and their automatic reversal	0
period_close_run_checks	Checklist results of a close run and sign-off of manual items	0
period_close_runs	Month-end close runs (MEC-): steps, preparer, approval	0
period_status_history	Every change of an accounting period status, with source and user	0
posting_rule_lines	Lines of a posting rule: side, account or account role, amount key, split per co-insurer	180
posting_rules	Posting rule versions per business event (effective date, entry type, narration)	48
recurring_journal_runs	Journals generated from a recurring template per occurrence	0
recurring_journals	Recurring and accrual journal templates (frequency, lines, auto-post, auto-reverse)	0
tax_codes	Tax codes: VAT, expanded withholding with ATC, DST, LGT; rate and GL account	27
year_end_runs	Year-end close runs (YEC-): closing and transfer journals, net income, reversal	0

8.12 Bank and insurer reconciliation

Table	Description	Rows
bank_account_links	View: bank account masters with their GL cash account	view
bank_book_lines	View: posted journal lines on bank cash accounts, the book side of bank matching	view
bank_match_rules	Automatic matching rules (reference, amount-date, one-to-many, many-to-one)	6
bank_rec_match_items	Bank and book lines of a match	0
bank_rec_matches	Matches between bank lines and cash-account journal lines, with difference treatment	0
bank_reconciliation_history	Status history of a reconciliation	0
bank_reconciliations	Monthly bank reconciliation statements (BRC-): figures, preparer, approver	0
bank_statement_formats	Bank statement file layouts (columns, date format, sign convention)	4
bank_statement_lines	Statement lines (amount, reference, line hash), status and adjustment journal	0
bank_statements	Imported or keyed bank statements per bank account and period, with file hash	0
bank_transaction_types	Bank-side transaction types (charges, interest, direct credits) and their GL account role	7

Table	Description	Rows
insurer_statement_formats	Column mapping of an insurer's statement export (CSV or XLSX)	1
insurer_statement_lines	Lines of an insurer statement with their match to the broker's remittance line, debit note line or policy and the differences	0
insurer_statement_resolutions	How a statement difference, or a broker record missing on the statement, was settled: note or adjustment journal	0
insurer_statements	Imported insurer statement of account (ISR): premium remittance confirmation or commission statement, totals, sign-off	0

8.13 Credit control

Table	Description	Rows
client_credit_exceptions	Policies issued beyond a client's credit limit: exposure before and after, and Accounting's acknowledgement	0
collection_actions	Collection actions: calls, e-mails, commitments	0
collection_items	Collection follow-up items for open bills (commitment, escalation, assignee)	0
premium_instalment_plans	Instalment plan of a premium bill: frequency, number of instalments, first due date and down payment	0
premium_instalments	Instalments of a plan: sequence, due date and amount	0
premium_warranty_actions	Premium warranty monitor actions: reminders, extension decisions and cancellation requests	0
premium_warranty_extensions	Requests to extend the premium payment warranty deadline of a policy (maker-checker)	0

8.14 Reinsurance

Table	Description	Rows
cessions	Cessions of policies to treaties / facultative reinsurers	0
fac_placement_shares	Reinsurers approached on a facultative slip and their written and signed lines	0
fac_placements	Facultative reinsurance slips offered by a cedant, placed by the broker as reinsurance broker	0
fac_settlements	Facultative premium received from the cedant and paid to each reinsurer, with journals	0
reinsurance_bordereaux	Premium / claims bordereaux (entries JSONB, file)	0
reinsurance_exceptions	Reconciliation exceptions and resolution	0
reinsurance_reconciliations	Reinsurer statement reconciliations	0
reinsurance_recoveries	Claim recoveries from reinsurers	0
reinsurance_treaties	Treaties (type, capacity, share, retention, approval)	0
reinsurers	Reinsurers (rating, capacity, contact)	0

8.15 Incentives

Table	Description	Rows
incentive_calculations	Incentive calculation batches with maker-checker and payment	0
incentive_programs	Incentive programmes (metric, targets, tiers, eligibility)	0
incentive_results	Incentive results and payouts per participant	0

8.16 Security and audit

Table	Description	Rows
access_review_items	One user in an access review: the roles held, last sign-in and the reviewer's decision to keep or revoke	0
access_reviews	Periodic access review (recertification) campaign: scope, reviewer, due date and closure	0
audit_log	Who did what to which record, with before / after JSON and IP	0
authority_limits	Authority matrix: approval limit per role or per user and transaction type, effective once approved by another administrator	30
authority_transaction_types	Transactions that need an approver and are limited by amount or percent (authority matrix rows)	12
login_history	Every sign-in attempt: user, IP, user agent, success, reason, method	0
password_history	Previous password hashes for the history rule (last N kept)	0
password_resets	One-time password reset codes (HMAC hash only), expiry and attempts	0
permissions	Permission codes read:<module>, write:<module> and approve:<area> granted to roles	98
refresh_tokens	Refresh-token register (jti, family, expiry, rotation / revocation reason)	0
role_permissions	Grant of permissions to roles	279
roles	Role catalogue: System Administrator, Sales & Marketing, Processing Team, Operations, Claims, Accounting, Accounting Manager and custom roles; a role may inherit another	8
sod_rules	Segregation-of-duties rules: pairs of roles one person should not hold together, with block or warn	5
user_delegations	Out-of-office delegation: the delegate may approve with the delegator's authority for the listed transaction types and dates	0
user_roles	Assignment of roles to users	1
users	User accounts: bcrypt password hash, status, lockout counter, 2FA (encrypted TOTP secret), token version	1

8.17 Configuration and schedules

Table	Description	Rows
app_settings	Configuration keys (JSONB value, group, label, type); every business parameter	659
bi_extract_runs	Runs of the scheduled BI extract (one CSV file per dataset) with status and files	0
currencies	Currencies (base flag, decimals, exchange rate)	5
data_load_batches	Go-live workbooks uploaded (configuration or migration kit): validation, errors, load and reconciliation	0
data_load_comparisons	Environment comparison reports of configuration and masters between environments	0
data_load_rows	Rows of an uploaded go-live workbook with their validation result and loaded record	0
document_numbering	Document number series: prefix, pattern, width, reset rule, start number	85
document_signature_slots	Which signature prints in which slot of which document type, and when	15

Table	Description	Rows
documents	Registry of stored files: storage key, name, type, size, owning entity, uploader	0
e_signatures	Signature images of signatories and approving or issuing users, with consent and capture details	0
email_outbox	Queued e-mails (to, subject, HTML body, status, attempts, error)	0
generated_reports	Generated report files (code, parameters, format, storage key, rows)	0
job_queue	Background work queue (renewal notice batches); status, progress, attempts	0
job_runs	Run history of scheduled and manual job runs (status, output, error)	0
master_records	Generic master records (JSONB data) for masters without their own table	449
master_types	Master screen registry: fields, storage table, keys of each configurable master	69
notifications	In-app notifications per user or per permission audience	0
report_builder_reports	Ad hoc reports designed by users over curated datasets: columns, filters, grouping, sharing	0
report_definitions	Report catalogue (parameters, query, columns, roles, permission)	40
report_schedules	E-mailed report schedules (cron, format, recipients)	0
scheduled_jobs	Cron jobs (code, cron, handler, params, enabled, last status)	35
schema_migrations	Applied migration files	149
sequences	Document-number counters per series and reset period (year, fiscal year, month or ALL)	0
work_tasks	Tasks and follow-ups of the My Work diary: due date, priority, reminder, related record	0

8.18 Distribution and marketing

Table	Description	Rows
campaign_recipients	Recipients of a campaign run: consent checked, sent, failed or opted out	0
campaign_segments	Who a campaign is for: clients, prospects or both, narrowed by line, place, channel and type	0
campaign_templates	E-mail templates of campaigns with merge fields and the opt-out link	0
campaigns	Marketing campaigns to consenting clients and prospects: segment, template, schedule, status	0
channel_billing_accounts	Client account a channel is billed through when it pays a premium for its customers	0
comparison_reports	Client comparison and recommendation reports between insurer options	0
dealer_sales	One vehicle sold by a dealer under a programme, with the buyer and the resulting policy	0
dealer_sales_batches	Uploaded dealer sales batches of a programme, validated and converted into business	0
distribution_channels	Dealer groups and branches, financing banks and affinity partners in one hierarchy	0
lead_assignment_history	Every assignment and reassignment of a prospect (automatic, manual, bulk, queue) with the reason	0
lead_assignment_rules	Lead assignment rules: who receives a new prospect by branch, line, source, channel and territory	0
motor_programmes	Brand-new vehicle dealer programmes: insurer, own damage rate, CTPL term, free or subsidised first year	0
sales_activities	Calls, meetings, e-mails and visits logged on a	0

Table	Description	Rows
	prospect, quotation or client, with the next step (package G)	

8.19 Fleet, marine and motor claims

Table	Description	Rows
claim_loas	Letters of authority to the repair shop issued from an approved estimate	0
claim_repair_estimates	Motor repair estimates of an accredited repair shop and their approval, with supplementary estimates	0
claim_vehicle_releases	Release of the repaired vehicle to the insured	0
fleet_schedules	Fleet of a client under one motor policy with one insurer and one period	0
fleet_vehicles	Vehicles of a fleet schedule with their premium, additions and deletions	0
open_cover_certificates	Marine insurance certificates issued against an open cover, one per shipment	0
open_cover_declarations	Monthly declarations of the shipments of an open cover, billed as a premium	0
open_covers	Marine cargo open cover contracts: period, goods, voyages, limit and rate per conveyance	0

8.20 Payables and fixed assets

Table	Description	Rows
fixed_asset_depreciation	Monthly depreciation of each asset and the journal that posted it	0
fixed_asset_disposals	Sale or write-off of an asset with the gain or loss posted (package G)	0
fixed_assets	Fixed asset register: class, cost, useful life, straight-line schedule, status	0
supplier_invoice_lines	Expense lines of a supplier invoice (account, amount, VAT, EWT)	0
supplier_invoices	Supplier invoices with input VAT and expanded withholding tax, approved by maker-checker	0
supplier_payment_allocations	Allocation of a supplier payment to the invoices it settles	0
supplier_payments	Payments to suppliers, posted through rule ap.payment	0

8.21 BIR returns and invoicing

Table	Description	Rows
bir_return_filings	Filing record of each BIR return period (0619-E, 1601-EQ, 1604-E, 2551Q): status, reference, payment	0
cas_book_prints	Loose-leaf books of accounts printed per period for the CAS registration pack, with page numbers	0
eis_submissions	E-invoice submissions to the BIR Electronic Invoicing System: payload, status, attempts, reply	0
sales_invoice_lines	Lines of a sales invoice (description, amount, VAT)	0
sales_invoice_payments	Payments received against a sales invoice	0
sales_invoices	Sales invoices under the Ease of Paying Taxes Act for commission, fees and override commission	0

8.22 Compliance

Table	Description	Rows
aml_alerts	Alerts raised by a monitoring rule on a transaction, reviewed by the compliance officer	0
aml_cases	Compliance officer case files: CTR to file, STR investigation or review	0
aml_edd_reviews	Enhanced due diligence of a high-risk client: source of wealth and funds, findings, approval	0
aml_list_entries	Names and identifiers of a screening list version	0
aml_list_versions	Loaded versions of a screening list	0
aml_provider_requests	Outbox of requests to a commercial screening provider (status, attempts)	0
aml_report_items	Transactions included in an AMLC report file	0
aml_reports	CTR and STR files generated in the AMLC reporting layout	0
aml_risk_assessments	Every customer risk rating made, with the factors that scored and the resulting risk	0
aml_risk_factors	Scoring table of the customer risk rating (factor, value, score)	33
aml_rules	Covered and suspicious transaction monitoring rules with their parameters	6
aml_screening_hits	Potential matches of a screening and their disposition (true match, false positive)	0
aml_screening_lists	Lists screened against (UN Security Council, AMLC designations, PEP and internal lists)	4
aml_screenings	Every screening run of a party (event, provider, result)	0
complaint_reminders	Acknowledgement and resolution deadline reminders of complaints	0
complaints	Complaints register under RA 11765: complainant, product, deadlines, resolution	0
compliance_fit_proper	Fit and proper declarations and checks of officers and staff	0
compliance_licence_reminders	Licence expiry reminders sent	0
compliance_licences	Licences issued by the IC or another authority to the firm, its officers and individuals, with expiry	0
data_subject_requests	Register of data subject requests (DSR-): type, requester, party, date received, due date, status, assignee, outcome and the exports and anonymisation done	0
ic_statement_lines	Lines of the IC annual statement schedules mapped to GL accounts	37
personal_data_breach_reminders	Notification deadline reminders of breaches	0
personal_data_breaches	Personal data breach and security incident register with the NPC 72-hour notification	0
privacy_consent	Consent given, refused or withdrawn by a client or prospect per purpose (processing, marketing, sharing), with channel, notice version and evidence; never deleted	0

8.23 Integrations

Table	Description	Rows
bank_file_layouts	Layout of a bank bulk credit, InstaPay or PESONet upload file	6
bank_payment_batch_lines	One line per voucher in a bank payment batch, with the status from the bank	0
bank_payment_batches	Batches of payment vouchers paid through one bank account and layout	0

Table	Description	Rows
coc_series	CTPL certificate of cover number series received from an insurer	0
ctpl_authentications	CTPL cover authentications: COC number, vehicle identifiers, authentication result	0
insurer_api_mappings	Per insurer: API connector, broker code, product codes, request and response maps	0
integration_attempts	One row per send attempt (duration, result, error) for the monitor	0
integration_connectors	Configured connections to third parties: adapter, mode test or live, endpoint, credential variable names	8
integration_inbox	Messages received from a third party (webhook) or read from an imported file	0
integration_outbox	Every message to send through a connector: status, attempts, next attempt, last error	0
message_templates	SMS and Viber text templates per event	5
payee_bank_accounts	Bank accounts of payees credited by bank payment files	0

9. Document Sign-Off

Serial Number	Description	Owner	Status
1	No open items at the time of issue	iorta TechNXT	

Sign Off Date	Signature	Approved By	Department & Project Role



Insurance technology for the Philippines



10+

COUNTRIES

Global Presence



8

GLOBAL OFFICES

Strategically Located



11+

MARKETS SERVED

Across Continents



100%

COMMITMENT

To Excellence



MALAYSIA



INDIA



PHILIPPINES



THAILAND



VIETNAM



USA



ETHIOPIA



CAMBODIA



HONGKONG



SINGAPORE



Scan More Details